Index to Volume 33

*Author index**

A

Abbott W (*see* Niklason et al). 2001;33:628-38
Abbott WM (*see* Casey et al). 2001;33:1199-205
Abou-Zamzam AM Jr (*see* Lovelace et al). 2001;33:56-61
Abraham P, Bickert S, Vielle B, Chevalier JM, Saumet JL. Pressure measurements at rest and after heavy exercise to detect moderate arterial lesions in athletes. 2001;33:721-7
Abul-Khoudoud O (*see* Criado et al). 2001;33:S146-49
AbuRahma AF, Mullins DA. Endovascular caval interruption in pregnant patients with deep vein thrombosis of the lower extremity. 2001;33:375-8
AbuRahma AF, Robinson PA, Cook CC, Hopkins ES. Selecting patients for combined femorofemoral bypass grafting and iliac balloon angioplasty and stenting for bilateral iliac disease. 2001;33:S93-9
Adam DJ, Evans SM, Webb DJ, Bradbury AW. Plasma endothelin levels and outcome in patients undergoing repair of ruptured infrarenal abdominal aortic aneurysm. 2001;33:1242-6
Adelman MA (*see* Jacobowitz et al). 2001;33:51-5
Adelman MA (*see* Rockman et al). 2001;33:236-41
Aguirre ML (*see* Westerband et al). 2001;33:561-9
Ahn SS (*see* Pross et al). 2001;33:963-7
Akiyama Y (*see* Ishitobi et al). 2001;33:797-801
Al-Omran M, Kucey DS. Intravascular lipoma of the left common femoral vein. 2001;33:1104-7 (Case rep.)
Albäck NA (*see* Ihlberg et al). 2001;33:546-53
Albert JA (*see* Casey et al). 2001;33:1199-205
Aleksic I, Busch T, Sirbu H, Tirilomis T, Bensch M, Dalichau H. Successful reconstruction of stripped superficial femoral vein. 2001;33:1111-3 (Case rep.)
Algra A (*see* Tangelder et al). 2001;33:522-7
Alimi YS, Hartung O, Valerio N, Juhan C. Laparoscopic aortoiliac surgery for aneurysm and occlusive disease: when should a minilaparotomy be performed? 2001;33:469-75
Allen BT (*see* Nguyen et al). 2001;33:1065-71
Allenberg JR (*see* Gahlen et al). 2001;33:646-9 (Case rep.)
Allmendinger PP (*see* Wolpert et al). 2001;33:1193-8
Allroggen H (*see* Hayes et al). 2001;33:994-1000
Amor M (*see* Veith et al). 2001;33:S111-6
Anagnostopoulos PV (*see* Pipinos et al). 2001;33:1133-4 (Letter reply)
Annex BH (*see* Huynh et al). 2001;33:400-7
Appolloni A (*see* Pistolese et al). 2001;33:148-54
Archer CW (*see* Carr et al). 2001;33:806-11
Archie JP Jr. Reoperations for carotid artery stenosis: role of primary and secondary reconstructions. 2001;33:495-503
Arena GO (*see* Cinà et al). 2001;33:861-7 (Case rep.)
Arko FR, Harris EJ, Zarins CK, Olcott C IV. Vascular complications in high-performance athletes. 2001;33:935-42
Armstrong PJ (*see* Carsten et al). 2001;33:1255-62
Arnljots B (*see* Söderström et al). 2001;33:1072-9
Arora S, Weber MA, Fox CJ, Neville R, Lidor A, Sidawy AN. Common femoral artery ligation and local debridement: a safe treatment for infected femoral artery pseudoaneurysms. 2001;33:990-3
Ascher E, Jacob T, Hingorani A, Tsemekhin B, Gunduz Y. Expression of molecular mediators of apoptosis and their role in the pathogenesis of lower-extremity varicose veins. 2001;33:1080-6
Ascher E. Regarding "Lessons learned from a 6-year clinical experience with superior vena cava Greenfield filters." 2001;33:907 (Letter reply)
Ascher E (*see* Jacob et al). 2001;33:614-20
Aslim E (*see* Hölzenbein et al). 2001;33:S46-54
Ataka K (*see* Tsuji et al). 2001;33:789-96
Austin PC (*see* Tu et al). 2001;33:447-52
Axelrod DA, Henke PK, Wakefield TW, Stanley JC, Jacobs LA, Graham LM, Greenfield LJ, Upchurch GR Jr. Impact of chronic obstructive pulmonary disease on elective and emergency abdominal aortic aneurysm repair. 2001;33:72-6
Axelrod DA, Proctor MC, Geisser ME, Roth RS, Greenfield LJ. Outcomes after surgery for thoracic outlet syndrome. 2001;33:1220-5

B

Bade M (*see* Ohki et al). 2001;33:504-9
Bade MA, Ohki T, Cynamon J, Veith FJ. Hypogastric artery aneurysm rupture after apparent successful endovascular graft exclusion with shrinkage of the aneurysm: significance of endotension from a "virtual," or thrombosed II endoleak. 2001;33:1271-4 (Case rep.)
Baguneid MS, Goldner S, Fulford PE, Hamilton G, Walker MG, Scifalian AM. A comparison of para-anastomotic compliance profiles after vascular anastomosis: nonpenetrating clips versus standard sutures. 2001;33:812-20
Baguneid MS, Welch M, Bukhari M, Fulford PE, Howe M, Bigley G, Eddleston JM, McMahon RFT, Walker MG. A randomized study to evaluate the effect of a perioperative infusion of dopexamine on colonic mucosal ischemia after aortic surgery. 2001;33:758-63
Baker D (*see* Pross et al). 2001;33:963-7
Balfour E (*see* Murcebe et al). 2001;33:1275-9 (Case rep.)
Barbera L (*see* Geier et al). 2001;33:165-9
Barker C (*see* Fairman et al). 2001;33:1226-32
Barker CF (*see* Baum et al). 2001;33:32-41
Barker CF (*see* Carpenter et al). 2001;33:296-303
Barker CF (*see* Neschis et al). 2001;33:488-94
Barker CF (*see* Velazquez et al). 2001;33:S77-84
Barnatan M (*see* Estes et al). 2001;33:1179-84
Bates M (*see* Ohki et al). 2001;33:504-9
Baum R (*see* Fairman et al). 2001;33:1226-32
Baum RA, Carpenter JP, Cope C, Golden MA, Velazquez OC, Neschis DG, Mitchell ME, Barker CF, Fairman RM. Aneurysm sac pressure measurements after endovascular repair of abdominal aortic aneurysms. 2001;33:32-41
Baum RA, Carpenter JP, Fairman RF. Regarding "Aneurysm sac pressure measurements after endovascular repair of abdominal aortic aneurysms." 2001;33:1317-8 (Letter reply)
Baum RA (*see* Carpenter et al). 2001;33:296-303
Baum RA (*see* Neschis et al). 2001;33:488-94
Baum RA (*see* Velazquez et al). 2001;33:S77-84
Beach KW (*see* Leotta et al). 2001;33:700-7
Beaufigeau M (*see* Chafke et al). 2001;33:1015-21
Becquemin JP (*see* d'Audiffret et al). 2001;33:42-50, 1001-7
Bednarkiewicz M, Vala D, Khatchourian G, Kadry Z, Morel P,

*January, pp. 1-212; February pp. 213-446 and pp. S1-S164; March, pp. 447-670; April, pp. 671-912; May, 913-1138; June, 1139-1362.

Christenson JT, Faidutti B. Obtaining a superficial femoral artery graft in adolescents and children with the deep femoral artery transposition. 2001;33:429-30
Beebe HG, Cronenwett JL, Katzen BT, Brewster DC, Green RM. Results of an aortic endograft trial: impact of device failure beyond 12 months. 2001;33:S55-63
Beebe HG (*see* Veith et al). 2001;33:S111-6
Belkin M (*see* Chew et al). 2001;33:259-65
Belkin M (*see* Lantis et al). 2001;33:1171-8
Bell PRF (*see* Hayes et al). 2001;33:994-1000
Bell PRF (*see* Veith et al). 2001;33:S111-6
Bensch M (*see* Aleksic et al). 2001;33:1111-3 (Case rep.)
Bergelin RO (*see* Gibson et al). 2001;33:24-31
Bergelin RO (*see* Vesti et al). 2001;33:369-74
Bergeron P (*see* Veith et al). 2001;33:S111-6
Bernaerts P (*see* Lacroix et al). 2001;33:188-90 (Case rep.)
Bernhard VM (*see* Moore et al). 2001;33:S11-20
Berridge DC (*see* Parry et al). 2001;33:874-9 (Case rep.)
Berrino F (*see* Ciardullo et al). 2001;33:1134-5 (Letter reply)
Berry AJ, Smith RB III, Weintraub WS, Chaikof EL, Dodson TF, Lumsden AB, Salam AA, Weiss V, Konigsberg S. Age versus comorbidities as risk factors for complications from elective abdominal aortic reconstructive surgery. 2001;33:345-52
Bertocchi P (*see* Caggiati and Bertocchi). 2001;33:1317 (Letter)
Best IW. Regarding "Acute enlargement and subsequent rupture of an abdominal aortic aneurysm in a patient receiving chemotherapy for pancreatic carcinoma." 2001;33:661-2 (Letter)
Beven EG (*see* Kasirajan et al). 2001;33:63-71
Beven EG (*see* Ouriel et al). 2001;33:728-32
Bhandari G (*see* Greenberg et al). 2001;33:S157-64
Bickert S (*see* Abraham et al). 2001;33:721-7
Bigley G (*see* Baguneid et al). 2001;33:758-63
Bingley JA, Hayward IP, Campbell GR, Campbell JH. Relationship of glycosaminoglycan and matrix changes to vascular smooth muscle cell phenotype modulation in rabbit arteries after acute injury. 2001;33:155-64
Binot D (*see* Guillem et al). 2001;33:643-5 (Case rep.)
Bird K (*see* Sobel et al). 2001;33:587-94
Blankenship JD (*see* Prinssen et al). 2001;33:S64-9
Bloch DA (*see* Zarins et al). 2001;33:S135-45
Blume P (*see* Mureebe et al). 2001;33:1275-9 (Case rep.)
Blystone SD (*see* Sobel et al). 2001;33:587-94
Bodner G (*see* Neuhauser et al). 2001;33:1125-7 (Case rep.)
Bohannon WT (*see* Karch et al). 2001;33:S33-8
Bolia A (*see* Veith et al). 2001;33:S111-6
Bonardelli S, Vettoretto N, Tiberio GAM, Nodari F, Tardanico R, Giulini SM. Right subclavian artery aneurysms of fibrodysplastic origin: two case reports and review of literature. 2001;33:174-7 (Case rep.)
Borhani M (*see* Liao et al). 2001;33:1057-64
Boska MD (*see* Pipinos et al). 2001;33:1133-4 (Letter reply)
Botta DM Jr (*see* Sprouse et al). 2001;33:688-93
Bower TC (*see* Jost et al). 2001;33:320-8
Bower TC (*see* Kalra et al). 2001;33:6 16
Bradbury AW (*see* Adam et al). 2001;33:1242-6
Bratzler D (*see* Kresowik et al). 2001;33:227-35
Brenton M (*see* Kresowik et al). 2001;33:227-35
Brewster DC. Presidential address: what would you do if it were your father? Reflections on endovascular abdominal aortic aneurysm repair. 2001;33:1139-47
Brewster DC (*see* Beebe et al). 2001;33:S55-63
Brewster DC (*see* Lauterbach et al.). 2001;33:1185-92
Brewster DC (*see* Moore et al). 2001;33:S11-20
Bruin G (*see* Cinà et al). 2001;33:462-8
Bukhari M (*see* Baguneid et al). 2001;33:758-63
Bülow J (*see* Green and Bülow). 2001;33:1133-4 (Letter)
Burch J (*see* Estes et al). 2001;33:650-3 (Case rep.)
Burgess WH (*see* Xue et al). 2001;33:554-60
Burnham SJ (*see* Carlin et al). 2001;33:170-3 (Case rep.)
Burnham SJ (*see* Farber et al). 2001;33:281-8
Busch T (*see* Aleksic et al). 2001;33:1111-3 (Case rep.)
Bush HL (*see* Korn et al). 2001;33:1148-57
Bush RL, Lunsden AB, Dodson TF, Salam AA, Weiss VJ, Smith RB III, Chaikof EL. Mid-term results after endovascular repair of the abdominal aortic aneurysm. 2001;33:S70-6
Bush RL, Najibi S, MacDonald MJ, Lin PH, Chaikof EL, Martin LG, Lumsden AB. Endovascular revascularization of renal artery stenosis: technical and clinical results. 2001;33:1041-9
Bush RL (*see* Lin et al). 2001;33:621-7
Buth J (*see* Cuypers et al). 2001;33:353-60
Buth J (*see* Visser et al). 2001;33:123-30
Byers HR (*see* Raffetto et al). 2001;33:1233-41
Byrne J (*see* Conway et al). 2001;33:752-7
Byun HS (*see* Lee et al). 2001;33:764-72

C

Caggiati A, Bertocchi P. Regarding "Fact and fiction surrounding the discovery of the venous valves." 2001;33:1317 (Letter)
Calahoras LS (*see* Kalodiki et al). 2001;33:715-20
Caldwell MP (*see* Lee et al). 2001;33:608-13
Calton WC (*see* Carsten et al). 2001;33:1255-62
Cambria RP (*see* Lauterbach et al.). 2001;33:1185-92
Campbell FC (*see* Harkin et al). 2001;33:840-6
Campbell GR (*see* Bingley et al). 2001;33:155-64
Campbell JH (*see* Bingley et al). 2001;33:155-64
Canton LG (*see* Kalra et al). 2001;33:6-16
Caps MT (*see* Gibson et al). 2001;33:24-31
Caps MT (*see* Schneider et al). 2001;33:955-62
Carey DJ (*see* Carsten et al). 2001;33:1255-62
Carey DJ (*see* Johanning et al). 2001;33:579-86
Carey N (*see* Sturge et al). 2001;33:847-53
Carlin RE, Papenhausen M, Farber MA, Ronningen E, Mauro MA, Marston WA, Keagy BA, Burnham SJ. Sural artery pseudoaneurysms after knee arthroscopy: treatment with transcatheter embolization. 2001;33:170-3 (Case rep.)
Carlin RE (*see* Farber et al). 2001;33:281-8
Carpenter J (*see* Fairman et al). 2001;33:1226-32
Carpenter JP, Neschis DG, Fairman RM, Barker CF, Golden MA, Valazquez OC, Mitchell ME, Baum RA. Failure of endovascular abdominal aortic aneurysm graft limbs. 2001;33:296-303
Carpenter JP (*see* Baum et al). 2001;33:32-41, 1317-8 (Letter reply)
Carpenter JP (*see* Neschis et al). 2001;33:488-94
Carpenter JP (*see* Velazquez et al). 2001;33:S77-84
Carpino P (*see* Estes et al). 2001;33:1179-84
Carr SC, Mahvi DM, Hoch JR, Archer CW, Turnipseed WD. Visceral artery aneurysm rupture. 2001;33:806-11
Carsten CG III, Calton WC, Johanning JM, Armstrong PJ, Franklin DP, Carey DJ, Elmore JR. Elastase is not sufficient to induce experimental abdominal aortic aneurysms. 2001;33:1255-62
Carter SA, Tate RB. The value of toe pulse waves in determination of risks for limb amputation and death in patients with peripheral arterial disease and skin ulcers or gangrene. 2001;33:708-14

Casey PJ, Dattilo JB, Dai G, Albert JA, Tsukurov OI, Orkin RW, Gertler JP, Abbott WM. The effect of combined arterial hemodynamics on saphenous venous endothelial nitric oxide production. 2001;33:1199-205
Castillo J (*see* Rockman et al). 2001;33:236-41
Chafke N, Riepe G, Dieval F, Le Magnen JF, Wang L, Urban E, Beaufigeau M, Durand B, Imig H, Kretz JG. Longitudinal ruptures of polyester knitted vascular prostheses. 2001;33: 1015-21
Chaikof EL (*see* Berry et al). 2001;33:345-52
Chaikof EL (*see* Bush et al). 2001;33:1041-9, S70-6
Chakhtoura EY, Hobson RW II, Goldstein J, Simonian GT, Lal BK, Haser PB, Silva MB Jr, Padberg FT Jr, Pappas PJ, Jamil Z. In-stent restenosis after carotid angioplasty-stenting: incidence and management. 2001;33:220-6
Chambon JP (*see* Guillem et al). 2001;33:643-5 (Case rep.)
Chang BB (*see* Kreienberg et al). 2001;33:S100-5
Chang BB (*see* Roddy et al). 2001;33:802-5
Chang D (*see* Ohki et al). 2001;33:504-9
Chang DW (*see* Mehta et al). 2001;33:S27-32
Chapman T (*see* Farber et al). 2001;33:868-73 (Case rep.)
Charbon J (*see* Cuypers et al). 2001;33:353-60
Charette S, Nehler MR, Whitehill TA, Gibbs P, Foulk D, Krupski WC. Epithelioid hemangioendothelioma of the common femoral vein: case report and review of the literature. 2001;33:1100-3 (Case rep.)
Charette SD (*see* Nehler et al). 2001;33:943-7
Chawla M (*see* Hilfiker et al). 2001;33:821-8
Chen C (*see* Lin et al). 2001;33:621-7
Chen JC (*see* Lokanathan et al). 2001;33:783-8
Cherry KJ Jr (*see* Jost et al). 2001;33:320-8
Chetty R (*see* Nair et al). 2001;33:186-7 (Case rep.)
Chevalier JM (*see* Abraham et al). 2001;33:721-7
Chew DKW, Conte MS, Donaldson MC, Whittemore AD, Mannick JA, Belkin M. Autogenous composite vein bypass graft for infrainguinal arterial reconstruction. 2001;33:259-65
Choi ET, Wyble CW, Rubin BG, Sanchez LA, Thompson RW, Flye MW, Sicard GA. Evolution of vascular fellowship training in the new era of endovascular techniques. 2001;33:S106-10
Choo IW (*see* Lee et al). 2001;33:764-72
Christenson JT (*see* Bednarkiewicz et al). 2001;33:429-30
Chuter T (*see* Greenberg et al). 2001;33:S157-64
Ciardullo AV, Iannuzzi A, Rubba P, Panico S, Berrino F. Regarding "High endogenous estradiol is associated with increased venous distensibility and clinical evidence of varicose veins in menopausal women. 2001;33:1134-5 (Letter reply)
Ciervo A, Kahn M, Pangilinan AJ, Dardik H. Absence of the brachial artery: report of a rare human variation and review of upper extremity arterial anomalies. 2001;33:191-4 (Case rep.)
Cifra PN (*see* Hilfiker et al). 2001;33:821-8
Cinà CS, Arena GO, Fiture AO, Clase CM, Doobay B. Ruptured mycotic thoracoabdominal aortic aneurysms: a report of three cases and a systematic review. 2001;33:861-7 (Case rep.)
Cinà CS, It SC, Clase CM, Bruin G. A cohort study of coagulation parameters and the use of blood products in surgery of the thoracic and thoracoabdominal aorta. 2001;33:462-8
Clair DG (*see* Kasirajan et al). 2001;33:63-71
Clair DG (*see* Ouriel et al). 2001;33:728-32
Clase CM (*see* Cinà et al). 2001;33:462-8, 861-7 (Case rep.)
Clowes AW (*see* Davies et al). 2001;33:408-18
Clowes AW (*see* Sidawy et al). 2001;33:854-60
Cohen D (*see* Kreienberg et al). 2001;33:S100-5
Cohen W (*see* Gradman et al). 2001;33:888-94, 968-75
Conklin B (*see* Lin et al). 2001;33:621-7
Connors JJ III (*see* Veith et al). 2001;33:S111-6
Connors JP (*see* Proia et al). 2001;33:1165-70
Conroy N (*see* Niklason et al). 2001;33:628-38
Conte MS (*see* Chew et al). 2001;33:259-65
Conte MS (*see* Gangadharan et al). 2001;33:1247-54
Conte MS (*see* Lantis et al). 2001;33:1171-8
Contreras MA (*see* Faries et al). 2001;33:601-7
Conway KP, Byrne J, Townsend M, Lane IF. Prognosis of patients turned down for conventional abdominal aortic aneurysm repair in the endovascular and sonographic era: Szilagyi revisited? 2001;33:752-7
Cook CC (*see* AbuRahma et al). 2001;33:S93-9
Cope C (*see* Baum et al). 2001;33:32-41
Copland S (*see* Treiman et al). 2001;33:948-54, 1158-64
Corcoran CM (*see* Wolf et al). 2001;33:481-7
Crabtree T (*see* Zarins et al). 2001;33:S135-45
Crayford T (*see* Morgan et al). 2001;33:679-87
Criado E (*see* Luján et al). 2001;33:665-6 (Letter)
Criado F (*see* Fairman et al). 2001;33:1226-32
Criado FJ, Wilson EP, Fairman RM, Abul-Khoudoud O, Wellons E. Update on the Talent aortic stent-graft: a preliminary report from United States phase I and II trials. 2001;33: S146-9
Criqui MH (*see* Fronek et al). 2001;33:1050-6
Cronenwett JL. Shopping for vascular surgery. 2001;33:654-6
Cronenwett JL (*see* Beebe et al). 2001;33:S55-63
Cronenwett JL (*see* Farber et al). 2001;33:868-73 (Case rep.)
Cronenwett JL (*see* Proia et al). 2001;33:1165-70
Cronenwett JL (*see* Schermerhorn and Cronenwett). 2001;33: 443 (Letter)
Crouse D (*see* Westerband et al). 2001;33:561-9
Curci JA (*see* Liao et al). 2001;33:1057-64
Cuypers PWM, Gardien M, Buth J, Charbon J, Peels CH, Hop W, Laheij RJF. Cardiac response and complications during endovascular repair of abdominal aortic aneurysms: a concurrent comparison with open surgery. 2001;33:353-60
Cynamon J (*see* Bade et al). 2001;33:1271-4 (Case rep.)
Cynamon J (*see* Mehta et al). 2001;33:S27-32
Cynamon J (*see* Sahgal et al). 2001;33:289-95

D

Dai G (*see* Casey et al). 2001;33:1199-1205
Dake MD (*see* Hilfiker et al). 2001;33:821-8
Dake MD (*see* Matsumura et al). 2001;33:S150-S153
Dalichau H (*see* Aleksic et al). 2001;33:1111-13 (Case rep.)
Dame DA (*see* Huber et al). 2001;33:304-11
Dannegger FC (*see* Fleischmann et al). 2001;33:97-105
Dardik A, Minor J, Watson C, Hands LJ. Improved quality of life among patients with symptomatic carotid artery disease undergoing carotid endarterectomy. 2001;33:329-33
Dardik H. Regarding "A comparative evaluation of polytetrafluoroethylene, umbilical vein, and saphenous vein bypass grafts for femoral-popliteal above-knee revascularization: a prospective randomized Department of Veterans Affairs cooperative study." 2001;33:658-9 (Letter)
Dardik H (*see* Ciervo et al). 2001;33:191-4 (Case rep.)
Darling RC III (*see* Kreienberg et al). 2001;33:S100-5
Darling RC III (*see* Roddy et al). 2001;33:802-5
Dattilo JB (*see* Casey et al). 2001;33:1199-205
d'Audiffret A, Desgranges P, Kobeiter DH, Becquemin JP. Follow-up evaluation of endoluminally treated abdominal aor-

tic aneurysms with duplex utrasonography: validation with computed tomography. 2001;33:42-50
d'Audiffret A, Desgranges P, Kobeiter H, Becquemin JP. Technical aspects and current results of carotid stenting. 2001;33:1001-7
Davies AH (*see* Sturge et al). 2001;33:847-53
Davies MG, Mason DP, Tran PK, Deou J, Hawkins S, Clowes AW. G-protein expression and intimal hyperplasia after arterial injury: a role for Ggai proteins. 2001;33:408-18
Davies MG (*see* Huynh et al). 2001;33:400-7
de Graaff JC, Ubbink DT, Legemate DA, de Haan RJ, Jacobs MJHM. Interobserver and intraobserver reproducibility of peripheral blood and oxygen pressure measurements in the assessment of lower extremity arterial disease. 2001;33:1033-40
de Haan RJ (*see* de Graaff et al). 2001;33:1033-40
Deaton DH (*see* Makaroun and Deaton). 2001;33:S39-S45
Deguchi J, Furuya T, Tanaka N, Nobori M, Seki Y, Nomura Y, Umehara I, Saito H, Miyata T. Successful management of tracheo-innominate artery fistula with endovascular stent graft repair. 2001;33:1280-2 (Case rep.)
Delis KT, Husmann M, Kalodiki E, Ibegbuna V, Wolfe JH, Nicolaides AN. In situ hemodynamics of perforating veins in chronic venous insufficiency. 2001;33:773-82
Delis KT (*see* Kalodiki et al). 2001;33:715-20
Denenberg J (*see* Fronek et al). 2001;33:1050-6
Deou J (*see* Davies et al). 2001;33:408-18
Derrow AE (*see* Huber et al). 2001;33:304-11
DeRuiter MC (*see* van Schaik et al). 2001;33:983-9
Desgranges P (*see* d'Audiffret et al). 2001;33:42-50, 1001-7
Devine C, Hons BA, McCollum C. Heparin-bonded Dacron or polytetrafluoroethylene for femoropopliteal bypass grafting: a multicenter trial. 2001;33:533-9
Devine J (*see* Mills et al). 2001;33:273-80
Dhanjil S (*see* Tegos et al). 2001;33:131-8, 334-9
Diethrich EB (*see* Veith et al). 2001;33:S111-6
Dieval F (*see* Chafke et al). 2001;33:1015-21
Dimakakos PJ, Kotsis T. Regarding "Repair of large abdominal aortic aneurysm should be performed early after coronary artery bypass surgery." 2001;33:442-3 (Letter)
Dintzis S (*see* Nguyen et al). 2001;33:1065-71
Dion YM, Gracia CR, El Kadi HB. Totally laparoscopic abdominal aortic aneurysm repair. 2001;33:181-5 (Case rep.)
Dittrich KP (*see* Wolpert et al). 2001;33:1193-8
Do YS (*see* Lee et al). 2001;33:764-72
Doblas M (*see* López-Beret et al). 2001;33:77-90
Dodson TF (*see* Berry et al). 2001;33:345-52
Dodson TF (*see* Bush et al). 2001;33:S70-6
Donaldson MC (*see* Chew et al). 2001;33:259-65
Donaldson MC (*see* Lantis et al). 2001;33:1171-8
Donayre CE (*see* White et al). 2001;33:927-34, S1-10
Doobay B (*see* Cinà et al). 2001;33:861-7 (Case rep.)
D'Sa AABB (*see* Harkin et al). 2001;33:840-6
Dupuy-Cuny J (*see* Guillem et al). 2001;33:643-5 (Case rep.)
Durand B (*see* Chafke et al). 2001;33:1015-21

E

Eddleston JM (*see* Baguneid et al). 2001;33:758-63
Edwards JM (*see* Landry et al). 2001;33:312-9
Edwards JM (*see* Lovelace et al). 2001;33:56-61
Edwards WD (*see* Jost et al). 2001;33:639-42 (Case rep.)
Eikelboom BC (*see* Prinssen et al). 2001;33:S64-9
Eikelboom BC (*see* Tangelder et al). 2001;33:522-7
Eikelboom BC (*see* Vriens et al). 2001;33:139-47
Eisen L (*see* McArthur et al). 2001;33:733-8
El Kadi HB (*see* Dion et al). 2001;33:181-5 (Case rep.)
Elatrozy TS (*see* Tegos et al). 2001;33:131-8, 334-9
Ellerbeck EF (*see* Kresowik et al). 2001;33:227-35
Elmore JR (*see* Carsten et al). 2001;33:1255-62
Elmore JR (*see* Johanning et al). 2001;33:579-86
Engel GL (*see* Visser et al). 2001;33:123-30
England M (*see* Estes et al). 2001;33:650-3 (Case rep.)
Eslami MH (*see* Gangadharan et al). 2001;33:1247-54
Estes JM, Halin N, Kwoun M, Burch J, England M, Mackey WC. The carotid artery as alternative access for endoluminal aortic aneurysm repair. 2001;33:650-3 (Case rep.)
Estes JM, Khabbaz KR, Barnatan M, Carpino P, Mackey WC. Outcome after combined carotid endarterectomy and coronary artery bypass is related to patient selection. 2001;33:1179-84
Evans SM (*see* Adam et al). 2001;33:1242-6
Ezekowitz MD (*see* Huynh et al). 2001;33:400-7

F

Faidutti B (*see* Bednarkiewicz et al). 2001;33:429-30
Fairman RF (*see* Baum et al). 2001;33:1317-8 (Letter reply)
Fairman RM, Velazquez O, Baum R, Carpenter J, Golden MA, Pyeron A, Criado F, Barker C. Endovascular repair of aortic aneurysms: critical events and adjunctive procedures. 2001;33:1226-32
Fairman RM (*see* Baum et al). 2001;33:32-41
Fairman RM (*see* Carpenter et al). 2001;33:296-303
Fairman RM (*see* Criado et al). 2001;33:S146-9
Fairman RM (*see* Neschis et al). 2001;33:488-94
Fairman RM (*see* Velazquez et al). 2001;33:S77-84
Farber A, Grigoryants V, Palac DM, Chapman T, Cronenwett JL, Powell RJ. Primary aortoduodenal fistula in a patient with a history of intravesical therapy for bladder cancer with bacillus Calmette-Guérin: review of primary aortoduodenal fistula without abdominal aortic aneurysm. 2001;33:868-73 (Case rep.)
Farber MA, Carlin RE, Marston WA, Owens LV, Burnham SJ, Keagy BA. Distal thoracic aorta as inflow for the treatment of chronic mesenteric ischemia. 2001;33:281-8
Farber MA (*see* Carlin et al). 2001;33:170-3 (Case rep.)
Faries P (*see* McArthur et al). 2001;33:733-8
Faries PL, Rohan DI, Takahara H, Wyers MC, Contreras MA, Quist WC, King GL, LoGerfo FW. Human vascular smooth muscle cells of diabetic origin exhibit increased proliferation, adhesion, and migration. 2001;33:601-7
Farooq MM (*see* Pross et al). 2001;33:963-7
Fellers JC (*see* Korn et al). 2001;33:1148-57
Ferguson RDG (*see* Veith et al). 2001;33:S111-6
Ferral H. Regarding "Lessons learned from a 6-year clinical experience with superior vena cava Greenfield filters." 2001;33:907 (Letter)
Fidler M (*see* Ubbink et al). 2001;33:540-5
Fillinger MF (*see* Proia et al). 2001;33:1165-70
Fillinger MF (*see* Zarins et al). 2001;33:S135-45
Fioole B (*see* Jacobowitz et al). 2001;33:51-5
Fish WR (*see* Sobel et al). 2001;33:587-94
Fiture AO (*see* Cinà et al). 2001;33:861-7 (Case rep.)
FitzGerald DE (*see* O'Shaughnessy and FitzGerald). 2001;33:379-84
Fleischmann D, Hastie TJ, Dannegger FC, Paik DS, Tillich M, Zarins CK, Rubin GD. Quantitative determination of age-related geometric changes in the normal abdominal aorta. 2001;33:97-105

Flye MW (*see* Choi et al). 2001;33:S106-10
Flynn TC (*see* Huber et al). 2001;33:304-11
Fogarty TJ (*see* Lee et al). 2001;33:921-6
Fogarty TJ (*see* White et al). 2001;33:927-34
Fogarty TJ (*see* Wolf et al). 2001;33:481-7
Fogarty TJ (*see* Zarins et al). 2001;33:S135-45
Fontcuberta J (*see* López-Beret et al). 2001;33:77-90, 515-21
Forbes TL, Millward SF. Femoral artery thrombosis after percutaneous thrombin injection of an external iliac artery pseudoaneurysm. 2001;33:1093-6 (Case rep.)
Foulk D (*see* Charette et al). 2001;33:1100-3 (Case rep.)
Fox CJ (*see* Arora et al). 2001;33:990-3
Fraedrich G (*see* Neuhauser et al). 2001;33:1125-7 (Case rep.)
Franklin DP (*see* Carsten et al). 2001;33:1255-62
Franklin DP (*see* Johanning et al). 2001;33:579-86
Fraser SCA (*see* Morgan et al). 2001;33:679-87
Freeman MB (*see* Timaran et al). 2001;33:S85-92
Freischlag JA (*see* Pross et al). 2001;33:963-7
Friedman SG. The 50th anniversary of abdominal aortic reconstruction. 2001;33:895-8
Friedman SG (*see* Mehta et al). 2001;33:S27-S32
Fronek A, Criqui MH, Denenberg J, Langer RD. Common femoral vein dimensions and hemodynamics including Valsalva response as a function of sex, age, and ethnicity in a population study. 2001;33:1050-6
Fulford PE (*see* Baguneid et al). 2001;33:758-63, 812-20
Furuya T (*see* Deguchi et al). 2001;33:1280-2 (Case rep.)
Fuse S (*see* Nesselroth et al). 2001;33:595-600

G

Gagne P (*see* Jacobowitz et al). 2001;33:51-5
Gagne PJ (*see* Rockman et al). 2001;33:236-41
Gahlen J, Hansmann J, Schumacher H, Seelos R, Richter GM, Allenberg JR. Carbon dioxide angiography for endovascular grafting in high-risk patients with infrarenal abdominal aortic aneurysms. 2001;33:646-9 (Case rep.)
Gahtan V (*see* Mureebe et al). 2001;33:1275-9 (Case rep.)
Gahtan V (*see* Nesselroth et al). 2001;33:595-600
Gallagher JJ (*see* Wolpert et al). 2001;33:1193-8
Gangadharan SP, Eslami MH, Weiss IP, Sui XX, Conte MS. Monocyte adhesion to balloon-injured arteries: the influence of endothelial cell seeding. 2001;33:1247-54
Gao J (*see* Niklason et al). 2001;33:628-38
Gardien M (*see* Cuypers et al). 2001;33:353-60
Garrett HE Jr. A human cadaveric circulation model. 2001;33:1128-30
Gatti M (*see* Pulli et al). 2001;33:1122-4 (Case rep.)
Geier B, Großefeld M, Barbera L, Mumme A. Pharmacokinetics of tissue plasminogen activator in an isolated extracorporeal circuit. 2001;33:165-9
Geisser ME (*see* Axelrod et al). 2001;33:1220-5
Gelabert HA (*see* Pross et al). 2001;33:963-7
Georgiev M. Regarding "High endogenous estradiol is associated with increased venous distensibility and clinical evidence of varicose veins in menopausal women. 2001;33:1134-5 (Letter)
Gertler JP (*see* Casey et al). 2001;33:1199-205
Gertler JP (*see* Lauterbach et al.). 2001;33:1185-92
Geselschap JH, van Gent WB, Wittens CHA. Complications in subfascial endoscopic perforating vein surgery: a report of two cases. 2001;33:1108-10 (Case rep.)
Geske RS (*see* Hilfiker et al). 2001;33:821-8
Gibbs P (*see* Charette et al). 2001;33:1100-3 (Case rep.)
Gibson KD, Caps MT, Gillen D, Bergelin RO, Primozich J, Strandness DE Jr. Identification of factors predictive of lower extremity vein graft thrombosis. 2001;33:24-31
Gillen D (*see* Gibson et al). 2001;33:24-31
Gitlitz DB, Ramaswami G, Kaplan D, Hollier LH, Marin ML. Endovascular stent grafting in the presence of aortic neck filling defects: early clinical experience. 2001;33:340-4
Giulini SM (*see* Bonardelli et al). 2001;33:174-7 (Case rep.)
Glagov S (*see* Xu et al). 2001;33:91-6
Gloviczki P (*see* Jost et al). 2001;33:320-8, 639-42 (Case rep.)
Gloviczki P (*see* Kalra et al). 2001;33:6-16
Gloviczki P (*see* Landis et al). 2001;33:829-39
Golden MA (*see* Baum et al). 2001;33:32-41
Golden MA (*see* Carpenter et al). 2001;33:296-303
Golden MA (*see* Fairman et al). 2001;33:1226-32
Golden MA (*see* Neschis et al). 2001;33:488-94
Golden MA (*see* Velazquez et al). 2001;33:S77-84
Goldman MH (*see* Timaran et al). 2001;33:S85-92
Goldner S (*see* Baguneid et al). 2001;33:812-20
Goldstein J (*see* Chakhtoura et al). 2001;33:220-6
Goldstein K (*see* Mehta et al). 2001;33:S27-32
Goldstein K (*see* Ohki et al). 2001;33:504-9
Goldstone J (*see* Mendeloff et al). 2001;33:419-24 (Case rep.)
Golzarian J. Regarding "Aneurysm sac pressure measurements after endovascular repair of abdominal aortic aneurysms." 2001;33:1317-8 (Letter)
Goto A (*see* Tsuji et al). 2001;33:789-96
Grabitz K (*see* Müller et al). 2001;33:106-13
Gracia CR (*see* Dion et al). 2001;33:181-5 (Case rep.)
Gradman WS, Cohen W, Haji-Aghaii M. Arteriovenous fistula construction in the thigh with transposed superficial femoral vein: our initial experience. 2001;33:968-75
Gradman WS, Cohen W, Laub J, Haji-Aghaii M. Bypass graft to the midpopliteal artery with a combined anterior and posterior approach. 2001;33:888-94
Graham LM (*see* Axelrod et al). 2001;33:72-6
Grandas OH (*see* Timaran et al). 2001;33:S85-92
Gray BH (*see* Kasirajan et al). 2001;33:63-71
Green R (*see* Greenberg et al). 2001;33:S157-64
Green RM (*see* Beebe et al). 2001;33:S55-63
Green RM (*see* Illig et al). 2001;33:17-23
Green S, Bülow J. Regarding "Phosphorus 31 nuclear magnetic resonance spectroscopy suggests a mitochondrial defect in claudicating skeletal muscle." 2001;33:1133-4 (Letter)
Greenberg RK, Lawrence-Brown M, Bhandari G, Hartley D, Stelter W, Umscheid T, Chuter T, Ivancev K, Green R, Hopkinson B, Semmens J, Ouriel K. An update of the Zenith endovascular graft for abdominal aortic aneurysms: initial implantation and mid-term follow-up data. 2001;33:S157-64
Greenberg RK (*see* Kasirajan et al). 2001;33:63-71
Greenberg RK (*see* Ouriel et al). 2001;33:728-32
Greenfield LJ, Proctor MC. Recurrent thromboembolism in patients with vena cava filters. 2001;33:510-14
Greenfield LJ (*see* Axelrod et al). 2001;33:72-6, 1220-5
Greisler HP (*see* Xue et al). 2001;33:554-60
Grigoryants V (*see* Farber et al). 2001;33:868-73 (Case rep.)
Großefeld M (*see* Geier et al). 2001;33:165-9
Grund SL (*see* Kresowik et al). 2001;33:227-35
Guillem PG, Binot D, Dupuy-Cuny J, Laberenne JE, Lesage J, Triboulet JP, Chambon JP. Duodenocaval fistula: a life-threatening condition of various origins. 2001;33:643-5 (Case rep.)
Gunduz Y (*see* Ascher et al). 2001;33:1080-6
Gunduz Y (*see* Jacob et al). 2001;33:614-20

H

Hafez HM, Woolgar J, Robbs JV. Lower extremity arterial injury: results of 550 cases and review of risk factors associated with limb loss. 2001;33:1212-9

Hafner J. Regarding "Management of leg ulcers in patients with rheumatoid arthritis or systemic sclerosis: the importance of concomitant arterial and venous disease." 2001;33:664-5 (Letter reply)

Hagen PO (*see* Huynh et al). 2001;33:400-7

Haji-Aghaii M (*see* Gradman et al). 2001;33:888-94, 968-75

Halin N (*see* Estes et al). 2001;33:650-3 (Case rep.)

Hallberg IR (*see* Klevsgård et al). 2001;33:114-22

Halliday MI (*see* Harkin et al). 2001;33:840-6

Hallisey MJ (*see* Wolpert et al). 2001;33:1193-8

Hamilton G (*see* Baguneid et al). 2001;33:812-20

Hamilton IN Jr (*see* Sprouse et al). 2001;33:688-93

Hammer FD. Regarding "Crushed stents in benign left brachiocephalic vein stenoses." 2001;33:662-3 (Letter reply)

Hampton B (*see* Xue et al). 2001;33:554-60

Han DC (*see* Johanning et al). 2001;33:579-86

Hands LJ (*see* Dardik et al). 2001;33:329-33

Hansmann J (*see* Gahlen et al). 2001;33:646-9 (Case rep.)

Hanssens M (*see* Lacroix et al). 2001;33:188-90 (Case rep.)

Hara I (*see* Tsuji et al). 2001;33:789-96

Harkin DW, D'Sa AABB, Yassin MMI, Hoper M, Halliday MI, Parks TG, Campbell FC. Recombinant bactericidal/permeability-increasing protein attenuates the systemic inflammatory response syndrome in lower limb ischemia-reperfusion injury. 2001;33:840-6

Harmsen WS (*see* Jost et al). 2001;33:320-8

Harmsen WS (*see* Kalra et al). 2001;33:6-16

Harris EJ (*see* Arko et al). 2001;33:935-42

Harris JP (*see* Leger et al). 2001;33:1008-14

Harris JP (*see* May et al). 2001;33:S21-6

Harris L, O'Brien-Irr M, Ricotta JJ. Long-term assessment of cryopreserved vein bypass grafting success. 2001;33:528-32

Hartley D (*see* Greenberg et al). 2001;33:S157-64

Hartung O (*see* Alimi et al). 2001;33:469-75

Harvey J (*see* Ohki et al). 2001;33:504-9

Haser PB (*see* Chakhtoura et al). 2001;33:220-6

Hastie TJ (*see* Fleischmann et al). 2001;33:97-105

Hatakeyama T, Shigematsu H, Muto T. Risk factors for rupture of abdominal aortic aneurysm based on three-dimensional study. 2001;33:453-61

Hawkins S (*see* Davies et al). 2001;33:408-18

Hayes PD, Allroggen H, Steel S, Thompson MM, London NJM, Bell PRF, Naylor AR. Randomized trial of vein versus Dacron patching during carotid endarterectomy: influence of patch type on postoperative embolization. 2001;33:994-1000

Hayman ES (*see* Schneider et al). 2001;33:955-62

Hayward IP (*see* Bingley et al). 2001;33:155-64

Hedner U (*see* Söderström et al). 2001;33:1072-9

Heimark RL (*see* Westerband et al). 2001;33:561-9

Heit JA, Rooke TW, Silverstein MD, Mohr DN, Lohse CM, Petterson TM, O'Fallon WM, Melton LJ III. Trends in the incidence of venous stasis syndrome and venous ulcer: a 25-year population-based study. 2001;33:1022-7

Hemann RA (*see* Kresowik et al). 2001;33:227-35

Hendel ME (*see* Kresowik et al). 2001;33:227-35

Henke PK (*see* Axelrod et al). 2001;33:72-6

Hennekes S (*see* Tangelder et al). 2001;33:522-7

Henry M (*see* Veith et al). 2001;33:S111-6

Hertzer NR. Regarding "Dacron carotid patch infections: a report of eight cases." 2001;33:663-4 (Letter reply)

Hertzer NR (*see* Kasirajan et al). 2001;33:63-71

Hertzer NR (*see* Ouriel et al). 2001;33:728-32

Heydt K (*see* Wolpert et al). 2001;33:1193-8

Hilfiker PR, Waugh JM, Li-Hawkins JJ, Kuo MD, Yuksel E, Geske RS, Cifra PN, Chawla M, Weinfeld AB, Thomas JW, Shenaq SM, Dake MD. Enhancement of neointima formation with tissue-type plasminogen activator. 2001;33:821-8

Hilgenberg AD (*see* Lauterbach et al.). 2001;33:1185-92

Hill BB (*see* Lee et al). 2001;33:921-6

Hill BB (*see* Wolf et al). 2001;33:481-7

Hillen B (*see* Vriens et al). 2001;33:139-47

Hingorani A (*see* Ascher et al). 2001;33:1080-6

Hingorani A (*see* Jacob et al). 2001;33:614-20

Hirschi KK (*see* Niklason et al). 2001;33:628-38

Hmelniker SM (*see* Makarova et al). 2001;33:361-8

Hobson RW II. Carotid angioplasty-stents: clinical experience and role for clinical trials. 2001;33:S117-23

Hobson RW II (*see* Chakhtoura et al). 2001;33:220-6

Hobson RW II (*see* Veith et al). 2001;33:S111-6

Hoch JR (*see* Carr et al). 2001;33:806-11

Hodgson KJ (*see* Karch et al). 2001;33:S33-8

Hodgson KJ (*see* Zarins et al). 2001;33:S135-45

Hofstee DJ (*see* Jacobowitz et al). 2001;33:51-5

Hollier L (*see* McArthur et al). 2001;33:733-8

Hollier LH (*see* Gitlitz et al). 2001;33:340-4

Hollier LH (*see* Matsumura et al). 2001;33:S150-3

Hölzenbein TJ, Kretschmer G, Thurnher S, Schoder M, Aslim E, Lammer J, Polterauer P. Midterm durability of abdominal aortic aneurysm endograft repair: a word of caution. 2001;33:S46-54

Hons BA (*see* Devine et al). 2001;33:533-9

Hop W (*see* Cuypers et al). 2001;33:353-60

Hoper M (*see* Harkin et al). 2001;33:840-6

Hopkins ES (*see* AbuRahma et al). 2001;33:S93-9

Hopkins LN (*see* Veith et al). 2001;33:S111-6

Hopkinson B (*see* Greenberg et al). 2001;33:S157-64

Hosokawa H, Iwase T, Sato M, Yoshida Y, Ueno K, Tamaki S, Inoue K. Successful endovascular repair of juxtarenal and suprarenal aortic aneurysms with branched stent graft. 2001;33:1087-92 (Case rep.)

Howe M (*see* Baguneid et al). 2001;33:758-63

Hsiang YN (*see* Lokanathan et al). 2001;33:783-8

Hsieh HC (*see* Yeow and Hsieh). 2001;33:1118-21 (Case rep.)

Huber KL, Joseph A, Mukherjee D. Extra-anatomic arterial reconstruction with ligation of common iliac arteries and embolization of the aneurysm for the treatment of abdominal aortic aneurysms in high-risk patients. 2001;33:745-51

Huber TS, Wang JG, Derrow AE, Dame DA, Ozaki CK, Zelenock GB, Flynn TC, Seeger JM. Experience in the United States with intact abdominal aortic aneurysm repair. 2001;33:304-11

Hudson JA (*see* McKinney et al). 2001;33:880-2 (Case rep.)

Hughes JD (*see* Mills et al). 2001;33:273-80

Hughes TMD (*see* Ramanathan et al). 2001;33:1097-9 (Case rep.)

Huh S (*see* Lee et al). 2001;33:764-72

Hunger GC (*see* Westerband et al). 2001;33:561-9

Hunink MGM (*see* Visser et al). 2001;33:123-30

Husmann M (*see* Delis et al). 2001;33:773-82

Huter O (*see* Neuhauser et al). 2001;33:1125-7 (Case rep.)

Hutton M (*see* Mendeloff et al). 2001;33:419-24 (Case rep.)

Huynh TTT, Davies MG, Thompson MA, Ezekowitz MD,

Hagen PO, Annex BH. Local treatment with recombinant tissue factor pathway inhibitor reduces the development of intimal hyperplasia in experimental vein grafts. 2001;33:400-7

I

Iannuzzi A (*see* Ciardullo et al). 2001;33:1134-5 (Letter reply)
Ibegbuna V (*see* Delis et al). 2001;33:773-82
Idu MM (*see* Visser et al). 2001;33:123-30
Ihlberg LHM, Mätzke S, Albäck NA, Roth WD, Sovijärvi ARA, Lepäntalo M. Transfer function index of pulse volume recordings: a new method for vein graft surveillance. 2001;33:546-53
Illig KA, Moran S, Serletti J, Ouriel K, Orlando G, Smith A, Shortell CK, Green RM. Combined free tissue transfer and infrainguinal bypass graft: an altenative to major amputation in selected patients. 2001;33:17-23
Imig H (*see* Chafke et al). 2001;33:1015-21
Inoue K (*see* Hosokawa et al). 2001;33:1087-92 (Case rep.)
Ishitobi K, Moteki K, Nara S, Akiyama Y, Kodera K, Kaneda S. Extra-anatomic bypass graft for management of axillary artery occlusion in pitchers. 2001;33:797-801
Isselbacher EM (*see* Lauterbach et al.). 2001;33:1185-92
It SC (*see* Cinà et al). 2001;33:462-8
Ivancev K (*see* Greenberg et al). 2001;33:S157-64
Iwase T (*see* Hosokawa et al). 2001;33:1087-92 (Case rep.)
Izquierdo LM (*see* Luján et al). 2001;33:665-6 (Letter)

J

Jacob T, Ascher E, Hingorani A, Khandros Y, Tsemekhin B, Zeien L, Gunduz Y. Differential proteolytic activity and induction of apoptosis in fibrous versus atheromatous plaques in carotid atherosclerotic disease. 2001;33:614-20
Jacob T (*see* Ascher et al). 2001;33:1080-6
Jacobowitz GR, Rosen RJ, Rockman CB, Nalbandian M, Hofstee DJ, Fioole B, Adelman MA, Lamparello PJ, Gagne P, Riles TS. Transcatheter embolization of complex pelvic vascular malformations: results and long-term follow-up. 2001;33:51-5
Jacobowitz GR (*see* Rockman et al). 2001;33:236-41
Jacobs LA (*see* Axelrod et al). 2001;33:72-6
Jacobs MJHM (*see* de Graaff et al). 2001;33:1033-40
James DC (*see* Mills et al). 2001;33:273-80
James DC (*see* Westerband et al). 2001;33:561-9
Jamil Z (*see* Chakhtoura et al). 2001;33:220-6
Jaramillo A (*see* Nguyen et al). 2001;33:1065-71
Jenkins GD (*see* Jost et al). 2001;33:320-8
Jenkins GD (*see* Kalra et al). 2001;33:6-16
Johanning JM, Franklin DP, Han DC, Carey DJ, Elmore JR. Inhibition of inducible nitric oxide synthase limits nitric oxide production and experimental aneurysm expansion. 2001;33:579-86
Johanning JM (*see* Carsten et al). 2001;33:1255-62
Johnson WC, Lee KK. Regarding "A comparative evaluation of polytetrafluoroethylene, umbilical vein, and saphenous vein bypass grafts for femoral-popliteal above-knee revascularization: a prospective randomized Department of Veterans Affairs cooperative study." 2001;33:658-9 (Letter reply)
Johnston KW (*see* Tu et al). 2001;33:447-52
Johnston LC (*see* Lau et al). 2001;33:425-8 (Case rep.)
Jones DN (*see* Nehler et al). 2001;33:943-7
Jones MA (*see* May et al). 2001;33:S21-6
Jones R (*see* Niklason et al). 2001;33:628-38
Joseph A (*see* Huber et al). 2001;33:745-51
Jost CJ, Gloviczki P, Cherry KJ Jr, McKusick MA, Harmsen WS, Jenkins GD, Bower TC. Surgical reconstruction of iliofemoral veins and the inferior vena cava for nonmalignant occlusive disease. 2001;33:320-8
Jost CJ, Gloviczki P, Edwards WD, Stanson AW, Joyce JW, Pairolero PC. Aortic aneurysms in children and young adults with tuberous sclerosis: report of two cases and review of the literature. 2001;33:639-42 (Case rep.)
Joyce JW (*see* Jost et al). 2001;33:639-42 (Case rep.)
Juhan C (*see* Alimi et al). 2001;33:469-75

K

Kadry Z (*see* Bednarkiewicz et al). 2001;33:429-30
Kahn M (*see* Ciervo et al). 2001;33:191-4 (Case rep.)
Kalodiki E, Calahoras LS, Delis KT, Zouzias CP, Nicolaides AN. Air plethysmography: the answer in detecting past deep venous thrombosis. 2001;33:715-20
Kalodiki E (*see* Delis et al). 2001;33:773-82
Kalodiki E (*see* Tegos et al). 2001;33:131-8
Kalra M, Gloviczki P, Bower TC, Panneton JM, Harmsen WS, Jenkins GD, Stanson AW, Toomey BJ, Canton LG. Limb salvage after successful pedal bypass grafting is associated with improved long-term survival. 2001;33:6-16
Kamada T (*see* Nakajima et al). 2001;33:476-80
Kamidono S (*see* Tsuji et al). 2001;33:789-96
Kaneda S (*see* Ishitobi et al). 2001;33:797-801
Kaplan D (*see* Gitlitz et al). 2001;33:340-4
Karch LA, Hodgson KJ, Mattos MA, Bohannon WT, Ramsey DE, McLafferty RB. Management of ectatic, nonaneurysmal iliac arteries during endoluminal aortic aneurysm repair. 2001;33:S33-8
Karp HR (*see* Kresowik et al). 2001;33:227-35
Kasirajan K, O'Hara PJ, Gray BH, Hertzer NR, Clair DG, Greenberg RK, Krajewski LP, Beven EG, Ouriel K. Chronic mesenteric ischemia: open surgery versus percutaneous angioplasty and stenting. 2001;33:63-71
Kaspar GC, Wladis AR, Lohr JM, Roedersheimer LR, Reed RL, Miller TJ, Welling RE. Carotid thromboendarterectomy for recent total occlusion of the internal carotid artery. 2001;33:242-50
Katsamouris A (*see* Pipinos et al). 2001;33:1133-4 (Letter reply)
Katzen BT (*see* Beebe et al). 2001;33:S55-63
Katzen BT (*see* Matsumura et al). 2001;33:S150-3
Katzen BT (*see* Veith et al). 2001;33:S111-6
Kawazoe K (*see* Nakajima et al). 2001;33:476-80
Keagy BA (*see* Carlin et al). 2001;33:170-3 (Case rep.)
Keagy BA (*see* Farber et al). 2001;33:281-8
Kelley BJ (*see* Liao et al). 2001;33:1057-64
Kelley ME (*see* Mulak et al). 2001;33:251-8
Kent KC (*see* Korn et al). 2001;33:1148-57
Kent KC (*see* Ouriel and Kent). 2001;33:902-3
Kessel D (*see* Parry et al). 2001;33:874-9 (Case rep.)
Khabbaz KR (*see* Estes et al). 2001;33:1179-84
Khandros Y (*see* Jacob et al). 2001;33:614-20
Khatchourian G (*see* Bednarkiewicz et al). 2001;33:429-30
Khilnani NM (*see* Korn et al). 2001;33:1148-57
Kieffer E, Sabatier J, Plissonnier D, Knosalla C. Prosthetic graft infection after descending thoracic/thoracoabdominal aortic aneurysmectomy: management with in situ arterial allografts. 2001;33:671-8
Kim DI (*see* Lee et al). 2001;33:764-72
Kim HH (*see* Lee et al). 2001;33:764-72
Kim N (*see* White et al). 2001;33:927-34, S1-10
Kin H (*see* Nakajima et al). 2001;33:476-80

King GL (*see* Faries et al). 2001;33:601-7
Klagges B (*see* Niklason et al). 2001;33:628-38
Klevsgård R, Risberg BO, Thomsen MB, Hallberg IR. A 1-year follow-up quality of life study after hemodynamically successful or unsuccessful surgical revascularization of lower limb ischemia. 2001;33:114-22
Knosalla C (*see* Kieffer et al). 2001;33:671-8
Kobeiter DH (*see* d'Audiffret et al). 2001;33:42-50
Kobeiter H (*see* d'Audiffret et al). 2001;33:1001-7
Kodera K (*see* Ishitobi et al). 2001;33:797-801
Kohler TR (*see* Leotta et al). 2001;33:700-7
Komoda K (*see* Nakajima et al). 2001;33:476-80
Konigsberg S (*see* Berry et al). 2001;33:345-52
Kopchok GE (*see* White et al). 2001;33:927-34, S1-10
Korn P, Khilnani NM, Fellers JC, Lee TY, Winchester PA, Bush HL, Kent KC. Thrombolysis for native arterial occlusions of the lower extremities: clinical outcome and cost. 2001;33:1148-57
Kotsis T (*see* Dimakakos and Kotsis). 2001;33:442-3 (Letter)
Kouvaraki M (*see* Lascaratos et al). 2001;33:197-203
Krajewski LP (*see* Kasirajan et al). 2001;33:63-71
Krajewski LP (*see* Ouriel et al). 2001;33:728-32
Kreienberg PB, Chang BB, Darling RC III, Roddy SP, Paty PSK, Lloyd WE, Cohen D, Stainken B, Shah DM. Long-term results in patients treated with thrombolysis, thoracic inlet decompression, and subclavian vein stenting for Paget-Schroetter syndrome. 2001;33:S100-5
Kreienberg PB (*see* Roddy et al). 2001;33:802-5
Kresowik TF, Bratzler D, Karp HR, Hemann RA, Hendel ME, Grund SL, Brenton M, Ellerbeck EF, Nilasena DS. Multistate utilization, processes, and outcomes of carotid endarterectomy. 2001;33:227-35
Kretschmer G (*see* Hölzenbein et al). 2001;33:S46-54
Kretz JG (*see* Chafke et al). 2001;33:1015-21
Krupski WC (*see* Charette et al). 2001;33:1100-3 (Case rep.)
Krupski WC (*see* Nehler et al). 2001;33:943-7
Kucey DS (*see* Al-Omran and Kucey). 2001;33:1104-7 (Case rep.)
Kuo MD (*see* Hilfiker et al). 2001;33:821-8
Kusumoto S (*see* Sobel et al). 2001;33:587-94
Kuzuya A (*see* Matsushita et al). 2001;33:694-9
Kwolak RM (*see* Proia et al). 2001;33:1165-70
Kwoun M (*see* Estes et al). 2001;33:650-3 (Case rep.)

L

Laberenne JE (*see* Guillem et al). 2001;33:643-5 (Case rep.)
Lacombe M. Isolated spontaneous dissection of the renal artery. 2001;33:385-91
Lacroix H, Bernaerts P, Nevelsteen A, Hanssens M. Ruptured renal artery aneurysm during pregnancy: successful ex situ repair and auto transplantation. 2001;33:188-90 (Case rep.)
Laheij RJF (*see* Cuypers et al). 2001;33:353-60
Lal BK (*see* Chakhtoura et al). 2001;33:220-6
Lamb EY, Taylor LM Jr, Landry GJ, Porter JM, Moneta GL. Relationship between antiphospholipid antibodies and progression of lower extremity arterial occlusive disease after lower extremity bypass operations. 2001;33:976-82
Lammer J (*see* Hölzenbein et al). 2001;33:S46-54
Lamparello PJ (*see* Jacobowitz et al). 2001;33:51-5
Lamparello PJ (*see* Rockman et al). 2001;33:236-41
LaMuraglia GM (*see* Lauterbach et al.). 2001;33:1185-92
Landis ME, Ray EC, Gloviczki P, Miller VM. Effects of dietary L-arginine on structure and function of flow-restricted vein grafts. 2001;33:829-39
Landis R (*see* Rockman et al). 2001;33:178-80 (Case rep.), 236-41
Landry GJ, Moneta GL, Taylor LM Jr, Edwards JM, Porter JM. Long-term functional outcome of neurogenic thoracic outlet syndrome in surgically and conservatively treated patients. 2001;33:312-19
Landry GJ (*see* Lamb et al). 2001;33:976-82
Landry GJ (*see* Lovelace et al). 2001;33:56-61
Landry GJ (*see* Williamson et al). 2001;33:913-20
Lane IF (*see* Conway et al). 2001;33:752-7
Langer R (*see* Niklason et al). 2001;33:628-38
Langer RD (*see* Fronek et al). 2001;33:1050-6
Lantis JC II, Conte MS, Belkin M, Whittemore AD, Mannick JA, Donaldson MC. Infrainguinal bypass grafting in patients with end-tage renal disease: improving outcomes? 2001;33:1171-8
Larson RA (*see* Velazquez et al). 2001;33:S77-84
Lascaratos J, Liapis C, Kouvaraki M. Surgery on varices in Byzantine times (324-1453 CE). 2001;33:197-203
Lau LL, O'Reilly MJG, Johnston LC, Lee B. Endovascular stent-graft repair of primary aortocaval fistula with an abdominal aortoiliac aneurysm. 2001;33:425-8 (Case rep.)
Laub J (*see* Gradman et al). 2001;33:888-94
Lauterbach SR, Cambria RP, Brewster DC, Gertler JP, LaMuraglia GM, Isselbacher EM, Hilgenberg AD, Moncure AC. Contemporary management of aortic branch compromise resulting from acute aortic dissection. 2001;33:1185-92
Lawler J (*see* Nesselroth et al). 2001;33:595-600
Lawrence-Brown M (*see* Greenberg et al). 2001;33:S157-64
Lawrence PF (*see* Treiman et al). 2001;33:948-54
Lawrence WA (*see* Nehler et al). 2001;33:943-7
Lawson JA (*see* Tangelder et al). 2001;33:522-7
Le Magnen JF (*see* Chafke et al). 2001;33:1015-21
Lee B (*see* Lau et al). 2001;33:425-8 (Case rep.)
Lee BB, Kim DI, Huh S, Kim HH, Choo IW, Byun HS, Do YS. New experiences with absolute ethanol sclerotherapy in the management of a complex form of congenital venous malformation. 2001;33:764-72
Lee ES, Caldwell MP, Tretinyak AS, Santilli SM. Supplemental oxygen controls cellular proliferation and anastomotic intimal hyperplasia at a vascular graft-to-artery anastomosis in the rabbit. 2001;33:608-13
Lee ES. Regarding "Comparing patency rates among external iliac and common iliac stents. 2001;33:665-6 (Letter reply)
Lee J (*see* White et al). 2001;33:927-34
Lee KK (*see* Johnson and Lee). 2001;33:658-9 (Letter reply)
Lee S (*see* Xu et al). 2001;33:570-8
Lee TY (*see* Korn et al). 2001;33:1148-57
Lee WA, O'Dorisio J, Wolf YG, Hill BB, Fogarty TJ, Zarins CK. Outcome after unilateral hypogastric artery occlusion during endovascular aneurysm repair. 2001;33:921-6
Lee WA (*see* Wolf et al). 2001;33:481-7
Legemate DA (*see* de Graaff et al). 2001;33:1033-40
Legemate DA (*see* Ubbink et al). 2001;33:540-5
Leger AR, Neale M, Harris JP. Poor durability of carotid angioplasty and stenting for treatment of recurrent artery stenosis after carotid endarterectomy: an institutional experience. 2001;33:1008-14
Leotta DF, Paun M, Beach KW, Kohler TR, Zierler E, Strandness DE Jr. Measurement of abdominal aortic aneurysms with three-dimensional ultrasound imaging: preliminary report. 2001;33:700-7
Lepäntalo M (*see* Ihlberg et al). 2001;33:546-53
Lesage J (*see* Guillem et al). 2001;33:643-5 (Case rep.)

Li-Hawkins JJ (*see* Hilfiker et al). 2001;33:821-8
Li X (*see* Xu et al). 2001;33:570-8
Liao S, Miralles M, Kelley BJ, Curci JA, Borhani M, Thompson RW. Suppression of experimental abdominal aortic aneurysms in the rat by treating with angiotensin-converting enzyme inhibitors. 2001;33:1057-64
Liapis C (*see* Lascaratos et al). 2001;33:197-203
Lidor A (*see* Arora et al). 2001;33:990-3
Liem TK (*see* Vouyouka et al). 2001;33:1263-70
Lin PH, Chen C, Surowiec SM, Conklin B, Bush RL, Lumsden AB. Evaluation of thrombolysis in a porcine model of chronic deep venous thrombosis: an endovascular model. 2001;33:621-7
Lin PH (*see* Bush et al). 2001;33:1041-9
Lippmann M (*see* White et al). 2001;33:927-34
Lipsitz E (*see* Ohki et al). 2001;33:504-9
Lipsitz E (*see* Sahgal et al). 2001;33:289-95
Lipsitz EC (*see* Mehta et al). 2001;33:S27-32
Lloyd WE (*see* Kreienberg et al). 2001;33:S100-5
Lloyd WE (*see* Roddy et al). 2001;33:802-5
LoGerfo FW (*see* Faries et al). 2001;33:601-7
Lohr JM (*see* Kasper et al). 2001;33:242-50
Lohse CM (*see* Heit et al). 2001;33:1022-7
Lokanathan R, Salvian AJ, Chen JC, Morris C, Taylor DC, Hsiang YN. Outcome after thrombolysis and selective thoracic outlet decompression for primary axillary vein thrombosis. 2001;33:783-8
London NJM (*see* Hayes et al). 2001;33:994-1000
López-Beret P, Orgaz A, Fontcuberta J, Doblas M, Martinez A, Lozano G, Romero A. Low molecular weight heparin versus oral anticoagulants in the long-term treatment of deep venous thrombosis. 2001;33:77-90
López-Beret P, Pinto JM, Romero A, Orgaz A, Fontcuberta J, Oblas M. Systematic study of occult pulmonary thromboembolism in patients with deep venous thrombosis. 2001;33:515-21
Lovelace TD, Moneta GL, Abou-Zamzam AM Jr, Edwards JM, Yeager RA, Landry GJ, Taylor LM Jr, Porter JM. Optimizing duplex follow-up in patients with an asymptomatic internal carotid artery stenosis of less than 60%. 2001;33:56-61
Lowe R (*see* Wolpert et al). 2001;33:1193-8
Lozano G (*see* López-Beret et al). 2001;33:77-90
Luján S, Criado E, Izquierdo LM, Puras E. Regarding "Comparing patency rates among external iliac and common iliac stents. 2001;33:665-6 (Letter)
Lumsden AB (*see* Berry et al). 2001;33:345-52
Lumsden AB (*see* Bush et al). 2001;33:1041-9
Lumsden AB (*see* Lin et al). 2001;33:621-7
Lunsden AB (*see* Bush et al). 2001;33:S70-6
Luo S (*see* Sobel et al). 2001;33:587-94
Lurie F (*see* Makarova et al). 2001;33:361-8
Ly CN (*see* May et al). 2001;33:S21-6

M

MacDonald MJ (*see* Bush et al). 2001;33:1041-9
Mackey WC (*see* Estes et al). 2001;33:650-3 (Case rep.), 1179-84
Mahvi DM (*see* Carr et al). 2001;33:806-11
Makaroun MS, Deaton DH. Is proximal aortic neck dilatation after endovascular aneurysm exclusion a cause for concern? 2001;33:S39-45
Makaroun MS (*see* Mulak et al). 2001;33:251-8
Makarova NP, Lurie F, Hmelniker SM. Does surgical correction of the superficial femoral vein valve change the course of varicose disease? 2001;33:361-8
Mali WPTM (*see* Prinssen et al). 2001;33:S64-9
Mannick JA (*see* Chew et al). 2001;33:259-65
Mannick JA (*see* Lantis et al). 2001;33:1171-8
Mano N (*see* Matsushita et al). 2001;33:694-9
Marien BJ (*see* Raffetto et al). 2001;33:1233-41
Marin ML (*see* Gitlitz et al). 2001;33:340-4
Marin ML (*see* McArthur et al). 2001;33:733-8
Marston WA (*see* Carlin et al). 2001;33:170-3 (Case rep.)
Marston WA (*see* Farber et al). 2001;33:281-8
Martelli E (*see* Pistolese et al). 2001;33:148-54
Martin LG (*see* Bush et al). 2001;33:1041-9
Martinez A (*see* López-Beret et al). 2001;33:77-90
Mason DP (*see* Davies et al). 2001;33:408-18
Masuda H (*see* Xu et al). 2001;33:570-8
Matsumura JS, Katzen BT, Hollier LH, Dake MD. Update on the bifurcated EXCLUDER endoprosthesis: phase I results. 2001;33:S150-3
Matsushita M, Kuzuya A, Mano N, Nishikimi N, Sakurai T, Nimura Y, Sugiura H. Sequelae after limb-paring surgery with major vascular resection for tumor of the lower extremity. 2001;33:694-9
Matthias K (*see* Veith et al). 2001;33:S111-6
Mattos MA (*see* Karch et al). 2001;33:S33-8
Mätzke S (*see* Ihlberg et al). 2001;33:546-53
Mauro MA (*see* Carlin et al). 2001;33:170-3 (Case rep.)
May J, White GH, Waugh R, Ly CN, Stephen MS, Jones MA, Harris JP. Improved survival after endoluminal repair with second-generation prostheses compared with open repair in the treatment of abdominal aortic aneurysms: a 5-year concurrent comparison using life table method. 2001;33:S21-6
McArthur C, Teodorescu V, Eisen L, Morrissey N, Faries P, Hollier L, Marin ML. Histopathologic analysis of endovascular stent grafts from patients with aortic aneurysms: does healing occur? 2001;33:733-8
McCollum C (*see* Devine et al). 2001;33:533-9
McKinney WB, O'Hara W, Sreeram K, Hudson JA, Solis M. The successful surgical treatment of a paradoxical embolus to the carotid bifurcation. 2001;33:880-2 (Case rep.)
McKusick MA (*see* Jost et al). 2001;33:320-8
McLafferty RB (*see* Karch et al). 2001;33:S33-8
McMahon RFT (*see* Baguneid et al). 2001;33:758-63
McNamara RM (*see* Treiman et al). 2001;33:948-54, 1158-64
McRorie E. Regarding "Management of leg ulcers in patients with rheumatoid arthritis or systemic sclerosis: the importance of concomitant arterial and venous disease." 2001;33:664-5 (Letter)
Mehta M, Veith FJ, Ohki T, Cynamon J, Goldstein K, Suggs WD, Wain RA, Chang DW, Friedman SG, Scher LA, Lipsitz EC. Unilateral and bilateral hypogastric artery interruption during aortoiliac aneurysm repair in 154 patients: a relatively innocuous procedure. 2001;33:S27-32
Mehta M (*see* Ohki et al). 2001;33:504-9
Melton LJ III (*see* Heit et al). 2001;33:1022-7
Mendeloff J, Stallion A, Hutton M, Goldstone J. Aortic aneurysm resulting from umbilical artery catheterization: case report, literature review, and management algorithm. 2001;33:419-24 (Case rep.)
Mendez MV (*see* Raffetto et al). 2001;33:1233-41
Menzoian JO (*see* Raffetto et al). 2001;33:1233-41
Menzoian JO (*see* Young et al). 2001;33:1114-7 (Case rep.)
Miller TJ (*see* Kasper et al). 2001;33:242-50
Miller VM (*see* Landis et al). 2001;33:829-39

Mills JL (*see* Westerband et al). 2001;33:561-9
Mills JL Sr, Wixon CL, James DC, Devine J, Westerband A, Hughes JD. The natural history of intermediate and critical vein graft stenosis: recommendations for continued surveillance or repair. 2001;33:273-80
Millward SF (*see* Forbes and Millward). 2001;33:1093-6 (Case rep.)
Minor J (*see* Dardik et al). 2001;33:329-33
Miralles M (*see* Liao et al). 2001;33:1057-64
Mitchell ME (*see* Baum et al). 2001;33:32-41
Mitchell ME (*see* Carpenter et al). 2001;33:296-303
Mitchell ME (*see* Neschis et al). 2001;33:488-94
Mitchell ME (*see* Velazquez et al). 2001;33:S77-84
Miyata T (*see* Deguchi et al). 2001;33:1280-2 (Case rep.)
Mohanakumar T (*see* Nguyen et al). 2001;33:1065-71
Mohr DN (*see* Heit et al). 2001;33:1022-7
Molina JE. Regarding "Crushed stents in benign left brachiocephalic vein stenoses." 2001;33:662-3 (Letter)
Moll FL (*see* Zarins et al). 2001;33:S135-45
Moncure AC (*see* Lauterbach et al.). 2001;33:1185-92
Moneta GL (*see* Lamb et al). 2001;33:976-82
Moneta GL (*see* Landry et al). 2001;33:312-9
Moneta GL (*see* Lovelace et al). 2001;33:56-61
Moneta GL (*see* Williamson et al). 2001;33:913-20
Money SR (*see* Sternbergh et al). 2001;33:886-7
Moore WS, Brewster DC, Bernhard VM. Aorto-uni-iliac endograft for complex aortoiliac aneurysms compared with tube/bifurcation endografts: results of the EVT/Guidant trials. 2001;33:S11-20
Moore WS (*see* Petrik and Moore). 2001;33:739-44
Moore WS (*see* Pross et al). 2001;33:963-7
Moran S (*see* Illig et al). 2001;33:17-23
Morel P (*see* Bednarkiewicz et al). 2001;33:429-30
Morgan MBF, Crayford T, Murrin B, Fraser SCA. Developing the Vascular Quality of Life Questionnaire: a new disease-pecific quality of life measure for use in lower limb ischemia. 2001;33:679-87
Mori K (*see* Sobel et al). 2001;33:587-94
Morris C (*see* Lokanathan et al). 2001;33:783-8
Morrissey N (*see* McArthur et al). 2001;33:733-8
Mörtl MG (*see* Neuhauser et al). 2001;33:1125-7 (Case rep.)
Moteki K (*see* Ishitobi et al). 2001;33:797-801
Mower WR, Quinones WJ. Regarding "Thrombus within an aortic aneurysm does not reduce pressure on the aneurysm wall." 2001;33:660-1 (Letter)
Moy M (*see* Mureebe et al). 2001;33:1275-9 (Case rep.)
Mudaliar J (*see* Vouyouka et al). 2001;33:1263-70
Mukherjee D (*see* Huber et al). 2001;33:745-51
Mulak SC, Mulak VS, Kelley ME, Whittle JC, Tierney JA, Webster MW, Makaroun MS. Outcome events in patients with claudication: a 15-year study in 2777 patients. 2001;33:251-8
Mulak VS (*see* Mulak et al). 2001;33:251-8
Müller BTG, Wegener OR, Grabitz K, Pillny M, Thomas L, Sandmann W. Mycotic aneurysms of the thoracic and abdominal aorta and iliac arteries: experience with anatomic and extra-anatomic repair in 33 cases. 2001;33:106-13
Mullins DA (*see* AbuRahma and Mullins. 2001;33:375-8
Mumme A (*see* Geier et al). 2001;33:165-9
Mureebe L, Moy M, Balfour E, Blume P, Gahtan V. Calciphylaxis: a poor prognostic indicator for limb salvage. 2001;33:1275-9 (Case rep.)
Murrin B (*see* Morgan et al). 2001;33:679-87
Muto T (*see* Hatakeyama et al). 2001;33:453-61

N

Naidoo NG (*see* Nair et al). 2001;33:186-7 (Case rep.)
Nair R, Chetty R, Woolgar J, Naidoo NG, Robbs JV. Spontaneous arteriovenous fistula resulting from HIV arteritis. 2001;33:186-7 (Case rep.)
Najibi S (*see* Bush et al). 2001;33:1041-9
Nakajima T, Kawazoe K, Komoda K, Sasaki T, Kin H, Kamada T, Ohira A. Failure of exclusion of internal iliac artery aneurysms. 2001;33:476-80
Nalbandian M (*see* Jacobowitz et al). 2001;33:51-5
Nara S (*see* Ishitobi et al). 2001;33:797-801
Nawaz S, Walker RD, Wilkinson CH, Saxton JM, Pockley AG, Wood RFM. The inflammatory response to upper and lower limb exercise and the effects of exercise training in patients with claudication. 2001;33:392-9
Naylor AR (*see* Hayes et al). 2001;33:994-1000
Neale M (*see* Leger et al). 2001;33:1008-14
Neglan P, Raju S. Regarding "Ambulatory venous pressure visited." 2001;33:659-60 (Letter reply)
Nehler MR, Lawrence WA, Whitehill TA, Charette SD, Jones DN, Krupski WC. Iatrogenic vascular injuries from percutaneous vascular suturing devices. 2001;33:943-7
Nehler MR (*see* Charette et al). 2001;33:1100-3 (Case rep.)
Nelson PR (*see* Proia et al). 2001;33:1165-70
Neschis DG, Velazquez OC, Baum RA, Roberts D, Carpenter JP, Golden MA, Mitchell ME, Barker CF, Pyeron A, Fairman RM. The role of magnetic resonance angiography for endoprosthetic design. 2001;33:488-94
Neschis DG (*see* Baum et al). 2001;33:32-41
Neschis DG (*see* Carpenter et al). 2001;33:296-303
Nesselroth SM, Willis AI, Fuse S, Olson ET, Lawler J, Sumpio BE, Gahtan V. The C-terminal domain of thromobspondin-1 induces vascular smooth muscle cell chemotaxis. 2001;33:595-600
Neuhauser B, Huter O, Mörtl MG, Tauscher T, Perkmann R, Bodner G, Waldenberger P, Fraedrich G. Ruptured false abdominal aortic aneurysm during pregnancy: Caesarean delivery followed by aortic reconstruction. 2001;33:1125-7 (Case rep.)
Nevelsteen A (*see* Lacroix et al). 2001;33:188-90 (Case rep.)
Neville R (*see* Arora et al). 2001;33:990-3
Neville RF, Tempesta B, Sidway AN. Tibial bypass for limb salvage using polytetrafluoroethylene and a distal vein patch. 2001;33:266-72
Nguyen TQ, Jaramillo A, Thompson RW, Dintzis S, Oppat WF, Allen BT, Sicard GA, Mohanakumar T. Increased expression of HDJ-2 (hsp40) in carotid artery atherosclerosis: a novel heat shock protein associated with luminal stenosis and plaque ulceration. 2001;33:1065-71
Nicolaides AN (*see* Delis et al). 2001;33:773-82
Nicolaides AN (*see* Kalodiki et al). 2001;33:715-20
Nicolaides AN (*see* Tegos et al). 2001;33:131-8, 334-9
Nicoloff AD (*see* Williamson et al). 2001;33:913-20
Niklason LE, Abbott W, Gao J, Klagges B, Hirschi KK, Ulubayram K, Conroy N, Jones R, Vasanawala A, Sanzgiri S, Langer R. Morphologic and mechanical characteristics of engineered bovine arteries. 2001;33:628-38
Nilasena DS (*see* Kresowik et al). 2001;33:227-35
Nimura Y (*see* Matsushita et al). 2001;33:694-9
Nishikimi N (*see* Matsushita et al). 2001;33:694-9
Nobori M (*see* Deguchi et al). 2001;33:1280-2 (Case rep.)
Nodari F (*see* Bonardelli et al). 2001;33:174-7 (Case rep.)
Nomura Y (*see* Deguchi et al). 2001;33:1280-2 (Case rep.)

Nunn DB. Structural failure of first-generation, polyester, double-velour, knitted prostheses. 2001;33:1131-2

O

Oblas M (*see* López-Beret et al). 2001;33:515-21
O'Brien-Irr M (*see* Harris et al). 2001;33:528-32
O'Dorisio J (*see* Lee et al). 2001;33:921-6
O'Fallon WM (*see* Heit et al). 2001;33:1022-7
Ogawa DY (*see* Schneider et al). 2001;33:955-62
O'Hara PJ (*see* Kasirajan et al). 2001;33:63-71
O'Hara PJ (*see* Ouriel et al). 2001;33:728-32
O'Hara W (*see* McKinney et al). 2001;33:880-2 (Case rep.)
Ohira A (*see* Nakajima et al). 2001;33:476-80
Ohki T, Parodi J, Veith FJ, Bates M, Bade M, Chang D, Mehta M, Rabin J, Goldstein K, Harvey J, Lipsitz E. Efficacy of a proximal occlusion catheter with reversal of flow in the prevention of embolic events during carotid artery stenting: an experimental analysis. 2001;33:504-9
Ohki T (*see* Bade et al). 2001;33:1271-4 (Case rep.)
Ohki T (*see* Mehta et al). 2001;33:S27-32
Ohki T (*see* Sahgal et al). 2001;33:289-95
Ohki T (*see* Veith et al). 2001;33:S111-6
Okita Y (*see* Tsuji et al). 2001;33:789-96
Olcott C IV (*see* Arko et al). 2001;33:935-42
Olin JW (*see* Ouriel et al). 2001;33:728-32
Olson ET (*see* Nesselroth et al). 2001;33:595-600
Oppat WF (*see* Nguyen et al). 2001;33:1065-71
O'Reilly MJG (*see* Lau et al). 2001;33:425-8 (Case rep.)
Orgaz A (*see* López-Beret et al). 2001;33:77-90, 515-21
Orkin RW (*see* Casey et al). 2001;33:1199-205
Orlando G (*see* Illig et al). 2001;33:17-23
O'Shaughnessy AM, FitzGerald DE. The patterns and distribution of residual abnormalities between the individual proximal venous segments after an acute deep vein thrombosis. 2001;33:379-84
Osler T (*see* Stanley and Osler). 2001;33:1206-11
Ouriel K, Hertzer NR, Beven EG, O'Hara PJ, Krajewski LP, Clair DG, Greenberg RK, Sarac TP, Olin JW, Yadav JS. Preprocedural risk stratification: identifying an appropriate population for carotid stenting. 2001;33:728-32
Ouriel K, Kent KC. The role of the vascular surgeon in endovascular procedures. 2001;33:902-3
Ouriel K (*see* Greenberg et al). 2001;33:S157-64
Ouriel K (*see* Illig et al). 2001;33:17-23
Ouriel K (*see* Kasirajan et al). 2001;33:63-71
Owens LV (*see* Farber et al). 2001;33:281-8
Ozaki CK (*see* Huber et al). 2001;33:304-11

P

Padberg FT Jr (*see* Chakhtoura et al). 2001;33:220-6
Paik DS (*see* Fleischmann et al). 2001;33:97-105
Pairolero PC (*see* Jost et al). 2001;33:639-42 (Case rep.)
Palac DM (*see* Farber et al). 2001;33:868-73 (Case rep.)
Pangilinan AJ (*see* Ciervo et al). 2001;33:191-4 (Case rep.)
Panico S (*see* Ciardullo et al). 2001;33:1134-5 (Letter reply)
Panneton JM (*see* Kalra et al). 2001;33:6-16
Papenhausen M (*see* Carlin et al). 2001;33:170-3 (Case rep.)
Pappas PJ (*see* Chakhtoura et al). 2001;33:220-6
Park HY (*see* Raffetto et al). 2001;33:1233-41
Parks TG (*see* Harkin et al). 2001;33:840-6
Parodi J (*see* Ohki et al). 2001;33:504-9
Parry DJ, Waterworth A, Kessel D, Robertson I, Berridge DC, Scott DJ. Endovascular repair of an inflammatory abdominal aortic aneurysm complicated by aortoduodenal fistulation with an unusual presentation. 2001;33:874-9 (Case rep.)
Paty PSK Regarding "Repair of large abdominal aortic aneurysm should be performed early after coronary artery bypass surgery." 2001;33:442-3 (Letter reply)
Paty PSK (*see* Kreienberg et al). 2001;33:S100-5
Paty PSK (*see* Roddy et al). 2001;33:802-5
Paun M (*see* Leotta et al). 2001;33:700-7
Peels CH (*see* Cuypers et al). 2001;33:353-60
Perkmann R (*see* Neuhauser et al). 2001;33:1125-7 (Case rep.)
Petrik PV, Moore WS. Endoleaks following endovascular repair of abdominal aortic aneurysm: the predictive value of preoperative anatomic factors—a review of 100 cases. 2001;33:739-44
Petterson TM (*see* Heit et al). 2001;33:1022-7
Pfeiffer BJ (*see* Vouyouka et al). 2001;33:1263-70
Phillips CL (*see* Vouyouka et al). 2001;33:1263-70
Phillips TJ (*see* Raffetto et al). 2001;33:1233-41
Pierik EGJM (*see* Sybrandy et al). 2001;33:1028-32
Pillny M (*see* Müller et al). 2001;33:106-13
Pinto JM (*see* López-Beret et al). 2001;33:515-21
Pipinos II, Shepard AD, Boska MD, Anagnostopoulos PV, Katsamouris A. Regarding "Phosphorus 31 nuclear magnetic resonance spectroscopy suggests a mitochondrial defect in claudicating skeletal muscle." 2001;33:1133-4 (Letter reply)
Pistolese GR, Appolloni A, Ronchey S, Martelli E. Carotid endarterectomy in diabetic patients. 2001;33:148-54
Plissonnier D (*see* Kieffer et al). 2001;33:671-8
Pockley AG (*see* Nawaz et al). 2001;33:392-9
Polterauer P (*see* Hölzenbein et al). 2001;33:S46-54
Porter JM. Presidential address: reflections. 2001;33:213-9
Porter JM, Riles TS. A name change and a refocused society. 2001;33:207-8
Porter JM (*see* Lamb et al). 2001;33:976-82
Porter JM (*see* Landry et al). 2001;33:312-9
Porter JM (*see* Lovelace et al). 2001;33:56-61
Porter JM (*see* Williamson et al). 2001;33:913-20
Powell JT (*see* Sturge et al). 2001;33:847-53
Powell RJ (*see* Farber et al). 2001;33:868-73 (Case rep.)
Powell RJ (*see* Proia et al). 2001;33:1165-70
Pratesi C (*see* Pulli et al). 2001;33:1122-4 (Case rep.)
Primozich J (*see* Gibson et al). 2001;33:24-31
Primozich J (*see* Vesti et al). 2001;33:369-74
Prinssen M, Wever JJ, Mali WPTM, Eikelboom BC, Blankenship JD. Concerns for the durability of the proximal abdominal aortic aneurysm endograft fixation from a 2-year and 3-year longitudinal computed tomography angiography study. 2001;33:S64-9
Proctor MC (*see* Axelrod et al). 2001;33:1220-5
Proctor MC (*see* Greenfield and Proctor). 2001;33:510-4
Proia RR, Walsh DB, Nelson PR, Connors JP, Powell RJ, Kwolak RM, Fillinger MF, Cronenwett JL. Early results of infrageniicular revascularization based solely on duplex arteriography. 2001;33:1165-70
Pross C, Shortsleeve CM, Baker D, Sicklick JK, Farooq MM, Moore WS, Quiñones-Baldrich WJ, Ahn SS, Gelabert HA, Freischlag JA. Carotid endarterectomy with normal findings from a completion study: is there need for early duplex scan? 2001;33:963-7
Pulli R, Gatti M, Pratesi C. Carotid endarterectomy in rare bilateral carotid-vertebral anastomosis. 2001;33:1122-4 (Case rep.)
Puras E (*see* Luján et al). 2001;33:665-6 (Letter)

Pyeron A (*see* Fairman et al). 2001;33:1226-32
Pyeron A (*see* Neschis et al). 2001;33:488-94
Pyeron A (*see* Velazquez et al). 2001;33:S77-84

Q

Quiñones-Baldrich WJ (*see* Pross et al). 2001;33:963-7
Quinones WJ (*see* Mower and Quinones). 2001;33:660-1 (Letter)
Quist WC (*see* Faries et al). 2001;33:601-7

R

Rabin J (*see* Ohki et al). 2001;33:504-9
Raffetto JD, Mendez MV, Marien BJ, Byers HR, Phillips TJ, Park HY, Menzoian JO. Changes in cellular motility and cytoskeletal actin in fibroblasts from patients with chronic venous insufficiency and in neonatal fibroblasts in the presence of chronic wound fluid. 2001;33:1233-41
Raju S (*see* Neglan and Raju). 2001;33:659-60 (Letter reply)
Ramanathan T, Hughes TMD, Richardson AJ. Perinatal inferior vena cava thrombosis and absence of the infrarenal inferior vena cava. 2001;33:1097-9 (Case rep.)
Ramaswami G (*see* Gitlitz et al). 2001;33:340-4
Ramaswami G (*see* Tegos et al). 2001;33:131-8
Ramsey DE (*see* Karch et al). 2001;33:S33-8
Ray EC (*see* Landis et al). 2001;33:829-39
Recek C. Regarding "Ambulatory venous pressure visited." 2001;33:659-60 (Letter)
Reed RL (*see* Kasper et al). 2001;33:242-50
Rhodes RS (*see* Sidawy et al). 2001;33:854-60
Rich NM (*see* Scultetus et al). 2001;33:435-41, 1317 (Letter reply)
Richardson AJ (*see* Ramanathan et al). 2001;33:1097-9 (Case rep.)
Richter GM (*see* Gahlen et al). 2001;33:646-9 (Case rep.)
Richter LC (*see* Westerband et al). 2001;33:561-9
Ricotta JJ. Regarding "Recurrent thromboembolism in patients with vena caval filters." 2001;33:657
Ricotta JJ (*see* Harris et al). 2001;33:528-32
Riepe G (*see* Chafke et al). 2001;33:1015-21
Riles TS (*see* Jacobowitz et al). 2001;33:51-5
Riles TS (*see* Porter and Riles). 2001;33:207-8
Riles TS (*see* Rockman et al). 2001;33:178-80 (Case rep.), 236-41
Risberg BO (*see* Klevsgård et al). 2001;33:114-22
Robbs JV (*see* Hafez et al). 2001;33:1212-9
Robbs JV (*see* Nair et al). 2001;33:186-7 (Case rep.)
Roberts D (*see* Neschis et al). 2001;33:488-94
Robertson I (*see* Parry et al). 2001;33:874-9 (Case rep.)
Robinson PA (*see* AbuRahma et al). 2001;33:S93-9
Robless P (*see* Tegos et al). 2001;33:131-8
Rockman CB, Castillo J, Adelman MA, Jacobowitz GR, Gagne PJ, Lamparello PJ, Landis R, Riles TS. Carotid endarterectomy in female patients: are the concerns of the Asymptomatic Carotid Atherosclerosis Study valid? 2001;33:236-41
Rockman CB, Riles TS, Landis R. Lower extremity paraparesis or paraplegia subsequent to endovascular management of abdominal aortic aneurysms. 2001;33:178-80 (Case rep.)
Rockman CB (*see* Jacobowitz et al). 2001;33:51-5
Roddy SP, Darling RC III, Chang BB, Kreienberg PB, Paty PSK, Lloyd WE, Shah DM. Brachial artery reconstruction for occlusive disease: a 12-year experience. 2001;33:802-5
Roddy SP (*see* Kreienberg et al). 2001;33:S100-5
Roedersheimer LR (*see* Kasper et al). 2001;33:242-50
Rohan DI (*see* Faries et al). 2001;33:601-7
Romero A (*see* López-Beret et al). 2001;33:77-90, 515-21
Ronchey S (*see* Pistolese et al). 2001;33:148-54
Ronningen E (*see* Carlin et al). 2001;33:170-3 (Case rep.)
Rooke TW (*see* Heit et al). 2001;33:1022-7
Rosen RJ (*see* Jacobowitz et al). 2001;33:51-5
Roth RS (*see* Axelrod et al). 2001;33:1220-5
Roth WD (*see* Ihlberg et al). 2001;33:546-53
Roubin GS (*see* Veith et al). 2001;33:S111-6
Rozenblit AM (*see* Sahgal et al). 2001;33:289-95
Rubba P (*see* Ciardullo et al). 2001;33:1134-5 (Letter reply)
Rubin BG, Sicard GA. The Hemobahn endoprosthesis: a self-expanding polytetrafluoroethylene-covered endoprosthesis for the treatment of peripheral arterial occlusive disease after balloon angioplasty. 2001;33:S124-8
Rubin BG (*see* Choi et al). 2001;33:S106-10
Rubin GD (*see* Fleischmann et al). 2001;33:97-105

S

Sabatier J (*see* Kieffer et al). 2001;33:671-8
Sabetai MM (*see* Tegos et al). 2001;33:131-8, 334-9
Sahgal A, Veith FJ, Lipsitz E, Ohki T, Suggs WD, Rozenblit AM, Cynamon J, Wain RA. Diameter changes in isolated iliac artery aneurysms 1 to 6 years after endovascular graft repair. 2001;33:289-95
Saito H (*see* Deguchi et al). 2001;33:1280-2 (Case rep.)
Sakurai T (*see* Matsushita et al). 2001;33:694-9
Salam AA (*see* Berry et al). 2001;33:345-52
Salam AA (*see* Bush et al). 2001;33:S70-6
Salvian AJ (*see* Lokanathan et al). 2001;33:783-8
Sanchez LA (*see* Choi et al). 2001;33:S106-10
Sandmann W (*see* Müller et al). 2001;33:106-13
Santilli SM (*see* Lee et al). 2001;33:608-13
Sanzgiri S (*see* Niklason et al). 2001;33:628-38
Sarac TP (*see* Ouriel et al). 2001;33:728-32
Sasaki T (*see* Nakajima et al). 2001;33:476-80
Sato M (*see* Hosokawa et al). 2001;33:1087-92 (Case rep.)
Saumet JL (*see* Abraham et al). 2001;33:721-7
Saxton JM (*see* Nawaz et al). 2001;33:392-9
Schenk GW III. Subclavian steal syndrome from high-output brachiocephalic arteriovenous fistula: a previously undescribed complication of dialysis access. 2001;33:883-5 (Case rep.)
Scher LA (*see* Mehta et al). 2001;33:S27-32
Schermerhorn ML, Cronenwett JL. The UK small aneurysm trial. 2001;33:443 (Letter)
Schneider PA, Caps MT, Ogawa DY, Hayman ES. Intraoperative superficial femoral artery balloon angioplasty and popliteal to distal bypass graft: an option for combined open and endovascular treatment of diabetic gangrene. 2001;33:955-62
Schneider PA (*see* Treiman et al). 2001;33:1158-64
Schoder M (*see* Hölzenbein et al). 2001;33:S46-54
Schumacher H (*see* Gahlen et al). 2001;33:646-9 (Case rep.)
Schurink GWH, van Bockel JH. Regarding "Thrombus within an aortic aneurysm does not reduce pressure on the aneurysm wall." 2001;33:660-1 (Letter reply)
Scott DJ (*see* Parry et al). 2001;33:874-9 (Case rep.)
Scultetus AH, Villavicencio JL, Rich NM. Facts and fiction surrounding the discovery of the venous valves. 2001;33:435-41
Scultetus AH, Villavicencio JL, Rich NM, Smith DC. Regarding "Fact and fiction surrounding the discovery of the venous valves." 2001;33:1317 (Letter reply)
Seeger JM (*see* Huber et al). 2001;33:304-11
Seelos R (*see* Gahlen et al). 2001;33:646-9 (Case rep.)
Seifalian AM (*see* Baguneid et al). 2001;33:812-20
Seki Y (*see* Deguchi et al). 2001;33:1280-2 (Case rep.)
Semmens J (*see* Greenberg et al). 2001;33:S157-64
Serletti J (*see* Illig et al). 2001;33:17-23

Shah DM (*see* Kreienberg et al). 2001;33:S100-5
Shah DM (*see* Roddy et al). 2001;33:802-5
Shenaq SM (*see* Hilfiker et al). 2001;33:821-8
Shepard AD (*see* Pipinos et al). 2001;33:1133-4 (Letter reply)
Shigematsu H (*see* Hatakeyama et al). 2001;33:453-61
Sho E (*see* Xu et al). 2001;33:570-8
Sho M (*see* Xu et al). 2001;33:570-8
Shortell CK (*see* Illig et al). 2001;33:17-23
Shortsleeve CM (*see* Pross et al). 2001;33:963-7
Sicard GA (*see* Choi et al). 2001;33:S106-10
Sicard GA (*see* Nguyen et al). 2001;33:1065-71
Sicard GA (*see* Rubin and Sicard). 2001;33:S124-8
Sicklick JK (*see* Pross et al). 2001;33:963-7
Sidawy AN, Simpio B, Clowes AW, Rhodes RS. Basic science curriculum in vascular surgery residency. 2001;33:854-60
Sidawy AN (*see* Arora et al). 2001;33:990-3
Sidway AN (*see* Neville et al). 2001;33:266-72
Silva MB Jr (*see* Chakhtoura et al). 2001;33:220-6
Silverstein MD (*see* Heit et al). 2001;33:1022-7
Simonian GT (*see* Chakhtoura et al). 2001;33:220-6
Simpio B (*see* Sidawy et al). 2001;33:854-60
Singh TM (*see* Xu et al). 2001;33:570-8
Sirbu H (*see* Aleksic et al). 2001;33:1111-3 (Case rep.)
Smith A (*see* Illig et al). 2001;33:17-23
Smith DC (*see* Scultetus et al). 2001;33:1317 (Letter reply)
Smith RB III (*see* Berry et al). 2001;33:345-52
Smith RB III (*see* Bush et al). 2001;33:S70-6
Sobel M, Fish WR, Toma N, Luo S, Bird K, Mori K, Kusumoto S, Blystone SD, Suda Y. Heparin modulates integrin function in human platelets. 2001;33:587-94
Söderström T, Hedner U, Arnljots B. Active-site inactivated factor VIIa prevents thrombosis without increased surgical bleeding: topical and intravenous administration in a rat model of deep arterial injury. 2001;33:1072-9
Solis M (*see* McKinney et al). 2001;33:880-2 (Case rep.)
Sovijärvi ARA (*see* Ihlberg et al). 2001;33:546-53
Sprouse LR II, Botta DM Jr, Hamilton IN Jr. The management of peripheral vascular complications associated with the use of percutaneous suture-mediated closure devices. 2001;33:688-93
Sreeram K (*see* McKinney et al). 2001;33:880-2 (Case rep.)
Stainken B (*see* Kreienberg et al). 2001;33:S100-5
Stallion A (*see* Mendeloff et al). 2001;33:419-24 (Case rep.)
Stanley A, Osler T. Senescence and the healing rates of venous ulcers. 2001;33:1206-11
Stanley A (*see* Young et al). 2001;33:1114-7 (Case rep.)
Stanley JC (*see* Axelrod et al). 2001;33:72-6
Stanson AW (*see* Jost et al). 2001;33:639-42 (Case rep.)
Stanson AW (*see* Kalra et al). 2001;33:6-16
Stanton DL Jr (*see* Xue et al). 2001;33:554-60
Steel S (*see* Hayes et al). 2001;33:994-1000
Stelter W (*see* Greenberg et al). 2001;33:S157-64
Stephen MS (*see* May et al). 2001;33:S21-6
Sternbergh WC III, Money SR, Yoselevitz M. External transabdominal manipulation of vessels: a useful adjunct with endovascular abdominal aortic aneurysm repair. 2001;33:886-7
Sternbergh WC III. Regarding "Dacron carotid patch infections: a report of eight cases." 2001;33:663-4 (Letter)
Stevens JM (*see* Tegos et al). 2001;33:334-9
Stevens SL (*see* Timaran et al). 2001;33:S85-92
Strandness DE Jr (*see* Gibson et al). 2001;33:24-31
Strandness DE Jr (*see* Leotta et al). 2001;33:700-7
Strandness E Jr (*see* Vesti et al). 2001;33:369-74
Sturge J, Carey N, Davies AH, Powell JT. Fibrin monomer and fibrinopeptide B act additively to increase DNA synthesis in smooth muscle cells cultured from human saphenous vein. 2001;33:847-53
Suda Y (*see* Sobel et al). 2001;33:587-94
Suggs WD (*see* Mehta et al). 2001;33:S27-32
Suggs WD (*see* Sahgal et al). 2001;33:289-95
Sugiura H (*see* Matsushita et al). 2001;33:694-9
Sui XX (*see* Gangadharan et al). 2001;33:1247-54
Sullivan C (*see* Xue et al). 2001;33:554-60
Sumpio BE (*see* Nesselroth et al). 2001;33:595-600
Surowiec SM (*see* Lin et al). 2001;33:621-7
Sybrandy JEM, van Gent WB, Pierik EGJM, Wittens CHA. Endoscopic versus open subfascial division of incompetent perforating veins in the treatment of venous leg ulceration: long-term follow-up. 2001;33:1028-32
Szilagyi DE. The problem of healing of endovascular stent grafts in the repair of abdominal aortic aneurysms. 2001;33:1283-5

T

Takahara H (*see* Faries et al). 2001;33:601-7
Tamaki S (*see* Hosokawa et al). 2001;33:1087-92 (Case rep.)
Tanaka N (*see* Deguchi et al). 2001;33:1280-2 (Case rep.)
Tangelder MJD, Algra A, Lawson JA,. Hennekes S, Eikelboom BC. Optimal oral anticoagulant intensity to prevent secondary ischemic and hemorrhagic events in patients after infrainguinal bypass graft surgery. 2001;33:522-7
Tardanico R (*see* Bonardelli et al). 2001;33:174-7 (Case rep.)
Tassiopoulos AK (*see* Xue et al). 2001;33:554-60
Tate RB (*see* Carter and Tate). 2001;33:708-14
Tauscher T (*see* Neuhauser et al). 2001;33:1125-7 (Case rep.)
Taylor DC (*see* Lokanathan et al). 2001;33:783-8
Taylor LM Jr (*see* Lamb et al). 2001;33:976-82
Taylor LM Jr (*see* Landry et al). 2001;33:312-9
Taylor LM Jr (*see* Lovelace et al). 2001;33:56-61
Taylor LM Jr (*see* Williamson et al). 2001;33:913-20
Taylor TA (*see* Vouyouka et al). 2001;33:1263-70
Tegos TJ, Sabetai MM, Nicolaides AN, Elatrozy TS, Dhanjil S, Stevens JM. Patterns of brain computed tomography infarction and carotid plaque echogenicity. 2001;33:334-9
Tegos TJ, Sabetai MM, Nicolaides AN, Robless P, Kalodiki E, Elatrozy TS, Ramaswami G, Dhanjil S. Correlates of embolic events detected by means of transcranial Doppler in patients with carotid atheroma. 2001;33:131-8
Tempesta B (*see* Neville et al). 2001;33:266-72
Teodorescu V (*see* McArthur et al). 2001;33:733-8
Theron J (*see* Veith et al). 2001;33:S111-6
Thomas JW (*see* Hilfiker et al). 2001;33:821-8
Thomas L (*see* Müller et al). 2001;33:106-13
Thompson MA (*see* Huynh et al). 2001;33:400-7
Thompson MM (*see* Hayes et al). 2001;33:994-1000
Thompson RW (*see* Choi et al). 2001;33:S106-10
Thompson RW (*see* Liao et al). 2001;33:1057-64
Thompson RW (*see* Nguyen et al). 2001;33:1065-71
Thomsen MB (*see* Klevsgård et al). 2001;33:114-22
Thurnher S (*see* Hölzenbein et al). 2001;33:S46-54
Tiberio GAM (*see* Bonardelli et al). 2001;33:174-7 (Case rep.)
Tierney JA (*see* Mulak et al). 2001;33:251-8
Tillich M (*see* Fleischmann et al). 2001;33:97-105
Timaran CH, Stevens SL, Grandas OH, Freeman MB, Goldman MH. Influence of hormone replacement therapy on the outcome of iliac angioplasty and stenting. 2001;33:S85-92
Tirilomis T (*see* Aleksic et al). 2001;33:1111-3 (Case rep.)
Toma N (*see* Sobel et al). 2001;33:587-94

Toomey BJ (*see* Kalra et al). 2001;33:6-16
Towne JB. Presidential address: proud past—bright future: a strategy for the new millennium. 2001;33:1-5
Towne JB. Sub-board of vascular surgery: political reality. 2001;33:899-901
Townsend M (*see* Conway et al). 2001;33:752-7
Tran PK (*see* Davies et al). 2001;33:408-18
Treiman GS, Copland S, McNamara RM, Yellin AE, Schneider PA, Treiman RL. Factors influencing ulcer healing in patients with combined arterial and venous insufficiency. 2001;33:1158-64
Treiman GS, Copland S, Yellin AE, Lawrence PF, McNamara RM, Treiman RL. Wound infections involving infrainguinal autogenous vein grafts: a current evaluation of factors determining successful graft preservation. 2001;33:948-54
Treiman RL (*see* Treiman et al). 2001;33:948-54, 1158-64
Tretinyak AS (*see* Lee et al). 2001;33:608-13
Triboulet JP (*see* Guillem et al). 2001;33:643-5 (Case rep.)
Tsemekhin B (*see* Ascher et al). 2001;33:1080-6
Tsemekhin B (*see* Jacob et al). 2001;33:614-20
Tsuji Y, Goto A, Hara I, Ataka K, Yamashita C, Okita Y, Kamidono S. Renal cell carcinoma with extension of tumor thrombus into the vena cava: surgical strategy and prognosis. 2001;33:789-96
Tsukurov OI (*see* Casey et al). 2001;33:1199-205
Tu JV, Austin PC, Johnston KW. The influence of surgical specialty training on the outcomes of elective abdominal aortic aneurysm surgery. 2001;33:447-52
Turnipseed WD. A less-invasive minilaparotomy technique for repair of aortic aneurysm and occlusive disease. 2001;33:431-4
Turnipseed WD (*see* Carr et al). 2001;33:806-11

U

Ubbink DT, Fidler M, Legemate DA. Interobserver variability in aortoiliac and femoropopliteal duplex scanning. 2001;33:540-5
Ubbink DT (*see* de Graaff et al). 2001;33:1033-40
Ueno K (*see* Hosokawa et al). 2001;33:1087-92 (Case rep.)
Ulubayram K (*see* Niklason et al). 2001;33:628-38
Umehara I (*see* Deguchi et al). 2001;33:1280-2 (Case rep.)
Umscheid T (*see* Greenberg et al). 2001;33:S157-64
Upchurch GR Jr. (*see* Axelrod et al). 2001;33:72-6
Urban E (*see* Chafke et al). 2001;33:1015-21

V

Vala D (*see* Bednarkiewicz et al). 2001;33:429-30
Valazquez OC (*see* Carpenter et al). 2001;33:296-303
Valerio N (*see* Alimi et al). 2001;33:469-75
van Baalen JM (*see* van Schaik et al). 2001;33:983-9
van Bockel JH (*see* Schurink and van Bockel). 2001;33:660-1 (Letter reply)
van Gent WB (*see* Geselschap et al). 2001;33:1108-10 (Case rep.)
van Gent WB (*see* Sybrandy et al). 2001;33:1028-32
van Herwaarden JA, van Vroonhoven TJMV. Abdominal packing for surgically uncontrollable hemorrhage in ruptured abdominal aortic aneurysm repair. 2001;33:195-6
Van Huffelen AC (*see* Vriens et al). 2001;33:139-47
van Schaik J, van Baalen JM, Visser MJT, DeRuiter MC. Nerve-preserving aortoiliac reconstruction surgery: anatomical study and surgical approach. 2001;33:983-9
van Vroonhoven TJMV (*see* van Herwaarden and van Vroonhoven). 2001;33:195-6
Vasanawala A (*see* Niklason et al). 2001;33:628-38
Veith FJ, Amor M, Ohki T, Beebe HG, Bell PRF, Bolia A, Bergeron P, Connors JJ III, Diethrich EB, Ferguson RDG, Henry M, Hobson RW II, Hopkins LN, Katzen BT, Matthias K, Roubin GS, Theron J, Wholey MH, Yadav SS. Current status of carotid bifurcation angioplasty and stenting based on a consensus of opinion leaders. 2001;33:S111-6
Veith FJ. Regarding "Acute enlargement and subsequent rupture of an abdominal aortic aneurysm in a patient receiving chemotherapy for pancreatic carcinoma." 2001;33:661-2 (Letter reply)
Veith FJ (*see* Bade et al). 2001;33:1271-4 (Case rep.)
Veith FJ (*see* Mehta et al). 2001;33:S27-32
Veith FJ (*see* Ohki et al). 2001;33:504-9
Veith FJ (*see* Sahgal et al). 2001;33:289-95
Velazquez O (*see* Fairman et al). 2001;33:1226-32
Velazquez OC, Larson RA, Baum RA, Carpenter JP, Golden MA, Mitchell ME, Pyeron A, Barker CF, Fairman RM. Gender-related differences in infrarenal aortic aneurysm morphologic features: issues relevant to Ancure and Talent endografts. 2001;33:S77-84
Velazquez OC (*see* Baum et al). 2001;33:32-41
Velazquez OC (*see* Neschis et al). 2001;33:488-94
Vesti BR, Primozich J, Bergelin RO, Strandness E Jr. Follow-up of valves in saphenous vein bypass grafts with duplex ultrasonography. 2001;33:369-74
Vettoretto N (*see* Bonardelli et al). 2001;33:174-7 (Case rep.)
Vielle B (*see* Abraham et al). 2001;33:721-7
Villavicencio JL. Primum non nocere: is it always true? The use of absolute ethanol in the management of congenital vascular malformations. 2001;33:904-6
Villavicencio JL (*see* Scultetus et al). 2001;33:435-41, 1317 (Letter reply)
Visser GH (*see* Vriens et al). 2001;33:139-47
Visser K, Idu MM, Buth J, Engel GL, Hunink MGM. Duplex scan surveillance during the first year after infrainguinal autologous vein bypass grafting surgery: costs and clinical outcomes compared with other surveillance programs. 2001;33:123-30
Visser MJT (*see* van Schaik et al). 2001;33:983-9
Vouyouka AG, Pfeiffer BJ, Liem TK, Taylor TA, Mudaliar J, Phillips CL. The role of type I collagen in aortic wall strength with a homotrimeric [ga1(I)]3 collagen mouse model. 2001;33:1263-70
Vriens EM, Wieneke GH, Hillen B, Eikelboom BC, Van Huffelen AC, Visser GH. Flow redistribution in the major cerebral arteries after carotid endarterectomy: a study with transcranial Doppler scan. 2001;33:139-47

W

Wain RA (*see* Mehta et al). 2001;33:S27-32
Wain RA (*see* Sahgal et al). 2001;33:289-95
Wakefield TW (*see* Axelrod et al). 2001;33:72-6
Waldenberger P (*see* Neuhauser et al). 2001;33:1125-7 (Case rep.)
Walker MG (*see* Baguneid et al). 2001;33:758-63, 812-20
Walker RD (*see* Nawaz et al). 2001;33:392-9
Walot I (*see* White et al). 2001;33:927-34, S1-10
Walsh DB (*see* Proia et al). 2001;33:1165-70
Wang JG (*see* Huber et al). 2001;33:304-11
Wang L (*see* Chafke et al). 2001;33:1015-21
Waterworth A (*see* Parry et al). 2001;33:874-9 (Case rep.)
Watson C (*see* Dardik et al). 2001;33:329-33
Waugh JM (*see* Hilfiker et al). 2001;33:821-8
Waugh R (*see* May et al). 2001;33:S21-6

Webb DJ (*see* Adam et al). 2001;33:1242-6
Weber MA (*see* Arora et al). 2001;33:990-3
Webster MW (*see* Mulak et al). 2001;33:251-8
Wegener OR (*see* Müller et al). 2001;33:106-13
Weinfeld AB (*see* Hilfiker et al). 2001;33:821-8
Weintraub WS (*see* Berry et al). 2001;33:345-52
Weiss IP (*see* Gangadharan et al). 2001;33:1247-54
Weiss V (*see* Berry et al). 2001;33:345-52
Weiss VJ (*see* Bush et al). 2001;33:S70-6
Welch M (*see* Baguneid et al). 2001;33:758-63
Welling RE (*see* Kasper et al). 2001;33:242-50
Wellons E (*see* Criado et al). 2001;33:S146-9
Westerband A, Crouse D, Richter LC, Aguirre ML, Wixon CC, James DC, Mills JL, Hunger GC, Heimark RL. Vein adaptation to arterialization in an experimental model. 2001;33:561-9
Westerband A (*see* Mills et al). 2001;33:273-80
Wever JJ (*see* Prinssen et al). 2001;33:S64-9
White GH (*see* May et al). 2001;33:S21-6
White RA. Clinical and design update on the development and testing of a one-piece, bifurcated, polytetrafluoroethylene endovascular graft for abdominal aortic aneurysm exclusion: the Endologix device. 2001;33:S154-6
White RA, Donayre CE, Walot I, Lippmann M, Woody J, Lee J, Kim N, Kopchok GE, Fogarty TJ. Endovascular exclusion of descending thoracic aortic aneurysms and chronic dissections: initial clinical results with the AneuRx device. 2001;33:927-34
White RA, Donayre CE, Walot I, Woody J, Kim N, Kopchok GE. Computed tomography assessment of abdominal aortic aneurysm morphology after endograft exclusion. 2001;33:S1-10
White RA (*see* Zarins et al). 2001;33:S135-45
Whitehill TA (*see* Charette et al). 2001;33:1100-3 (Case rep.)
Whitehill TA (*see* Nehler et al). 2001;33:943-7
Whittemore AD (*see* Chew et al). 2001;33:259-65
Whittemore AD (*see* Lantis et al). 2001;33:1171-8
Whittle JC (*see* Mulak et al). 2001;33:251-8
Wholey MH (*see* Veith et al). 2001;33:S111-6
Wieneke GH (*see* Vriens et al). 2001;33:139-47
Wilkinson CH (*see* Nawaz et al). 2001;33:392-9
Williamson WK, Nicoloff AD, Taylor LM Jr, Moneta GL, Landry GJ, Porter JM. Functional outcome after open repair of abdominal aortic aneurysm. 2001;33:913-20
Willis AI (*see* Nesselroth et al). 2001;33:595-600
Wilson EP (*see* Criado et al). 2001;33:S146-9
Winchester PA (*see* Korn et al). 2001;33:1148-57
Windels M (*see* Wolpert et al). 2001;33:1193-8
Wittens CHA (*see* Geselschap et al). 2001;33:1108-10 (Case rep.)
Wittens CHA (*see* Sybrandy et al). 2001;33:1028-32
Wixon CC (*see* Westerband et al). 2001;33:561-9
Wixon CL (*see* Mills et al). 2001;33:273-80
Wladis AR (*see* Kasper et al). 2001;33:242-50
Wolf YG, Hill BB, Lee WA, Corcoran CM, Fogarty TJ, Zarins CK. Eccentric stent graft compression: an indicator of insecure proximal fixation of aortic stent graft. 2001;33:481-7
Wolf YG (*see* Lee et al). 2001;33:921-6
Wolfe JH (*see* Delis et al). 2001;33:773-82
Woloson SK (*see* Xue et al). 2001;33:554-60
Wolpert LM, Dittrich KP, Hallisey MJ, Allmendinger PP, Gallagher JJ, Heydt K, Lowe R, Windels M. Hypogastric artery embolization in endovascular abdominal aortic aneurysm repair. 2001;33:1193-8
Wood RFM (*see* Nawaz et al). 2001;33:392-9
Woody J (*see* White et al). 2001;33:927-34, S1-0
Woolgar J (*see* Hafez et al). 2001;33:1212-9
Woolgar J (*see* Nair et al). 2001;33:186-7 (Case rep.)
Wyble CW (*see* Choi et al). 2001;33:S106-10
Wyers MC (*see* Faries et al). 2001;33:601-7

X

Xu C, Lee S, Singh TM, Sho E, Li X, Sho M, Masuda H, Zarins CK. Molecular mechanisms of aortic wall remodeling in response to hypertension. 2001;33:570-8
Xu C, Zarins CK, Glagov S. Aneurysmal and occlusive atherosclerosis of the human abdominal aorta. 2001;33:91-6
Xue L, Tassiopoulos AK, Woloson SK, Stanton DL Jr, Sullivan C, Hampton B, Burgess WH, Greisler HP. Construction and biological characterization of an HB-GAM/FGF-1 chimera for vascular tissue engineering. 2001;33:554-60

Y

Yadav JS (*see* Ouriel et al). 2001;33:728-32
Yadav SS (*see* Veith et al). 2001;33:S111-6
Yamashita C (*see* Tsuji et al). 2001;33:789-96
Yassin MMI (*see* Harkin et al). 2001;33:840-6
Yeager RA (*see* Lovelace et al). 2001;33:56-61
Yellin AE (*see* Treiman et al). 2001;33:948-54, 1158-64
Yeow KM, Hsieh HC. Thoracic outlet syndrome caused by first rib hemangioma. 2001;33:1118-21 (Case rep.)
Yoselevitz M (*see* Sternbergh et al). 2001;33:886-7
Yoshida Y (*see* Hosokawa et al). 2001;33:1087-92 (Case rep.)
Young LP, Stanley A, Menzoian JO. An anterior tibial artery aneurysm in a patient with neurofibromatosis. 2001;33:1114-7 (Case rep.)
Yuksel E (*see* Hilfiker et al). 2001;33:821-8

Z

Zarins CK, White RA, Moll FL, Crabtree T, Bloch DA, Hodgson KJ, Fillinger MF, Fogarty TJ. The AneuRx stent graft: four-year results and worldwide experience 2000. 2001;33:S135-45
Zarins CK (*see* Arko et al). 2001;33:935-42
Zarins CK (*see* Fleischmann et al). 2001;33:97-105
Zarins CK (*see* Lee et al). 2001;33:921-6
Zarins CK (*see* Wolf et al). 2001;33:481-7
Zarins CK (*see* Xu et al). 2001;33:91-6, 570-8
Zeien L (*see* Jacob et al). 2001;33:614-20
Zelenock GB (*see* Huber et al). 2001;33:304-11
Zierler E (*see* Leotta et al). 2001;33:700-7
Zouzias CP (*see* Kalodiki et al). 2001;33:715-20

*Subject index**

A

ACE inhibitors; *see* Angiotensin-converting enzyme inhibitors

Actins
Changes in cellular motility and cytoskeletal actin in fibroblasts from patients with chronic venous insufficiency and in neonatal fibroblasts in the presence of chronic wound fluid (Raffetto et al). 2001;33:1233-41

Age factors
Age versus comorbidities as risk factors for complications from elective abdominal aortic reconstructive surgery (Berry et al). 2001;33:345-52

Aging
Quantitative determination of age-related geometric changes in the normal abdominal aorta (Fleischmann et al). 2001;33:97-105

AIDS arteritis, central nervous system
Spontaneous arteriovenous fistula resulting from HIV arteritis (Nair et al). 2001;33:186-7 (Case rep.)

Alteplase
Enhancement of neointima formation with tissue-type plasminogen activator (Hilfiker et al). 2001;33:821-8

American Association for Vascular Surgery
A name change and a refocused society (Porter and Riles). 2001;33:207-8

Amputation
Lower extremity arterial injury: results of 550 cases and review of risk factors associated with limb loss (Hafez et al). 2001;33:1212-9

Anastomosis, surgical
A comparison of para-anastomotic compliance profiles after vascular anastomosis: nonpenetrating clips versus standard sutures (Baguneid et al). 2001;33:812-20
Intraoperative superficial femoral artery balloon angioplasty and popliteal to distal bypass graft: an option for combined open and endovascular treatment of diabetic gangrene (Schneider et al). 2001;33:955-62
Supplemental oxygen controls cellular proliferation and anastomotic intimal hyperplasia at a vascular graft-to-artery anastomosis in the rabbit (Lee et al). 2001;33:608-13

Anatomy
Facts and fiction surrounding the discovery of the venous valves (Scultetus et al). 2001;33:435-41
Regarding "Fact and fiction surrounding the discovery of the venous valves" (Caggiati and Bertocchi) (Letter); (Scultetus et al) (Reply). 2001;33:1317

Aneurysm
An anterior tibial artery aneurysm in a patient with neurofibromatosis (Young et al). 2001;33:1114-7 (Case rep.)
Right subclavian artery aneurysms of fibrodysplastic origin: two case reports and review of literature (Bonardelli et al). 2001;33:174-7 (Case rep.)
Vascular complications in high-performance athletes (Arko et al). 2001;33:935-42

Aneurysm, aortic; *see* Aortic aneurysm

Aneurysm, dissecting
Contemporary management of aortic branch compromise resulting from acute aortic dissection (Lauterbach et al). 2001;33:1185-92
Isolated spontaneous dissection of the renal artery (Lacombe). 2001;33:385-91

Aneurysm, false
Common femoral artery ligation and local debridement: a safe treatment for infected femoral artery pseudoaneurysms (Arora et al). 2001;33:990-3
Femoral artery thrombosis after percutaneous thrombin injection of an external iliac artery pseudoaneurysm (Forbes and Millward). 2001;33:1093-6 (Case rep.)
Ruptured false abdominal aortic aneurysm during pregnancy: Caesarean delivery followed by aortic reconstruction (Neuhauser et al). 2001;33:1125-7 (Case rep.)
Sural artery pseudoaneurysms after knee arthroscopy: treatment with transcatheter embolization (Carlin et al). 2001;33:170-3 (Case rep.)

Aneurysm, infected
Common femoral artery ligation and local debridement: a safe treatment for infected femoral artery pseudoaneurysms (Arora et al). 2001;33:990-3
Mycotic aneurysms of the thoracic and abdominal aorta and iliac arteries: experience with anatomic and extra-anatomic repair in 33 cases (Müller et al). 2001;33:106-13
Ruptured mycotic thoracoabdominal aortic aneurysms: a report of three cases and a systematic review (Cinà et al). 2001;33:861-7 (Case rep.)

Aneurysm, ruptured
Abdominal packing for surgically uncontrollable hemorrhage in ruptured abdominal aortic aneurysm repair (van Herwaarden and van Vroonhoven). 2001;33:195-6
Hypogastric artery aneurysm rupture after apparent successful endovascular graft exclusion with shrinkage of the aneurysm: significance of endotension from a "virtual," or thrombosed II endoleak (Bade et al). 2001;33:1271-4 (Case rep.)
Plasma endothelin levels and outcome in patients undergoing repair of ruptured infrarenal abdominal aortic aneurysm (Adam et al). 2001;33:1242-6
Ruptured renal artery aneurysm during pregnancy: successful ex situ repair and auto transplantation (Lacroix et al). 2001;33:188-90 (Case rep.)
Visceral artery aneurysm rupture (Carr et al). 2001;33:806-11

Angiography
Carbon dioxide angiography for endovascular grafting in high-risk patients with infrarenal abdominal aortic aneurysms (Gahlen et al). 2001;33:646-9 (Case rep.)
Quantitative determination of age-related geometric changes in the normal abdominal aorta (Fleischmann et al). 2001;33:97-105

Angiography, magnetic resonance; *see* Magnetic resonance angiography

Angioplasty
Age versus comorbidities as risk factors for complications from elective abdominal aortic reconstructive surgery (Berry et al). 2001;33:345-52
Cardiac response and complications during endovascular repair of abdominal aortic aneurysms: a concurrent comparison with open surgery (Cuypers et al). 2001;33:353-60
Carotid angioplasty-tents: clinical experience and role for clinical trials (Hobson). 2001;33:S117-23
Chronic mesenteric ischemia: open surgery versus percuta-

*January, pp. 1-212; February pp. 213-446 and S1-164; March, pp. 447-670; April, pp. 671-912; May, 913-1138; June, 1139-1362.

neous angioplasty and stenting (Kasirajan et al). 2001;33:63-71
Complications in subfascial endoscopic perforating vein surgery: a report of two cases (Geselschap et al). 2001;33:1108-10 (Case rep.)
Current status of carotid bifurcation angioplasty and stenting based on a consensus of opinion leaders (Veith et al). 2001;33:S111-6
Diameter changes in isolated iliac artery aneurysms 1 to 6 years after endovascular graft repair (Sahgal et al). 2001;33:289-95
Endovascular repair of aortic aneurysms: critical events and adjunctive procedures (Fairman et al). 2001;33:1226-32
Experience in the United States with intact abdominal aortic aneurysm repair (Huber et al). 2001;33:304-11
Follow-up evaluation of endoluminally treated abdominal aortic aneurysms with duplex ultrasonography: validation with computed tomography (d'Audiffret et al). 2001;33:42-50
Functional outcome after open repair of abdominal aortic aneurysm (Williamson et al). 2001;33:913-20
Impact of chronic obstructive pulmonary disease on elective and emergency abdominal aortic aneurysm repair (Axelrod et al). 2001;33:72-6
Influence of hormone replacement therapy on the outcome of iliac angioplasty and stenting (Timaran et al). 2001;33:S85-92
Optimal oral anticoagulant intensity to prevent secondary ischemic and hemorrhagic events in patients after infrainguinal bypass graft surgery (Tangelder et al). 2001;33:522-7
Sequelae after limb-paring surgery with major vascular resection for tumor of the lower extremity (Matsushita et al). 2001;33:694-9
Surgical reconstruction of iliofemoral veins and the inferior vena cava for nonmalignant occlusive disease (Jost et al). 2001;33:320-8

Angioplasty, balloon
Endovascular revascularization of renal artery stenosis: technical and clinical results (Bush et al). 2001;33:1041-9
Endovascular stent grafting in the presence of aortic neck filling defects: early clinical experience (Gitlitz et al). 2001;33:340-4
Intraoperative superficial femoral artery balloon angioplasty and popliteal to distal bypass graft: an option for combined open and endovascular treatment of diabetic gangrene (Schneider et al). 2001;33:955-62
Monocyte adhesion to balloon-injured arteries: the influence of endothelial cell seeding (Gangadharan et al). 2001;33:1247-54
Selecting patients for combined femorofemoral bypass grafting and iliac balloon angioplasty and stenting for bilateral iliac disease (AbuRahma et al). 2001;33:S93-9

Angiotensin-converting enzyme inhibitors
Suppression of experimental abdominal aortic aneurysms in the rat by treating with angiotensin-converting enzyme inhibitors (Liao et al). 2001;33:1057-64

Antibodies, antiphospholipid
Relationship between antiphospholipid antibodies and progression of lower extremity arterial occlusive disease after lower extremity bypass operations (Lamb et al). 2001;33:976-82

Anticoagulants
Low molecular weight heparin versus oral anticoagulants in the long-term treatment of deep venous thrombosis (López-Beret et al). 2001;33:77-90
Optimal oral anticoagulant intensity to prevent secondary ischemic and hemorrhagic events in patients after infrainguinal bypass graft surgery (Tangelder et al). 2001;33:522-7

Aorta
Endovascular repair of an inflammatory abdominal aortic aneurysm complicated by aortoduodenal fistulation with an unusual presentation (Parry et al). 2001;33:874-9 (Case rep.)
Molecular mechanisms of aortic wall remodeling in response to hypertension (Xu et al). 2001;33:570-8
Primary aortoduodenal fistula in a patient with a history of intravesical therapy for bladder cancer with bacillus Calmette-Guérin: review of primary aortoduodenal fistula without abdominal aortic aneurysm (Farber et al). 2001;33:868-73 (Case rep.)
The role of type I collagen in aortic wall strength with a homotrimeric [ga1(1)]3 collagen mouse model (Vouyouka et al). 2001;33:1263-70

Aorta, abdominal
Age versus comorbidities as risk factors for complications from elective abdominal aortic reconstructive surgery (Berry et al). 2001;33:345-52
Aneurysmal and occlusive atherosclerosis of the human abdominal aorta (Xu et al). 2001;33:91-6
The 50th anniversary of abdominal aortic reconstruction (Friedman). 2001;33:895-8
Is proximal aortic neck dilatation after endovascular aneurysm exclusion a cause for concern? (Makaroun and Deaton). 2001;33:S39-45
Quantitative determination of age-related geometric changes in the normal abdominal aorta (Fleischmann et al). 2001;33:97-105
A randomized study to evaluate the effect of a perioperative infusion of dopexamine on colonic mucosal ischemia after aortic surgery (Baguneid et al). 2001;33:758-63

Aorta, thoracic
A cohort study of coagulation parameters and the use of blood products in surgery of the thoracic and thoracoabdominal aorta (Cinà et al). 2001;33:462-8
Distal thoracic aorta as inflow for the treatment of chronic mesenteric ischemia (Farber et al). 2001;33:281-8

Aortic aneurysm
Aortic aneurysm resulting from umbilical artery catheterization: case report, literature review, and management algorithm (Mendeloff et al). 2001;33:419-24 (Case rep.)
Histopathologic analysis of endovascular stent grafts from patients with aortic aneurysms: does healing occur? (McArthur et al). 2001;33:733-8
A less-invasive minilaparotomy technique for repair of aortic aneurysm and occlusive disease (Turnipseed). 2001;33:431-4
Mycotic aneurysms of the thoracic and abdominal aorta and iliac arteries: experience with anatomic and extra-anatomic repair in 33 cases (Müller et al). 2001;33:106-13
Results of an aortic endograft trial: impact of device failure beyond 12 months (Beebe et al). 2001;33:S55-63
The role of magnetic resonance angiography for endoprosthetic design (Neschis et al). 2001;33:488-94

Aortic aneurysm, abdominal
Abdominal packing for surgically uncontrollable hemorrhage

in ruptured abdominal aortic aneurysm repair (van Herwaarden and van Vroonhoven). 2001;33:195-6

The Ancure endografting system: an update (Makaroun). 2001;33:S129-34

The AneuRx stent graft: four-year results and worldwide experience 2000 (Zarins et al). 2001;33:S135-45

Aneurysm sac pressure measurements after endovascular repair of abdominal aortic aneurysms (Baum et al). 2001;33:32-41

Aortic aneurysms in children and young adults with tuberous sclerosis: report of two cases and review of the literature (Jost et al). 2001;33:639-42 (Case rep.)

Aorto-uni-iliac endograft for complex aortoiliac aneurysms compared with tube/bifurcation endografts: results of the EVT/Guidant trials (Moore et al). 2001;33:S11-20

Carbon dioxide angiography for endovascular grafting in high-risk patients with infrarenal abdominal aortic aneurysms (Gahlen et al). 2001;33:646-9 (Case rep.)

Cardiac response and complications during endovascular repair of abdominal aortic aneurysms: a concurrent comparison with open surgery (Cuypers et al). 2001;33:353-60

Clinical and design update on the development and testing of a one-piece, bifurcated, polytetrafluoroethylene endovascular graft for abdominal aortic aneurysm exclusion: the Endologix device (White). 2001;33:S154-6

Computed tomography assessment of abdominal aortic aneurysm morphology after endograft exclusion (White et al). 2001;33:S1-10

Concerns for the durability of the proximal abdominal aortic aneurysm endograft fixation from a 2-year and 3-year longitudinal computed tomography angiography study (Prinssen et al). 2001;33:S64-9

Eccentric stent graft compression: an indicator of insecure proximal fixation of aortic stent graft (Wolf et al). 2001;33:481-7

Elastase is not sufficient to induce experimental abdominal aortic aneurysms (Carsten et al). 2001;33:1255-62

Endoleaks following endovascular repair of abdominal aortic aneurysm: the predictive value of preoperative anatomic factors—a review of 100 cases (Petrik and Moore). 2001;33:739-44

Endovascular repair of an inflammatory abdominal aortic aneurysm complicated by aortoduodenal fistulation with an unusual presentation (Parry et al). 2001;33:874-9 (Case rep.)

Endovascular repair of aortic aneurysms: critical events and adjunctive procedures (Fairman et al). 2001;33:1226-32

Endovascular stent-graft repair of primary aortocaval fistula with an abdominal aortoiliac aneurysm (Lau et al). 2001;33:425-8 (Case rep.)

Endovascular stent grafting in the presence of aortic neck filling defects: early clinical experience (Gitlitz et al). 2001;33:340-4

Evolution of vascular fellowship training in the new era of endovascular techniques (Choi et al). 2001;33:S106-10

Experience in the United States with intact abdominal aortic aneurysm repair (Huber et al). 2001;33:304-11

External transabdominal manipulation of vessels: a useful adjunct with endovascular abdominal aortic aneurysm repair (Sternbergh et al). 2001;33:886-7

Extra-anatomic arterial reconstruction with ligation of common iliac arteries and embolization of the aneurysm for the treatment of abdominal aortic aneurysms in high-risk patients (Huber et al). 2001;33:745-51

Failure of endovascular abdominal aortic aneurysm graft limbs (Carpenter et al). 2001;33:296-303

Follow-up evaluation of endoluminally treated abdominal aortic aneurysms with duplex ultrasonography: validation with computed tomography (d'Audiffret et al). 2001;33:42-50

Functional outcome after open repair of abdominal aortic aneurysm (Williamson et al). 2001;33:913-20

Gender-related differences in infrarenal aortic aneurysm morphologic features: issues relevant to Ancure and Talent endografts (Velazquez et al). 2001;33:S77-84

Hypogastric artery embolization in endovascular abdominal aortic aneurysm repair (Wolpert et al). 2001;33:1193-8

Impact of chronic obstructive pulmonary disease on elective and emergency abdominal aortic aneurysm repair (Axelrod et al). 2001;33:72-6

Improved survival after endoluminal repair with second-generation prostheses compared with open repair in the treatment of abdominal aortic aneurysms: a 5-year concurrent comparison using life table method (May et al). 2001;33:S21-6

The influence of surgical specialty training on the outcomes of elective abdominal aortic aneurysm surgery (Tu et al). 2001;33:447-52

Inhibition of inducible nitric oxide synthase limits nitric oxide production and experimental aneurysm expansion (Johanning et al). 2001;33:579-86

Is proximal aortic neck dilatation after endovascular aneurysm exclusion a cause for concern? (Makaroun and Deaton). 2001;33:S39-45

Laparoscopic aortoiliac surgery for aneurysm and occlusive disease: when should a minilaparotomy be performed? (Alimi et al). 2001;33:469-75

Lower extremity paraparesis or paraplegia subsequent to endovascular management of abdominal aortic aneurysms (Rockman et al). 2001;33:174-7 (Case rep.)

Management of ectatic, nonaneurysmal iliac arteries during endoluminal aortic aneurysm repair (Karch et al). 2001;33:S33-8

Measurement of abdominal aortic aneurysms with three-dimensional ultrasound imaging: preliminary report (Leotta et al). 2001;33:700-7

Mid-term results after endovascular repair of the abdominal aortic aneurysm (Bush et al). 2001;33:S70-6

Midterm durability of abdominal aortic aneurysm endograft repair: a word of caution (Hölzenbein et al). 2001;33:S46-54

Plasma endothelin levels and outcome in patients undergoing repair of ruptured infrarenal abdominal aortic aneurysm (Adam et al). 2001;33:1242-6

Presidential address: what would you do if it were your father? Reflections on endovascular abdominal aortic aneurysm repair (Brewster). 2001;33:1139-47

The problem of healing of endovascular stent grafts in the repair of abdominal aortic aneurysms (Szilagyi). 2001;33:1283-5

Prognosis of patients turned down for conventional abdominal aortic aneurysm repair in the endovascular and sonographic era: Szilagyi revisited? (Conway et al). 2001;33:752-7

Prosthetic graft infection after descending thoracic/thoracoabdominal aortic aneurysmectomy: management with in situ arterial allografts (Kieffer et al). 2001;33:671-8

Regarding "Acute enlargement and subsequent rupture of an abdominal aortic aneurysm in a patient receiving chemotherapy for pancreatic carcinoma" (Best) (Letter); (Veith) (Reply). 2001;33:661-2
Regarding "Aneurysm sac pressure measurements after endovascular repair of abdominal aortic aneurysms" (Golzarian) (Letter); (Baum et al) (Reply). 2001;33:1317-8
Regarding "Repair of large abdominal aortic aneurysm should be performed early after coronary artery bypass surgery" (Dimakakos and Kotsis) (Letter); (Paty) (Reply). 2001;33:442-3
Regarding "Thrombus within an aortic aneurysm does not reduce pressure on the aneurysm wall" (Mower and Quinones) (Letter); (Schurink and van Bockel) (Reply). 2001;33:660-1
Risk factors for rupture of abdominal aortic aneurysm based on three-dimensional study (Hatakeyama et al). 2001;33:453-61
Ruptured false abdominal aortic aneurysm during pregnancy: Caesarean delivery followed by aortic reconstruction (Neuhauser et al). 2001;33:1125-7 (Case rep.)
Ruptured mycotic thoracoabdominal aortic aneurysms: a report of three cases and a systematic review (Cinà et al). 2001;33:861-7 (Case rep.)
Shopping for vascular surgery (Cronenwett). 2001;33:654-6
Successful endovascular repair of juxtarenal and suprarenal aortic aneurysms with branched stent graft (Hosokawa et al). 2001;33:1087-92 (Case rep.)
Suppression of experimental abdominal aortic aneurysms in the rat by treating with angiotensin-converting enzyme inhibitors (Liao et al). 2001;33:1057-64
Totally laparoscopic abdominal aortic aneurysm repair (Dion et al). 2001;33:181-5 (Case rep.)
The UK small aneurysm trial (Schermerhorn and Cronenwett). 2001;33:443 (Letter)
Unilateral and bilateral hypogastric artery interruption during aortoiliac aneurysm repair in 154 patients: a relatively innocuous procedure (Mehta et al). 2001;33:S27-32
An update of the Zenith endovascular graft for abdominal aortic aneurysms: initial implantation and mid-term follow-up data (Greenberg et al). 2001;33:S157-64
Update on the bifurcated EXCLUDER endoprosthesis: phase I results (Matsumura et al). 2001;33:S150-3
Update on the Talent aortic stent-graft: a preliminary report form United States phase I and II trials (Criado et al). 2001;33:S146-9

Aortic aneurysm, thoracic

Aortic aneurysms in children and young adults with tuberous sclerosis: report of two cases and review of the literature (Jost et al). 2001;33:639-42 (Case rep.)
The carotid artery as alternative access for endoluminal aortic aneurysm repair (Estes et al). 2001;33:650-3 (Case rep.)
A cohort study of coagulation parameters and the use of blood products in surgery of the thoracic and thoracoabdominal aorta (Cinà et al). 2001;33:462-8
Endovascular exclusion of descending thoracic aortic aneurysms and chronic dissections: initial clinical results with the AneuRx device (White et al). 2001;33:927-34
Prosthetic graft infection after descending thoracic/thoracoabdominal aortic aneurysmectomy: management with in situ arterial allografts (Kieffer et al). 2001;33:671-8
Ruptured mycotic thoracoabdominal aortic aneurysms: a report of three cases and a systematic review (Cinà et al). 2001;33:861-7 (Case rep.)

Aortic rupture

Contemporary management of aortic branch compromise resulting from acute aortic dissection (Lauterbach et al). 2001;33:1185-92
Prognosis of patients turned down for conventional abdominal aortic aneurysm repair in the endovascular and sonographic era: Szilagyi revisited? (Conway et al). 2001;33:752-7
Regarding "Acute enlargement and subsequent rupture of an abdominal aortic aneurysm in a patient receiving chemotherapy for pancreatic carcinoma" (Best) (Letter); (Veith) (Reply). 2001;33:661-2
Regarding "Thrombus within an aortic aneurysm does not reduce pressure on the aneurysm wall" (Mower and Quinones) (Letter); (Schurink and van Bockel) (Reply). 2001;33:660-1
Risk factors for rupture of abdominal aortic aneurysm based on three-dimensional study (Hatakeyama et al). 2001;33:453-61
Ruptured mycotic thoracoabdominal aortic aneurysms: a report of three cases and a systematic review (Cinà et al). 2001;33:861-7 (Case rep.)

Apoptosis

Differential proteolytic activity and induction of apoptosis in fibrous versus atheromatous plaques in carotid atherosclerotic disease (Jacob et al). 2001;33:614-20
Expression of molecular mediators of apoptosis and their role in the pathogenesis of lower-extremity varicose veins (Ascher et al). 2001;33:1080-6

Arginine

Effects of dietary L-arginine on structure and function of flow-restricted vein grafts (Landis et al). 2001;33:829-39

Arterial occlusive diseases

Aneurysmal and occlusive atherosclerosis of the human abdominal aorta (Xu et al). 2001;33:91-6
Brachial artery reconstruction for occlusive disease: a 12-year experience (Roddy et al). 2001;33:802-5
Carotid thromboendarterectomy for recent total occlusion of the internal carotid artery (Kaspar et al). 2001;33:242-50
Chronic mesenteric ischemia: open surgery versus percutaneous angioplasty and stenting (Kasirajan et al). 2001;33:63-71
Combined free tissue transfer and infrainguinal bypass graft: an alternative to major amputation in selected patients (Illig et al). 2001;33:17-23
Early results of infragenicular revascularization based solely on duplex arteriography (Proia et al). 2001;33:1165-70
Extra-anatomic bypass graft for management of axillary artery occlusion in pitchers (Ishitobi et al). 2001;33:797-801
Factors influencing ulcer healing in patients with combined arterial and venous insufficiency (Treiman et al). 2001;33:1158-64
The Hemobahn endoprosthesis: a self-expanding polytetrafluoroethylene-covered endoprosthesis for the treatment of peripheral arterial occlusive disease after balloon angioplasty (Rubin and Sicard). 2001;33:S124-8
Interobserver variability in aortoiliac and femoropopliteal duplex scanning (Ubbink et al). 2001;33:540-5
Laparoscopic aortoiliac surgery for aneurysm and occlusive

disease: when should a minilaparotomy be performed? (Alimi et al). 2001;33:469-75
A less-invasive minilaparotomy technique for repair of aortic aneurysm and occlusive disease (Turnipseed). 2001;33:431-4
Outcome after combined carotid endarterectomy and coronary artery bypass is related to patient selection (Estes et al). 2001;33:1179-84
Outcome after unilateral hypogastric artery occlusion during endovascular aneurysm repair (Lee et al). 2001;33:921-6
Relationship between antiphospholipid antibodies and progression of lower extremity arterial occlusive disease after lower extremity bypass operations (Lamb et al). 2001;33:976-82
Surgical reconstruction of iliofemoral veins and the inferior vena cava for nonmalignant occlusive disease (Jost et al). 2001;33:320-8
Thrombolysis for native arterial occlusions of the lower extremities: clinical outcome and cost (Korn et al). 2001;33:1148-57

Arteries
Morphologic and mechanical characteristics of engineered bovine arteries (Niklason et al). 2001;33:628-38

Arteriovenous anastomosis
Carotid endarterectomy in rare bilateral carotid-vertebral anastomosis (Pulli et al). 2001;33:1122-4 (Case rep.)

Arteriovenous fistula
Arteriovenous fistula construction in the thigh with transposed superficial femoral vein: our initial experience (Gradman et al). 2001;33:968-75
Endovascular stent-graft repair of primary aortocaval fistula with an abdominal aortoiliac aneurysm (Lau et al). 2001;33:425-8 (Case rep.)
Spontaneous arteriovenous fistula resulting from HIV arteritis (Nair et al). 2001;33:186-7 (Case rep.)
Subclavian steal syndrome from high-output brachiocephalic arteriovenous fistula: a previously undescribed complication of dialysis access (Schenk). 2001;33:883-5 (Case rep.)

Arteriovenous malformations
Absence of the brachial artery: report of a rare human variation and review of upper extremity arterial anomalies (Ciervo et al). 2001;33:191-4 (Case rep.)
New experiences with absolute ethanol sclerotherapy in the management of a complex form of congenital venous malformation (Lee et al). 2001;33:764-72
Perinatal inferior vena cava thrombosis and absence of the infrarenal inferior vena cava (Ramanathan et al). 2001;33:1097-9 (Case rep.)
Primum non nocere: is it always true? The use of absolute ethanol in the management of congenital vascular malformations (Villavicencio). 2001;33:904-6
Transcatheter embolization of complex pelvic vascular malformations: results and long-term follow-up (Jacobowitz et al). 2001;33:51-5

Arthritis, rheumatoid
Regarding "Management of leg ulcers in patients with rheumatoid arthritis or systemic sclerosis: the importance of concomitant arterial and venous disease" (McRorie) (Letter); (Hafner) (Reply). 2001;33:664-5

Arthroscopy
Sural artery pseudoaneurysms after knee arthroscopy: treatment with transcatheter embolization (Carlin et al). 2001;33:170-3 (Case rep.)

Atherosclerosis
Aneurysmal and occlusive atherosclerosis of the human abdominal aorta (Xu et al). 2001;33:91-6
Correlates of embolic events detected by means of transcranial Doppler in patients with carotid atheroma (Tegos et al). 2001;33:131-8

Atherosclerosis, carotid; *see* Carotid artery diseases

Athletic injuries
Extra-anatomic bypass graft for management of axillary artery occlusion in pitchers (Ishitobi et al). 2001;33:797-801
Vascular complications in high-performance athletes (Arko et al). 2001;33:935-42

Axillary artery
Extra-anatomic bypass graft for management of axillary artery occlusion in pitchers (Ishitobi et al). 2001;33:797-801

Axillary vein
Outcome after thrombolysis and selective thoracic outlet decompression for primary axillary vein thrombosis (Lokanathan et al). 2001;33:783-8

B

Bacterial infections
Prosthetic graft infection after descending thoracic/thoracoabdominal aortic aneurysmectomy: management with in situ arterial allografts (Kieffer et al). 2001;33:671-8
Regarding "Dacron carotid patch infections: a report of eight cases" (Sternbergh) (Letter); (Hertzer) (Reply). 2001;33:663-4

Balloon dilatation
Efficacy of a proximal occlusion catheter with reversal of flow in the prevention of embolic events during carotid artery stenting: an experimental analysis (Ohki et al). 2001;33:504-9
Evaluation of thrombolysis in a porcine model of chronic deep venous thrombosis: an endovascular model (Lin et al). 2001;33:621-7

Biocompatible materials
Construction and biological characterization of an HB-GAM/FGF-1 chimera for vascular tissue engineering (Xue et al). 2001;33:554-60
Morphologic and mechanical characteristics of engineered bovine arteries (Niklason et al). 2001;33:628-38
Regarding "A comparative evaluation of polytetrafluoroethylene, umbilical vein, and saphenous vein bypass grafts for femoral-popliteal above-knee revascularization: a prospective randomized Department of Veterans Affairs cooperative study" (Dardik) (Letter); (Johnson and Lee) (Reply). 2001;33:658-9

Blood circulation
A human cadaveric circulation model (Garrett). 2001;33:1128-30

Blood coagulation
A cohort study of coagulation parameters and the use of blood products in surgery of the thoracic and thoracoabdominal aorta (Cinà et al). 2001;33:462-8

Blood flow velocity
Flow redistribution in the major cerebral arteries after carotid endarterectomy: a study with transcranial Doppler scan (Vriens et al). 2001;33:139-47

Blood gas monitoring, transcutaneous
Interobserver and intraobserver reproducibility of peripheral blood and oxygen pressure measurements in the assessment of lower extremity arterial disease (de Graaff et al). 2001;33:1033-40

Blood pressure determination
Aneurysm sac pressure measurements after endovascular repair of abdominal aortic aneurysms (Baum et al). 2001;33:32-41
Interobserver and intraobserver reproducibility of peripheral blood and oxygen pressure measurements in the assessment of lower extremity arterial disease (de Graaff et al). 2001;33:1033-40
Regarding "Aneurysm sac pressure measurements after endovascular repair of abdominal aortic aneurysms" (Golzarian) (Letter); (Baum et al) (Reply). 2001;33:1317-8
Blood proteins
Recombinant bactericidal/permeability-increasing protein attenuates the systemic inflammatory response syndrome in lower limb ischemia-reperfusion injury (Harkin et al). 2001;33:840-6
Blood vessel prosthesis
The Ancure endografting system: an update (Makaroun). 2001;33:S129-34
Aorto-uni-iliac endograft for complex aortoiliac aneurysms compared with tube/bifurcation endografts: results of the EVT/Guidant trials (Moore et al). 2001;33:S11-20
Autogenous composite vein bypass graft for infrainguinal arterial reconstruction (Chew et al). 2001;33:259-65
Clinical and design update on the development and testing of a one-piece, bifurcated, polytetrafluoroethylene endovascular graft for abdominal aortic aneurysm exclusion: the Endologix device (White). 2001;33:S154-6
Combined free tissue transfer and infrainguinal bypass graft: an alternative to major amputation in selected patients (Illig et al). 2001;33:17-23
Computed tomography assessment of abdominal aortic aneurysm morphology after endograft exclusion (White et al). 2001;33:S1-10
Concerns for the durability of the proximal abdominal aortic aneurysm endograft fixation from a 2-year and 3-year longitudinal computed tomography angiography study (Prinssen et al). 2001;33:S64-9
Duplex scan surveillance during the first year after infrainguinal autologous vein bypass grafting surgery: costs and clinical outcomes compared with other surveillance programs (Visser et al). 2001;33:123-30
Eccentric stent graft compression: an indicator of insecure proximal fixation of aortic stent graft (Wolf et al). 2001;33:481-7
Endovascular exclusion of descending thoracic aortic aneurysms and chronic dissections: initial clinical results with the AneuRx device (White et al). 2001;33:927-34
Follow-up of valves in saphenous vein bypass grafts with duplex ultrasonography (Vesti et al). 2001;33:369-74
Gender-related differences in infrarenal aortic aneurysm morphologic features: issues relevant to Ancure and Talent endografts (Velazquez et al). 2001;33:S77-84
The Hemobahn endoprosthesis: a self-expanding polytetrafluoroethylene-covered endoprosthesis for the treatment of peripheral arterial occlusive disease after balloon angioplasty (Rubin and Sicard). 2001;33:S124-8
Heparin-bonded Dacron or polytetrafluoroethylene for femoropopliteal bypass grafting: a multicenter trial (Devine et al). 2001;33:533-9
Improved survival after endoluminal repair with second-generation prostheses compared with open repair in the treatment of abdominal aortic aneurysms: a 5-year concurrent comparison using life table method (May et al). 2001;33:S21-6
Longitudinal ruptures of polyester knitted vascular prostheses (Chafke et al). 2001;33:1015-21
Management of ectatic, nonaneurysmal iliac arteries during endoluminal aortic aneurysm repair (Karch et al). 2001;33:S33-8
Mid-term results after endovascular repair of the abdominal aortic aneurysm (Bush et al). 2001;33:S70-6
Morphologic and mechanical characteristics of engineered bovine arteries (Niklason et al). 2001;33:628-38
Outcome after unilateral hypogastric artery occlusion during endovascular aneurysm repair (Lee et al). 2001;33:921-6
Prosthetic graft infection after descending thoracic/thoracoabdominal aortic aneurysmectomy: management with in situ arterial allografts (Kieffer et al). 2001;33:671-8
Randomized trial of vein versus Dacron patching during carotid endarterectomy: influence of patch type on postoperative embolization (Hayes et al). 2001;33:994-1000
Regarding "A comparative evaluation of polytetrafluoroethylene, umbilical vein, and saphenous vein bypass grafts for femoral-popliteal above-knee revascularization: a prospective randomized Department of Veterans Affairs cooperative study" (Dardik) (Letter); (Johnson and Lee) (Reply). 2001;33:658-9
Regarding "Dacron carotid patch infections: a report of eight cases" (Sternbergh) (Letter); (Hertzer) (Reply). 2001;33:663-4
Results of an aortic endograft trial: impact of device failure beyond 12 months (Beebe et al). 2001;33:S55-63
The role of magnetic resonance angiography for endoprosthetic design (Neschis et al). 2001;33:488-94
Selecting patients for combined femorofemoral bypass grafting and iliac balloon angioplasty and stenting for bilateral iliac disease (AbuRahma et al). 2001;33:S93-9
Structural failure of first-generation, polyester, double-velour, knitted prostheses (Nunn). 2001;33:1128-30
Successful endovascular repair of juxtarenal and suprarenal aortic aneurysms with branched stent graft (Hosokawa et al). 2001;33:1087-92 (Case rep.)
Tibial bypass for limb salvage using polytetrafluoroethylene and a distal vein patch (Neville et al). 2001;33:266-72
Update on the bifurcated EXCLUDER endoprosthesis: phase I results (Matsumura et al). 2001;33:S150-3
Blood vessel prosthesis implantation
The carotid artery as alternative access for endoluminal aortic aneurysm repair (Estes et al). 2001;33:650-3 (Case rep.)
External transabdominal manipulation of vessels: a useful adjunct with endovascular abdominal aortic aneurysm repair (Sternbergh et al). 2001;33:886-7
Midterm durability of abdominal aortic aneurysm endograft repair: a word of caution (Hölzenbein et al). 2001;33:S46-54
An update of the Zenith endovascular graft for abdominal aortic aneurysms: initial implantation and mid-term follow-up data (Greenberg et al). 2001;33:S157-64
Book reviews
Book reviews. 2001;33:204-5, 445-6, 669-70, 910-12, 1138, 1321-2
Brachial artery
Absence of the brachial artery: report of a rare human variation and review of upper extremity arterial anomalies (Ciervo et al). 2001;33:191-4 (Case rep.)

Brachial artery reconstruction for occlusive disease: a 12-year experience (Roddy et al). 2001;33:802-5

Pressure measurements at rest and after heavy exercise to detect moderate arterial lesions in athletes (Abraham et al). 2001;33:721-7

Brachiocephalic trunk

Successful management of tracheo-innominate artery fistula with endovascular stent graft repair (Deguchi et al). 2001;33:1280-2 (Case rep.)

Brachiocephalic veins

Regarding "Crushed stents in benign left brachiocephalic vein stenoses" (Molina) (Letter); (Hammer) (Reply). 2001;33:662-3

Subclavian steal syndrome from high-output brachiocephalic arteriovenous fistula: a previously undescribed complication of dialysis access (Schenk). 2001;33:883-5 (Case rep.)

C

Cadaver

A human cadaveric circulation model (Garrett). 2001;33:1128-30

Calcification

Calciphylaxis: a poor prognostic indicator for limb salvage (Mureebe et al). 2001;33:1275-9 (Case rep.)

Carbon dioxide

Carbon dioxide angiography for endovascular grafting in high-risk patients with infrarenal abdominal aortic aneurysms (Gahlen et al). 2001;33:646-9 (Case rep.)

Carcinoma, renal cell

Renal cell carcinoma with extension of tumor thrombus into the vena cava: surgical strategy and prognosis (Tsuji et al). 2001;33:789-96

Carotid arteries

The carotid artery as alternative access for endoluminal aortic aneurysm repair (Estes et al). 2001;33:650-3 (Case rep.)

A comparison of para-anastomotic compliance profiles after vascular anastomosis: nonpenetrating clips versus standard sutures (Baguneid et al). 2001;33:812-20

Efficacy of a proximal occlusion catheter with reversal of flow in the prevention of embolic events during carotid artery stenting: an experimental analysis (Ohki et al). 2001;33:504-9

Relationship of glycosaminoglycan and matrix changes to vascular smooth muscle cell phenotype modulation in rabbit arteries after acute injury (Bingley et al). 2001;33:155-64

The successful surgical treatment of a paradoxical embolus to the carotid bifurcation (McKinney et al). 2001;33:880-2 (Case rep.)

Carotid artery, internal

Carotid endarterectomy in rare bilateral carotid-vertebral anastomosis (Pulli et al). 2001;33:1122-4 (Case rep.)

Carotid thromboendarterectomy for recent total occlusion of the internal carotid artery (Kaspar et al). 2001;33:242-50

Optimizing duplex follow-up in patients with an asymptomatic internal carotid artery stenosis of less than 60% (Lovelace et al). 2001;33:56-61

Carotid artery diseases

Carotid endarterectomy in female patients: are the concerns of the Asymptomatic Carotid Atherosclerosis Study valid? (Rockman et al). 2001;33:236-41

Correlates of embolic events detected by means of transcranial Doppler in patients with carotid atheroma (Tegos et al). 2001;33:131-8

Differential proteolytic activity and induction of apoptosis in fibrous versus atheromatous plaques in carotid atherosclerotic disease (Jacob et al). 2001;33:614-20

Improved quality of life among patients with symptomatic carotid artery disease undergoing carotid endarterectomy (Dardik et al). 2001;33:329-33

Increased expression of HDJ-2 (hsp40) in carotid artery atherosclerosis: a novel heat shock protein associated with luminal stenosis and plaque ulceration (Nguyen et al). 2001;33:1065-71

Carotid endarterectomy; *see* Endarterectomy, carotid

Carotid stenosis

Carotid angioplasty-tents: clinical experience and role for clinical trials (Hobson). 2001;33:S117-23

Current status of carotid bifurcation angioplasty and stenting based on a consensus of opinion leaders (Veith et al). 2001;33:S111-6

In-stent restenosis after carotid angioplasty-tenting: incidence and management (Chakhtoura et al). 2001;33:220-6

Optimizing duplex follow-up in patients with an asymptomatic internal carotid artery stenosis of less than 60% (Lovelace et al). 2001;33:56-61

Patterns of brain computed tomography infarction and carotid plaque echogenicity (Tegos et al). 2001;33:334-9

Poor durability of carotid angioplasty and stenting for treatment of recurrent artery stenosis after carotid endarterectomy: an institutional experience (Leger et al). 2001;33:1008-14

Reoperations for carotid artery stenosis: role of primary and secondary reconstructions (Archie). 2001;33:495-503

Technical aspects and current results of carotid stenting (d'Audiffret et al). 2001;33:1001-7

Case reports

Case reports. 2001;33:170-94, 419-28, 639-53, 861-85, 1087-127, 1271-82

Catheterization

Aortic aneurysm resulting from umbilical artery catheterization: case report, literature review, and management algorithm (Mendeloff et al). 2001;33:419-24 (Case rep.)

Catheterization, balloon; *see* Balloon dilatation

Cell adhesion

Monocyte adhesion to balloon-injured arteries: the influence of endothelial cell seeding (Gangadharan et al). 2001;33:1247-54

Cell aging

Senescence and the healing rates of venous ulcers (Stanley and Osler). 2001;33:1206-11

Cell growth

Human vascular smooth muscle cells of diabetic origin exhibit increased proliferation, adhesion, and migration (Faries et al). 2001;33:601-7

Molecular mechanisms of aortic wall remodeling in response to hypertension (Xu et al). 2001;33:570-8

Monocyte adhesion to balloon-injured arteries: the influence of endothelial cell seeding (Gangadharan et al). 2001;33:1247-54

Suppression of experimental abdominal aortic aneurysms in the rat by treating with angiotensin-converting enzyme inhibitors (Liao et al). 2001;33:1057-64

Cell movement

Changes in cellular motility and cytoskeletal actin in fibroblasts from patients with chronic venous insufficiency and in neonatal fibroblasts in the presence of chronic wound fluid (Raffetto et al). 2001;33:1233-41

Cells, cultured
Fibrin monomer and fibrinopeptide B act additively to increase DNA synthesis in smooth muscle cells cultured from human saphenous vein (Sturge et al). 2001;33:847-53
Cerebral infarction
Patterns of brain computed tomography infarction and carotid plaque echogenicity (Tegos et al). 2001;33:334-9
Certification
Presidential address: reflections (Porter). 2001;33:213-9
Chemotaxis
The C-terminal domain of thromobspondin-1 induces vascular smooth muscle cell chemotaxis (Nesselroth et al). 2001;33:595-600
Chronic obstructive pulmonary disease (COPD); *see* Lung diseases, obstructive
Circle of Willis
Flow redistribution in the major cerebral arteries after carotid endarterectomy: a study with transcranial Doppler scan (Vriens et al). 2001;33:139-47
Clinical trials
The Ancure endografting system: an update (Makaroun). 2001;33:S129-34
The AneuRx stent graft: four-year results and worldwide experience 2000 (Zarins et al). 2001;33:S135-45
Update on the bifurcated EXCLUDER endoprosthesis: phase I results (Matsumura et al). 2001;33:S150-3
Update on the Talent aortic stent-graft: a preliminary report form United States phase I and II trials (Criado et al). 2001;33:S146-9
Collagen
The role of type I collagen in aortic wall strength with a homotrimeric [ga1(1)]3 collagen mouse model (Vouyouka et al). 2001;33:1263-70
Colon
A randomized study to evaluate the effect of a perioperative infusion of dopexamine on colonic mucosal ischemia after aortic surgery (Bagunecid et al). 2001;33:758-63
Consensus development conferences
Current status of carotid bifurcation angioplasty and stenting based on a consensus of opinion leaders (Veith et al). 2001;33:S111-6
Coronary artery bypass
Regarding "Repair of large abdominal aortic aneurysm should be performed early after coronary artery bypass surgery" (Dimakakos and Kotsis) (Letter); (Paty) (Reply). 2001;33:442-3
Corrections
Hand-assisted laparoscopic aortobifemoral bypass (Arcus et al) 2000;31:1142-8. 2001;33:205
Incidentally detected stenoses proximal to grafts originating below the common femoral artery: do they affect graft patency or warrant repair in symptomatic patients? (Treiman et al) (2000;32:1180-9). 2001;33:656
Prevention of pulmonary embolism and deep vein thrombosis with low dose aspirin: Pulmonary embolism Prevention (PEP) trial (Suggested reading abstracts) (2001;33:444). 2001;33:788
Recommended standards for reports dealing with lower extremity ischemia: revised version (Rutherford et al) (1997;26:517-38). 2001;33:805
Venous outflow and inflow resistance in health and venous diseases (Fronek et al) (2000;31:472-6). 2001;33:208
Cost-benefit analysis
Duplex scan surveillance during the first year after infrainguinal autologous vein bypass grafting surgery: costs and clinical outcomes compared with other surveillance programs (Visser et al). 2001;33:123-30
Cryopreservation
Long-term assessment of cryopreserved vein bypass grafting success (Harris et al). 2001;33:528-32
Curriculum
Basic science curriculum in vascular surgery residency (Sidawy et al). 2001;33:854-60

D

Decompression, surgical
Long-term results in patients treated with thrombolysis, thoracic inlet decompression, and subclavian vein stenting for Paget-Schroetter syndrome (Kreienberg et al). 2001;33:S100-5
Outcome after thrombolysis and selective thoracic outlet decompression for primary axillary vein thrombosis (Lokanathan et al). 2001;33:783-8
Deep vein thrombosis; *see* Venous thrombosis
Depression
Outcomes after surgery for thoracic outlet syndrome (Axelrod et al). 2001;33:1220-5
Diabetes mellitus
Carotid endarterectomy in diabetic patients (Pistolese et al). 2001;33:148-54
Human vascular smooth muscle cells of diabetic origin exhibit increased proliferation, adhesion, and migration (Faries et al). 2001;33:601-7
Intraoperative superficial femoral artery balloon angioplasty and popliteal to distal bypass graft: an option for combined open and endovascular treatment of diabetic gangrene (Schneider et al). 2001;33:955-62
Dietary supplements
Effects of dietary L-arginine on structure and function of flow-restricted vein grafts (Landis et al). 2001;33:829-39
Digestive system fistula
Duodenocaval fistula: a life-threatening condition of various origins (Guillem et al). 2001;33:643-5 (Case rep.)
Endovascular repair of an inflammatory abdominal aortic aneurysm complicated by aortoduodenal fistulation with an unusual presentation (Parry et al). 2001;33:874-9 (Case rep.)
Primary aortoduodenal fistula in a patient with a history of intravesical therapy for bladder cancer with bacillus Calmette-Guérin: review of primary aortoduodenal fistula without abdominal aortic aneurysm (Farber et al). 2001;33:868-73 (Case rep.)
Disease models, animal
Elastase is not sufficient to induce experimental abdominal aortic aneurysms (Carsten et al). 2001;33:1255-62
Evaluation of thrombolysis in a porcine model of chronic deep venous thrombosis: an endovascular model (Lin et al). 2001;33:621-7
The role of type I collagen in aortic wall strength with a homotrimeric [ga1(I)]3 collagen mouse model (Vouyouka et al). 2001;33:1263-70
Vein adaptation to arterialization in an experimental model (Westerband et al). 2001;33:561-9
DNA
Fibrin monomer and fibrinopeptide B act additively to increase DNA synthesis in smooth muscle cells cultured from

human saphenous vein (Sturge et al). 2001;33:847-53

Dopamine

A randomized study to evaluate the effect of a perioperative infusion of dopexamine on colonic mucosal ischemia after aortic surgery (Baguneid et al). 2001;33:758-63

Duodenum

Duodenocaval fistula: a life-threatening condition of various origins (Guillem et al). 2001;33:643-5 (Case rep.)

Endovascular repair of an inflammatory abdominal aortic aneurysm complicated by aortoduodenal fistulation with an unusual presentation (Parry et al). 2001;33:874-9 (Case rep.)

Primary aortoduodenal fistula in a patient with a history of intravesical therapy for bladder cancer with bacillus Calmette-Guérin: review of primary aortoduodenal fistula without abdominal aortic aneurysm (Farber et al). 2001;33:868-73 (Case rep.)

E

Education, medical, graduate

Evolution of vascular fellowship training in the new era of endovascular techniques (Choi et al). 2001;33:S106-10

Ejaculation

Nerve-preserving aortoiliac reconstruction surgery: anatomical study and surgical approach (van Schaik et al). 2001;33:983-9

Elastase; *see* Pancreatic elastase

Embolectomy

The successful surgical treatment of a paradoxical embolus to the carotid bifurcation (McKinney et al). 2001;33:880-2 (Case rep.)

Embolism

Correlates of embolic events detected by means of transcranial Doppler in patients with carotid atheroma (Tegos et al). 2001;33:131-8

Randomized trial of vein versus Dacron patching during carotid endarterectomy: influence of patch type on postoperative embolization (Hayes et al). 2001;33:994-1000

Embolism, paradoxical

The successful surgical treatment of a paradoxical embolus to the carotid bifurcation (McKinney et al). 2001;33:880-2 (Case rep.)

Embolization, therapeutic

Extra-anatomic arterial reconstruction with ligation of common iliac arteries and embolization of the aneurysm for the treatment of abdominal aortic aneurysms in high-risk patients (Huber et al). 2001;33:745-51

Hypogastric artery embolization in endovascular abdominal aortic aneurysm repair (Wolpert et al). 2001;33:1193-8

Sural artery pseudoaneurysms after knee arthroscopy: treatment with transcatheter embolization (Carlin et al). 2001;33:170-3 (Case rep.)

Transcatheter embolization of complex pelvic vascular malformations: results and long-term follow-up (Jacobowitz et al). 2001;33:51-5

End-stage renal disease; *see* Kidney failure, chronic

Endarterectomy, carotid

Carotid endarterectomy in diabetic patients (Pistolese et al). 2001;33:148-54

Carotid endarterectomy in female patients: are the concerns of the Asymptomatic Carotid Atherosclerosis Study valid? (Rockman et al). 2001;33:236-41

Carotid endarterectomy in rare bilateral carotid-vertebral anastomosis (Pulli et al). 2001;33:1122-4 (Case rep.)

Carotid endarterectomy with normal findings from a completion study: is there need for early duplex scan? (Pross et al). 2001;33:963-7

Carotid thromboendarterectomy for recent total occlusion of the internal carotid artery (Kaspar et al). 2001;33:242-50

Flow redistribution in the major cerebral arteries after carotid endarterectomy: a study with transcranial Doppler scan (Vriens et al). 2001;33:139-47

Improved quality of life among patients with symptomatic carotid artery disease undergoing carotid endarterectomy (Dardik et al). 2001;33:329-33

Multistate utilization, processes, and outcomes of carotid endarterectomy (Kresowik et al). 2001;33:227-35

Outcome after combined carotid endarterectomy and coronary artery bypass is related to patient selection (Estes et al). 2001;33:1179-84

Poor durability of carotid angioplasty and stenting for treatment of recurrent artery stenosis after carotid endarterectomy: an institutional experience (Leger et al). 2001;33:1008-14

Preprocedural risk stratification: identifying an appropriate population for carotid stenting (Ouriel et al). 2001;33:728-32

Randomized trial of vein versus Dacron patching during carotid endarterectomy: influence of patch type on postoperative embolization (Hayes et al). 2001;33:994-1000

Regarding "Dacron carotid patch infections: a report of eight cases" (Sternbergh) (Letter); (Hertzer) (Reply). 2001;33:663-4

Reoperations for carotid artery stenosis: role of primary and secondary reconstructions (Archie). 2001;33:495-503

Endoleakage; *see* Postoperative complications

Endoluminal repair; *see* Angioplasty

Endothelins

Plasma endothelin levels and outcome in patients undergoing repair of ruptured infrarenal abdominal aortic aneurysm (Adam et al). 2001;33:1242-6

Endothelium, vascular

The effect of combined arterial hemodynamics on saphenous venous endothelial nitric oxide production (Casey et al). 2001;33:1199-205

Equipment failure analysis

Longitudinal ruptures of polyester knitted vascular prostheses (Chafke et al). 2001;33:1015-21

Structural failure of first-generation, polyester, double-velour, knitted prostheses (Nunn). 2001;33:1128-30

Estradiol

Regarding "High endogenous estradiol is associated with increased venous distensibility and clinical evidence of varicose veins in menopausal women (Georgiev) (Letter); (Ciardullo et al) (Reply). 2001;33:1134-5

Estrogen replacement therapy

Influence of hormone replacement therapy on the outcome of iliac angioplasty and stenting (Timaran et al). 2001;33:S85-92

Ethanol

New experiences with absolute ethanol sclerotherapy in the management of a complex form of congenital venous malformation (Lee et al). 2001;33:764-72

Primum non nocere: is it always true? The use of absolute ethanol in the management of congenital vascular malformations (Villavicencio). 2001;33:904-6

Ethics in publishing; *see* Scientific misconduct
Exercise
The inflammatory response to upper and lower limb exercise and the effects of exercise training in patients with claudication (Nawaz et al). 2001;33:392-9
Extracellular matrix proteins
Relationship of glycosaminoglycan and matrix changes to vascular smooth muscle cell phenotype modulation in rabbit arteries after acute injury (Bingley et al). 2001;33:155-64
Extracorporeal circulation
Pharmacokinetics of tissue plasminogen activator in an isolated extracorporeal circuit (Geier et al). 2001;33:165-9

F

Factor VIIa
Active-site inactivated factor VIIa prevents thrombosis without increased surgical bleeding: topical and intravenous administration in a rat model of deep arterial injury (Söderström et al). 2001;33:1072-9
Femoral artery
Common femoral artery ligation and local debridement: a safe treatment for infected femoral artery pseudoaneurysms (Arora et al). 2001;33:990-3
Failure of endovascular abdominal aortic aneurysm graft limbs (Carpenter et al). 2001;33:296-303
Femoral artery thrombosis after percutaneous thrombin injection of an external iliac artery pseudoaneurysm (Forbes and Millward). 2001;33:1093-6 (Case rep.)
Heparin-bonded Dacron or polytetrafluoroethylene for femoropopliteal bypass grafting: a multicenter trial (Devine et al). 2001;33:533-9
Intraoperative superficial femoral artery balloon angioplasty and popliteal to distal bypass graft: an option for combined open and endovascular treatment of diabetic gangrene (Schneider et al). 2001;33:955-62
Obtaining a superficial femoral artery graft in adolescents and children with the deep femoral artery transposition (Bednarkiewicz et al). 2001;33:429-30
Femoral vein
Arteriovenous fistula construction in the thigh with transposed superficial femoral vein: our initial experience (Gradman et al). 2001;33:968-75
Common femoral vein dimensions and hemodynamics including Valsalva response as a function of sex, age, and ethnicity in a population study (Fronek et al). 2001;33:1050-6
Does surgical correction of the superficial femoral vein valve change the course of varicose disease? (Makarova et al). 2001;33:361-8
Epithelioid hemangioendothelioma of the common femoral vein: case report and review of the literature (Charette et al). 2001;33:1100-3 (Case rep.)
Intravascular lipoma of the left common femoral vein (Al-Omran and Kucey). 2001;33:1104-7 (Case rep.)
Successful reconstruction of stripped superficial femoral vein (Aleksic et al). 2001;33:1111-3 (Case rep.)
Surgical reconstruction of iliofemoral veins and the inferior vena cava for nonmalignant occlusive disease (Jost et al). 2001;33:320-8
Fibrinogen
Fibrin monomer and fibrinopeptide B act additively to increase DNA synthesis in smooth muscle cells cultured from human saphenous vein (Sturge et al). 2001;33:847-53
Fibroblast growth factor, acidic
Construction and biological characterization of an HB-GAM/FGF-1 chimera for vascular tissue engineering (Xue et al). 2001;33:554-60
Fibroblasts
Changes in cellular motility and cytoskeletal actin in fibroblasts from patients with chronic venous insufficiency and in neonatal fibroblasts in the presence of chronic wound fluid (Raffetto et al). 2001;33:1233-41
Fibromuscular dysplasia
Right subclavian artery aneurysms of fibrodysplastic origin: two case reports and review of literature (Bonardelli et al). 2001;33:174-7 (Case rep.)
Fistula
Successful management of tracheo-innominate artery fistula with endovascular stent graft repair (Deguchi et al). 2001;33:1280-2 (Case rep.)
Follow-up studies
Carotid endarterectomy with normal findings from a completion study: is there need for early duplex scan? (Pross et al). 2001;33:963-7
Endoscopic versus open subfascial division of incompetent perforating veins in the treatment of venous leg ulceration: long-term follow-up (Sybrandy et al). 2001;33:1028-32
The patterns and distribution of residual abnormalities between the individual proximal venous segments after an acute deep vein thrombosis (O'Shaughnessy and FitzGerald). 2001;33:379-84
Foot
Limb salvage after successful pedal bypass grafting is associated with improved long-term survival (Kalra et al). 2001;33:6-16
Regarding "Ambulatory venous pressure visited" (Recek) (Letter); (Neglen and Raju) (Reply). 2001;33:659-60
Foundations
Lifeline Foundation. 2001;33:399

G

G-protein, inhibitory Gi
G-protein expression and intimal hyperplasia after arterial injury: a role for Ggai proteins (Davies et al). 2001;33:408-18
Gangrene
Intraoperative superficial femoral artery balloon angioplasty and popliteal to distal bypass graft: an option for combined open and endovascular treatment of diabetic gangrene (Schneider et al). 2001;33:955-62
Genes, bcl-2
Expression of molecular mediators of apoptosis and their role in the pathogenesis of lower-extremity varicose veins (Ascher et al). 2001;33:1080-6
Glycosaminoglycans
Relationship of glycosaminoglycan and matrix changes to vascular smooth muscle cell phenotype modulation in rabbit arteries after acute injury (Bingley et al). 2001;33:155-64
Graft occlusion, vascular
Diameter changes in isolated iliac artery aneurysms 1 to 6 years after endovascular graft repair (Sahgal et al). 2001;33:289-95
Identification of factors predictive of lower extremity vein graft thrombosis (Gibson et al). 2001;33:24-31
In-stent restenosis after carotid angioplasty-tenting: incidence and management (Chakhtoura et al). 2001;33:220-6
The natural history of intermediate and critical vein graft

stenosis: recommendations for continued surveillance or repair (Mills et al). 2001;33:273-80

Optimal oral anticoagulant intensity to prevent secondary ischemic and hemorrhagic events in patients after infrainguinal bypass graft surgery (Tangelder et al). 2001;33:522-7

Reoperations for carotid artery stenosis: role of primary and secondary reconstructions (Archie). 2001;33:495-503

Graft patency

Autogenous composite vein bypass graft for infrainguinal arterial reconstruction (Chew et al). 2001;33:259-65

Failure of endovascular abdominal aortic aneurysm graft limbs (Carpenter et al). 2001;33:296-303

Long-term assessment of cryopreserved vein bypass grafting success (Harris et al). 2001;33:528-32

The natural history of intermediate and critical vein graft stenosis: recommendations for continued surveillance or repair (Mills et al). 2001;33:273-80

Graft survival

Combined free tissue transfer and infrainguinal bypass graft: an alternative to major amputation in selected patients (Illig et al). 2001;33:17-23

Duplex scan surveillance during the first year after infrainguinal autologous vein bypass grafting surgery: costs and clinical outcomes compared with other surveillance programs (Visser et al). 2001;33:123-30

Limb salvage after successful pedal bypass grafting is associated with improved long-term survival (Kalra et al). 2001;33:6-16

Wound infections involving infrainguinal autogenous vein grafts: a current evaluation of factors determining successful graft preservation (Treiman et al). 2001;33:948-54

H

Health expenditures

Presidential address: reflections (Porter). 2001;33:213-9

Heat-shock proteins

Increased expression of HDJ-2 (hsp40) in carotid artery atherosclerosis: a novel heat shock protein associated with luminal stenosis and plaque ulceration (Nguyen et al). 2001;33:1065-71

Hemangioendothelioma, epithelioid

Epithelioid hemangioendothelioma of the common femoral vein: case report and review of the literature (Charette et al). 2001;33:1100-3 (Case rep.)

Hemangioma

Thoracic outlet syndrome caused by first rib hemangioma (Yeow and Hsieh). 2001;33:1118-21 (Case rep.)

Hemodialysis

Subclavian steal syndrome from high-output brachiocephalic arteriovenous fistula: a previously undescribed complication of dialysis access (Schenk). 2001;33:883-5 (Case rep.)

Hemodynamics

Common femoral vein dimensions and hemodynamics including Valsalva response as a function of sex, age, and ethnicity in a population study (Fronek et al). 2001;33:1050-6

The effect of combined arterial hemodynamics on saphenous venous endothelial nitric oxide production (Casey et al). 2001;33:1199-205

In situ hemodynamics of perforating veins in chronic venous insufficiency (Delis et al). 2001;33:773-82

Hemorrhage

Abdominal packing for surgically uncontrollable hemorrhage in ruptured abdominal aortic aneurysm repair (van Herwaarden and van Vroonhoven). 2001;33:195-6

Heparin

Heparin modulates integrin function in human platelets (Sobel et al). 2001;33:587-94

Low molecular weight heparin versus oral anticoagulants in the long-term treatment of deep venous thrombosis (López-Beret et al). 2001;33:77-90

History of medicine

Facts and fiction surrounding the discovery of the venous valves (Scultetus et al). 2001;33:435-41

The 50th anniversary of abdominal aortic reconstruction (Friedman). 2001;33:895-8

Regarding "Fact and fiction surrounding the discovery of the venous valves" (Caggiati and Bertocchi) (Letter); (Scultetus et al) (Reply). 2001;33:1317

Surgery on varices in Byzantine times (324-1453 CE) (Lascaratos et al). 2001;33:197-203

HIV infections

Spontaneous arteriovenous fistula resulting from HIV arteritis (Nair et al). 2001;33:186-7 (Case rep.)

Hormone replacement therapy; *see* Estrogen replacement therapy

Hyperparathyroidism, secondary

Calciphylaxis: a poor prognostic indicator for limb salvage (Mureebe et al). 2001;33:1275-9 (Case rep.)

Hyperplasia

G-protein expression and intimal hyperplasia after arterial injury: a role for Ggai proteins (Davies et al). 2001;33:408-18

Local treatment with recombinant tissue factor pathway inhibitor reduces the development of intimal hyperplasia in experimental vein grafts (Huynh et al). 2001;33:400-7

Hypertension

Molecular mechanisms of aortic wall remodeling in response to hypertension (Xu et al). 2001;33:570-8

Hypertension, renovascular

Isolated spontaneous dissection of the renal artery (Lacombe). 2001;33:385-91

I

Iatrogenic disease

Iatrogenic vascular injuries from percutaneous vascular suturing devices (Nehler et al). 2001;33:943-7

Iliac aneurysm

Aorto-uni-iliac endograft for complex aortoiliac aneurysms compared with tube/bifurcation endografts: results of the EVT/Guidant trials (Moore et al). 2001;33:S11-20

Diameter changes in isolated iliac artery aneurysms 1 to 6 years after endovascular graft repair (Sahgal et al). 2001;33:289-95

Endovascular stent-graft repair of primary aortocaval fistula with an abdominal aortoiliac aneurysm (Lau et al). 2001;33:425-8 (Case rep.)

Failure of exclusion of internal iliac artery aneurysms (Nakajima et al). 2001;33:476-80

Femoral artery thrombosis after percutaneous thrombin injection of an external iliac artery pseudoaneurysm (Forbes and Millward). 2001;33:1093-6 (Case rep.)

Hypogastric artery aneurysm rupture after apparent successful endovascular graft exclusion with shrinkage of the aneurysm: significance of endotension from a "virtual," or thrombosed II endoleak (Bade et al). 2001;33:1271-4 (Case rep.)

Hypogastric artery embolization in endovascular abdominal aortic aneurysm repair (Wolpert et al). 2001;33:1193-8

Mycotic aneurysms of the thoracic and abdominal aorta and iliac arteries: experience with anatomic and extra-anatomic repair in 33 cases (Müller et al). 2001;33:106-13
Outcome after unilateral hypogastric artery occlusion during endovascular aneurysm repair (Lee et al). 2001;33:921-6
Unilateral and bilateral hypogastric artery interruption during aortoiliac aneurysm repair in 154 patients: a relatively innocuous procedure (Mehta et al). 2001;33:S27-32
Vascular complications in high-performance athletes (Arko et al). 2001;33:935-42

Iliac artery
Extra-anatomic arterial reconstruction with ligation of common iliac arteries and embolization of the aneurysm for the treatment of abdominal aortic aneurysms in high-risk patients (Huber et al). 2001;33:745-51
Influence of hormone replacement therapy on the outcome of iliac angioplasty and stenting (Timaran et al). 2001;33:S85-92
Management of ectatic, nonaneurysmal iliac arteries during endoluminal aortic aneurysm repair (Karch et al). 2001;33:S33-8
Pressure measurements at rest and after heavy exercise to detect moderate arterial lesions in athletes (Abraham et al). 2001;33:721-7
Regarding "Comparing patency rates among external iliac and common iliac stents" (Luján et al) (Letter); (Lee) (Reply). 2001;33:665-6
Selecting patients for combined femorofemoral bypass grafting and iliac balloon angioplasty and stenting for bilateral iliac disease (AbuRahma et al). 2001;33:S93-9
Unilateral and bilateral hypogastric artery interruption during aortoiliac aneurysm repair in 154 patients: a relatively innocuous procedure (Mehta et al). 2001;33:S27-32

Iliac vein
Surgical reconstruction of iliofemoral veins and the inferior vena cava for nonmalignant occlusive disease (Jost et al). 2001;33:320-8

Inflammation
The inflammatory response to upper and lower limb exercise and the effects of exercise training in patients with claudication (Nawaz et al). 2001;33:392-9
Inhibition of inducible nitric oxide synthase limits nitric oxide production and experimental aneurysm expansion (Johanning et al). 2001;33:579-86

Innominate artery; *see* Brachiocephalic trunk

Intermittent claudication
The inflammatory response to upper and lower limb exercise and the effects of exercise training in patients with claudication (Nawaz et al). 2001;33:392-9
Long-term results in patients treated with thrombolysis, thoracic inlet decompression, and subclavian vein stenting for Paget-Schroetter syndrome (Kreienberg et al). 2001;33:S100-5
Outcome events in patients with claudication: a 15-year study in 2777 patients (Mulak et al). 2001;33:251-8
Regarding "Phosphorus 31 nuclear magnetic resonance spectroscopy suggests a mitochondrial defect in claudicating skeletal muscle" (Green and Bülow) (Letter); (Pipinos et al) (Reply). 2001;33:1133-4

International Society for Cardiovascular Surgery, North American Chapter
A name change and a refocused society (Porter and Riles). 2001;33:207-8
Presidential address: reflections (Porter). 2001;33:213-9

Internship and residency
Basic science curriculum in vascular surgery residency (Sidawy et al). 2001;33:854-60
Evolution of vascular fellowship training in the new era of endovascular techniques (Choi et al). 2001;33:S106-10

Ischemia
Calciphylaxis: a poor prognostic indicator for limb salvage (Mureebe et al). 2001;33:1275-9 (Case rep.)
Developing the Vascular Quality of Life Questionnaire: a new disease-pecific quality of life measure for use in lower limb ischemia (Morgan et al). 2001;33:679-87
A randomized study to evaluate the effect of a perioperative infusion of dopexamine on colonic mucosal ischemia after aortic surgery (Baguneid et al). 2001;33:758-63

Ischemia-reperfusion injury; *see* Reperfusion injury

Isolation perfusion; *see* Perfusion, regional

K

Kidney failure, chronic
Infrainguinal bypass grafting in patients with end-stage renal disease: improving outcomes? (Lantis et al). 2001;33:1171-8

Knee joint
Early results of infragenicular revascularization based solely on duplex arteriography (Proia et al). 2001;33:1165-70
Sural artery pseudoaneurysms after knee arthroscopy: treatment with transcatheter embolization (Carlin et al). 2001;33:170-3 (Case rep.)

L

Laparoscopy
Laparoscopic aortoiliac surgery for aneurysm and occlusive disease: when should a minilaparotomy be performed? (Alimi et al). 2001;33:469-75
Totally laparoscopic abdominal aortic aneurysm repair (Dion et al). 2001;33:181-5 (Case rep.)

Laparotomy
A less-invasive minilaparotomy technique for repair of aortic aneurysm and occlusive disease (Turnipseed). 2001;33:431-4

Leg
Developing the Vascular Quality of Life Questionnaire: a new disease-pecific quality of life measure for use in lower limb ischemia (Morgan et al). 2001;33:679-87
A 1-year follow-up quality of life study after hemodynamically successful or unsuccessful surgical revascularization of lower limb ischemia (Klevsgård et al). 2001;33:114-22
Sequelae after limb-paring surgery with major vascular resection for tumor of the lower extremity (Matsushita et al). 2001;33:694-9
Thrombolysis for native arterial occlusions of the lower extremities: clinical outcome and cost (Korn et al). 2001;33:1148-57

Leg injuries
Lower extremity arterial injury: results of 550 cases and review of risk factors associated with limb loss (Hafez et al). 2001;33:1212-9

Leg ulcer
Endoscopic versus open subfascial division of incompetent perforating veins in the treatment of venous leg ulceration: long-term followup (Sybrandy et al). 2001;33:1028-32
Factors influencing ulcer healing in patients with combined arterial and venous insufficiency (Treiman et al). 2001;33:1158-64
Regarding "Management of leg ulcers in patients with rheumatoid arthritis or systemic sclerosis: the importance

of concomitant arterial and venous disease" (McRorie) (Letter); (Hafner) (Reply). 2001;33:664-5

Letters
Letters. 2001;33:442-3, 658-66, 907, 1133-5, 1317-8

Lifeline Foundation
Lifeline Foundation. 2001;33:399

Lifeline research meeting abstracts
Lifeline research meeting abstracts. 2001;33:1286-315

Ligation
Extra-anatomic arterial reconstruction with ligation of common iliac arteries and embolization of the aneurysm for the treatment of abdominal aortic aneurysms in high-risk patients (Huber et al). 2001;33:745-51

Lipoma
Intravascular lipoma of the left common femoral vein (Al-Omran and Kucey). 2001;33:1104-7 (Case rep.)

Lower extremity; *see* Leg

Lung diseases, obstructive
Impact of chronic obstructive pulmonary disease on elective and emergency abdominal aortic aneurysm repair (Axelrod et al). 2001;33:72-6

M

Magnetic resonance angiography
The role of magnetic resonance angiography for endoprosthetic design (Neschis et al). 2001;33:488-94

Mesenteric arteries
Chronic mesenteric ischemia: open surgery versus percutaneous angioplasty and stenting (Kasirajan et al). 2001;33:63-71

Mesentery
Distal thoracic aorta as inflow for the treatment of chronic mesenteric ischemia (Farber et al). 2001;33:281-8

Mitochondria, muscle
Regarding "Phosphorus 31 nuclear magnetic resonance spectroscopy suggests a mitochondrial defect in claudicating skeletal muscle" (Green and Bülow) (Letter); (Pipinos et al) (Reply). 2001;33:1133-4

Models, cardiovascular
A human cadaveric circulation model (Garrett). 2001;33:1128-30

Muscle, smooth, vascular
The C-terminal domain of thromobspondin-1 induces vascular smooth muscle cell chemotaxis (Nesselroth et al). 2001;33:595-600
Construction and biological characterization of an HB-GAM/FGF-1 chimera for vascular tissue engineering (Xue et al). 2001;33:554-60
Fibrin monomer and fibrinopeptide B act additively to increase DNA synthesis in smooth muscle cells cultured from human saphenous vein (Sturge et al). 2001;33:847-53
Human vascular smooth muscle cells of diabetic origin exhibit increased proliferation, adhesion, and migration (Faries et al). 2001;33:601-7
Relationship of glycosaminoglycan and matrix changes to vascular smooth muscle cell phenotype modulation in rabbit arteries after acute injury (Bingley et al). 2001;33:155-64
Vein adaptation to arterialization in an experimental model (Westerband et al). 2001;33:561-9

N

NAD+ ADP-ribosyltransferase
Expression of molecular mediators of apoptosis and their role in the pathogenesis of lower-extremity varicose veins (Ascher et al). 2001;33:1080-6

Neovascularization
Enhancement of neointima formation with tissue-type plasminogen activator (Hilfiker et al). 2001;33:821-8
Monocyte adhesion to balloon-injured arteries: the influence of endothelial cell seeding (Gangadharan et al). 2001;33:1247-54

Neurofibromatoses
An anterior tibial artery aneurysm in a patient with neurofibromatosis (Young et al). 2001;33:1114-7 (Case rep.)

New England Society for Vascular Surgery
Presidential address: what would you do if it were your father? Reflections on endovascular abdominal aortic aneurysm repair (Brewster). 2001;33:1139-47

Nitric oxide
The effect of combined arterial hemodynamics on saphenous venous endothelial nitric oxide production (Casey et al). 2001;33:1199-205
Inhibition of inducible nitric oxide synthase limits nitric oxide production and experimental aneurysm expansion (Johanning et al). 2001;33:579-86

Nitric oxide synthase
Inhibition of inducible nitric oxide synthase limits nitric oxide production and experimental aneurysm expansion (Johanning et al). 2001;33:579-86

Nuclear magnetic resonance
Regarding "Phosphorus 31 nuclear magnetic resonance spectroscopy suggests a mitochondrial defect in claudicating skeletal muscle" (Green and Bülow) (Letter); (Pipinos et al) (Reply). 2001;33:1133-4

O

Observer variation
Interobserver and intraobserver reproducibility of peripheral blood and oxygen pressure measurements in the assessment of lower extremity arterial disease (de Graaff et al). 2001;33:1033-40
Interobserver variability in aortoiliac and femoropopliteal duplex scanning (Ubbink et al). 2001;33:540-5

Outcome assessment (health care). *see* also Treatment outcome
Experience in the United States with intact abdominal aortic aneurysm repair (Huber et al). 2001;33:304-11
Multistate utilization, processes, and outcomes of carotid endarterectomy (Kresowik et al). 2001;33:227-35

Oxygen
Supplemental oxygen controls cellular proliferation and anastomotic intimal hyperplasia at a vascular graft-to-artery anastomosis in the rabbit (Lee et al). 2001;33:608-13

P

Paget-Schroetter syndrome; *see* Intermittent claudication

Pancreatic elastase
Elastase is not sufficient to induce experimental abdominal aortic aneurysms (Carsten et al). 2001;33:1255-62

Pancreatic neoplasms
Regarding "Acute enlargement and subsequent rupture of an abdominal aortic aneurysm in a patient receiving chemotherapy for pancreatic carcinoma" (Best) (Letter); (Veith) (Reply). 2001;33:661-2

Paraplegia
Lower extremity paraparesis or paraplegia subsequent to endovascular management of abdominal aortic aneurysms (Rockman et al). 2001;33:174-7 (Case rep.)

Patient selection
Outcome after combined carotid endarterectomy and coronary artery bypass is related to patient selection (Estes et al). 2001;33:1179-84
Pelvis
Transcatheter embolization of complex pelvic vascular malformations: results and long-term follow-up (Jacobowitz et al). 2001;33:51-5
Perfusion, regional
Pharmacokinetics of tissue plasminogen activator in an isolated extracorporeal circuit (Geier et al). 2001;33:165-9
Peripheral vascular diseases
Interobserver and intraobserver reproducibility of peripheral blood and oxygen pressure measurements in the assessment of lower extremity arterial disease (de Graaff et al). 2001;33:1033-40
The management of peripheral vascular complications associated with the use of percutaneous suture-mediated closure devices (Sprouse et al). 2001;33:688-93
Pressure measurements at rest and after heavy exercise to detect moderate arterial lesions in athletes (Abraham et al). 2001;33:721-7
The value of toe pulse waves in determination of risks for limb amputation and death in patients with peripheral arterial disease and skin ulcers or gangrene (Carter and Tate). 2001;33:708-14
Platelet glycoprotein GPIIb-IIIa complex
Heparin modulates integrin function in human platelets (Sobel et al). 2001;33:587-94
Plethysmography
Air plethysmography: the answer in detecting past deep venous thrombosis (Kalodiki et al). 2001;33:715-20
Pressure measurements at rest and after heavy exercise to detect moderate arterial lesions in athletes (Abraham et al). 2001;33:721-7
Regarding "High endogenous estradiol is associated with increased venous distensibility and clinical evidence of varicose veins in menopausal women (Georgiev) (Letter); (Ciardullo et al) (Reply). 2001;33:1134-5
Transfer function index of pulse volume recordings: a new method for vein graft surveillance (Ihlberg et al). 2001;33:546-53
Poly ADP ribose polymerase; *see* NAD+ ADP-ribosyltransferase
Polyesters
Longitudinal ruptures of polyester knitted vascular prostheses (Chafke et al). 2001;33:1015-21
Structural failure of first-generation, polyester, double-velour, knitted prostheses (Nunn). 2001;33:1128-30
Polytetrafluoroethylene
Clinical and design update on the development and testing of a one-piece, bifurcated, polytetrafluoroethylene endovascular graft for abdominal aortic aneurysm exclusion: the Endologix device (White). 2001;33:S154-6
The Hemobahn endoprosthesis: a self-expanding polytetrafluoroethylene-covered endoprosthesis for the treatment of peripheral arterial occlusive disease after balloon angioplasty (Rubin and Sicard). 2001;33:S124-8
Heparin-bonded Dacron or polytetrafluoroethylene for femoropopliteal bypass grafting: a multicenter trial (Devine et al). 2001;33:533-9
Tibial bypass for limb salvage using polytetrafluoroethylene and a distal vein patch (Neville et al). 2001;33:266-72
Popliteal artery
Bypass graft to the midpopliteal artery with a combined anterior and posterior approach (Gradman et al). 2001;33:888-94
Heparin-bonded Dacron or polytetrafluoroethylene for femoropopliteal bypass grafting: a multicenter trial (Devine et al). 2001;33:533-9
Sural artery pseudoaneurysms after knee arthroscopy: treatment with transcatheter embolization (Carlin et al). 2001;33:170-3 (Case rep.)
Vascular complications in high-performance athletes (Arko et al). 2001;33:935-42
Popliteal vein
Successful reconstruction of stripped superficial femoral vein (Aleksic et al). 2001;33:1111-3 (Case rep.)
Postoperative complications
Cardiac response and complications during endovascular repair of abdominal aortic aneurysms: a concurrent comparison with open surgery (Cuypers et al). 2001;33:353-60
Complications in subfascial endoscopic perforating vein surgery: a report of two cases (Geselschap et al). 2001;33:1108-10 (Case rep.)
Concerns for the durability of the proximal abdominal aortic aneurysm endograft fixation from a 2-year and 3-year longitudinal computed tomography angiography study (Prinssen et al). 2001;33:S64-9
Endoleaks following endovascular repair of abdominal aortic aneurysm: the predictive value of preoperative anatomic factors—a review of 100 cases (Petrik and Moore). 2001;33:739-44
Endovascular exclusion of descending thoracic aortic aneurysms and chronic dissections: initial clinical results with the AneuRx device (White et al). 2001;33:927-34
Failure of exclusion of internal iliac artery aneurysms (Nakajima et al). 2001;33:476-80
Hypogastric artery aneurysm rupture after apparent successful endovascular graft exclusion with shrinkage of the aneurysm: significance of endotension from a "virtual," or thrombosed II endoleak (Bade et al). 2001;33:1271-4 (Case rep.)
Iatrogenic vascular injuries from percutaneous vascular suturing devices (Nehler et al). 2001;33:943-7
Identification of factors predictive of lower extremity vein graft thrombosis (Gibson et al). 2001;33:24-31
Longitudinal ruptures of polyester knitted vascular prostheses (Chafke et al). 2001;33:1015-21
Lower extremity paraparesis or paraplegia subsequent to endovascular management of abdominal aortic aneurysms (Rockman et al). 2001;33:174-7 (Case rep.)
The management of peripheral vascular complications associated with the use of percutaneous suture-mediated closure devices (Sprouse et al). 2001;33:688-93
Midterm durability of abdominal aortic aneurysm endograft repair: a word of caution (Hölzenbein et al). 2001;33:S46-54
Optimal oral anticoagulant intensity to prevent secondary ischemic and hemorrhagic events in patients after infrainguinal bypass graft surgery (Tangelder et al). 2001;33:522-7
Poor durability of carotid angioplasty and stenting for treatment of recurrent artery stenosis after carotid endarterectomy: an institutional experience (Leger et al). 2001;33:1008-14
Prosthetic graft infection after descending thoracic/thoracoabdominal aortic aneurysmectomy: management with in situ arterial allografts (Kieffer et al). 2001;33:671-8

Randomized trial of vein versus Dacron patching during carotid endarterectomy: influence of patch type on postoperative embolization (Hayes et al). 2001;33:994-1000
Results of an aortic endograft trial: impact of device failure beyond 12 months (Beebe et al). 2001;33:S55-63
Thrombolysis for native arterial occlusions of the lower extremities: clinical outcome and cost (Korn et al). 2001;33:1148-57
An update of the Zenith endovascular graft for abdominal aortic aneurysms: initial implantation and mid-term follow-up data (Greenberg et al). 2001;33:S157-64

Pregnancy complications
Endovascular caval interruption in pregnant patients with deep vein thrombosis of the lower extremity (AbuRahma and Mullins). 2001;33:375-8
Ruptured false abdominal aortic aneurysm during pregnancy: Caesarean delivery followed by aortic reconstruction (Neuhauser et al). 2001;33:1125-7 (Case rep.)
Ruptured renal artery aneurysm during pregnancy: successful ex situ repair and auto transplantation (Lacroix et al). 2001;33:188-90 (Case rep.)

Protease inhibitors
Differential proteolytic activity and induction of apoptosis in fibrous versus atheromatous plaques in carotid atherosclerotic disease (Jacob et al). 2001;33:614-20

Pseudoaneurysm; *see* Aneurysm, false

Publishing
Consensus statement on submission and publication of manuscripts. 2001;33:1316

Pulmonary embolism
Endovascular caval interruption in pregnant patients with deep vein thrombosis of the lower extremity (AbuRahma and Mullins). 2001;33:375-8
Systematic study of occult pulmonary thromboembolism in patients with deep venous thrombosis (López-Beret et al). 2001;33:515-21

Pulse
Transfer function index of pulse volume recordings: a new method for vein graft surveillance (Ihlberg et al). 2001;33:546-53
The value of toe pulse waves in determination of risks for limb amputation and death in patients with peripheral arterial disease and skin ulcers or gangrene (Carter and Tate). 2001;33:708-14

Q

Quality of health care
Presidential address: reflections (Porter). 2001;33:213-9

Quality of life
Developing the Vascular Quality of Life Questionnaire: a new disease-pecific quality of life measure for use in lower limb ischemia (Morgan et al). 2001;33:679-87
Improved quality of life among patients with symptomatic carotid artery disease undergoing carotid endarterectomy (Dardik et al). 2001;33:329-33
A 1-year follow-up quality of life study after hemodynamically successful or unsuccessful surgical revascularization of lower limb ischemia (Klevsgård et al). 2001;33:114-22

Questionnaires
Developing the Vascular Quality of Life Questionnaire: a new disease-pecific quality of life measure for use in lower limb ischemia (Morgan et al). 2001;33:679-87

R

Recombinant proteins
Recombinant bactericidal/permeability-increasing protein attenuates the systemic inflammatory response syndrome in lower limb ischemia-reperfusion injury (Harkin et al). 2001;33:840-6

Renal artery
Isolated spontaneous dissection of the renal artery (Lacombe). 2001;33:385-91
Ruptured renal artery aneurysm during pregnancy: successful ex situ repair and auto transplantation (Lacroix et al). 2001;33:188-90 (Case rep.)

Renal artery obstruction
Endovascular revascularization of renal artery stenosis: technical and clinical results (Bush et al). 2001;33:1041-9

Reperfusion injury
Recombinant bactericidal/permeability-increasing protein attenuates the systemic inflammatory response syndrome in lower limb ischemia-reperfusion injury (Harkin et al). 2001;33:840-6

Research
Consensus statement on submission and publication of manuscripts. 2001;33:1316

Research support
Lifeline Foundation. 2001;33:399

Residency, medical; *see* Internship and residency

Restenosis; *see* Graft occlusion, vascular

Retroperitoneal neoplasms
Sequelae after limb-paring surgery with major vascular resection for tumor of the lower extremity (Matsushita et al). 2001;33:694-9

Retrospective studies
Trends in the incidence of venous stasis syndrome and venous ulcer: a 25-year population-based study (Heit et al). 2001;33:1022-7
Visceral artery aneurysm rupture (Carr et al). 2001;33:806-11

Revascularization
Autogenous composite vein bypass graft for infrainguinal arterial reconstruction (Chew et al). 2001;33:259-65
Brachial artery reconstruction for occlusive disease: a 12-year experience (Roddy et al). 2001;33:802-5
Bypass graft to the midpopliteal artery with a combined anterior and posterior approach (Gradman et al). 2001;33:888-94
Distal thoracic aorta as inflow for the treatment of chronic mesenteric ischemia (Farber et al). 2001;33:281-8
Early results of infragenicular revascularization based solely on duplex arteriography (Proia et al). 2001;33:1165-70
Endovascular revascularization of renal artery stenosis: technical and clinical results (Bush et al). 2001;33:1041-9
Extra-anatomic bypass graft for management of axillary artery occlusion in pitchers (Ishitobi et al). 2001;33:797-801
Infrainguinal bypass grafting in patients with end-stage renal disease: improving outcomes? (Lantis et al). 2001;33:1171-8
Limb salvage after successful pedal bypass grafting is associated with improved long-term survival (Kalra et al). 2001;33:6-16
Obtaining a superficial femoral artery graft in adolescents and children with the deep femoral artery transposition (Bednarkiewicz et al). 2001;33:429-30
A 1-year follow-up quality of life study after hemodynamically successful or unsuccessful surgical revascularization of

lower limb ischemia (Klevsgård et al). 2001;33:114-22
Outcome after combined carotid endarterectomy and coronary artery bypass is related to patient selection (Estes et al). 2001;33:1179-84
Regarding "A comparative evaluation of polytetrafluoroethylene, umbilical vein, and saphenous vein bypass grafts for femoral-popliteal above-knee revascularization: a prospective randomized Department of Veterans Affairs cooperative study" (Dardik) (Letter); (Johnson and Lee) (Reply). 2001;33:658-9
Relationship between antiphospholipid antibodies and progression of lower extremity arterial occlusive disease after lower extremity bypass operations (Lamb et al). 2001;33:976-82

Ribs
Thoracic outlet syndrome caused by first rib hemangioma (Yeow and Hsieh). 2001;33:1118-21 (Case rep.)

Risk factors
Age versus comorbidities as risk factors for complications from elective abdominal aortic reconstructive surgery (Berry et al). 2001;33:345-52
Carotid endarterectomy in diabetic patients (Pistolese et al). 2001;33:148-54
Endoleaks following endovascular repair of abdominal aortic aneurysm: the predictive value of preoperative anatomic factors—a review of 100 cases (Petrik and Moore). 2001;33:739-44
Lower extremity arterial injury: results of 550 cases and review of risk factors associated with limb loss (Hafez et al). 2001;33:1212-9
Outcome events in patients with claudication: a 15-year study in 2777 patients (Mulak et al). 2001;33:251-8
Preprocedural risk stratification: identifying an appropriate population for carotid stenting (Ouriel et al). 2001;33:728-32
Risk factors for rupture of abdominal aortic aneurysm based on three-dimensional study (Hatakeyama et al). 2001;33:453-61
Systematic study of occult pulmonary thromboembolism in patients with deep venous thrombosis (López-Beret et al). 2001;33:515-21
The value of toe pulse waves in determination of risks for limb amputation and death in patients with peripheral arterial disease and skin ulcers or gangrene (Carter and Tate). 2001;33:708-14

S

Saphenous vein
The effect of combined arterial hemodynamics on saphenous venous endothelial nitric oxide production (Casey et al). 2001;33:1199-205
Effects of dietary L-arginine on structure and function of flow-restricted vein grafts (Landis et al). 2001;33:829-39
Follow-up of valves in saphenous vein bypass grafts with duplex ultrasonography (Vesti et al). 2001;33:369-74
Limb salvage after successful pedal bypass grafting is associated with improved long-term survival (Kalra et al). 2001;33:6-16
Long-term assessment of cryopreserved vein bypass grafting success (Harris et al). 2001;33:528-32

Scientific misconduct
Consensus statement on submission and publication of manuscripts. 2001;33:1316

Scleroderma, systemic
Regarding "Management of leg ulcers in patients with rheumatoid arthritis or systemic sclerosis: the importance of concomitant arterial and venous disease" (McRorie) (Letter); (Hafner) (Reply). 2001;33:664-5

Sclerotherapy
New experiences with absolute ethanol sclerotherapy in the management of a complex form of congenital venous malformation (Lee et al). 2001;33:764-72
Primum non nocere: is it always true? The use of absolute ethanol in the management of congenital vascular malformations (Villavicencio). 2001;33:904-6

Sepsis syndrome
Recombinant bactericidal/permeability-increasing protein attenuates the systemic inflammatory response syndrome in lower limb ischemia-reperfusion injury (Harkin et al). 2001;33:840-6

Sex factors
Carotid endarterectomy in female patients: are the concerns of the Asymptomatic Carotid Atherosclerosis Study valid? (Rockman et al). 2001;33:236-41
Gender-related differences in infrarenal aortic aneurysm morphologic features: issues relevant to Ancure and Talent endografts (Velazquez et al). 2001;33:S77-84

Society for Vascular Surgery
A name change and a refocused society (Porter and Riles). 2001;33:207-8
Presidential address: proud past—bright future: a strategy for the new millennium (Towne). 2001;33:1-5

Specialties, surgical
The influence of surgical specialty training on the outcomes of elective abdominal aortic aneurysm surgery (Tu et al). 2001;33:447-52
Presidential address: proud past—bright future: a strategy for the new millennium (Towne). 2001;33:1-5
The role of the vascular surgeon in endovascular procedures (Ouriel and Kent). 2001;33:902-3
Sub-board of vascular surgery: political reality (Towne). 2001;33:899-901

Spinal cord ischemia
Lower extremity paraparesis or paraplegia subsequent to endovascular management of abdominal aortic aneurysms (Rockman et al). 2001;33:174-7 (Case rep.)

Splanchnic nerves
Nerve-preserving aortoiliac reconstruction surgery: anatomical study and surgical approach (van Schaik et al). 2001;33:983-9

Stents
The AneuRx stent graft: four-year results and worldwide experience 2000 (Zarins et al). 2001;33:S135-45
Aneurysm sac pressure measurements after endovascular repair of abdominal aortic aneurysms (Baum et al). 2001;33:32-41
Carotid angioplasty-stents: clinical experience and role for clinical trials (Hobson). 2001;33:S117-23
Chronic mesenteric ischemia: open surgery versus percutaneous angioplasty and stenting (Kasirajan et al). 2001;33:63-71
Current status of carotid bifurcation angioplasty and stenting based on a consensus of opinion leaders (Veith et al). 2001;33:S111-6
Eccentric stent graft compression: an indicator of insecure

proximal fixation of aortic stent graft (Wolf et al). 2001;33:481-7

Efficacy of a proximal occlusion catheter with reversal of flow in the prevention of embolic events during carotid artery stenting: an experimental analysis (Ohki et al). 2001;33:504-9

Endovascular stent-graft repair of primary aortocaval fistula with an abdominal aortoiliac aneurysm (Lau et al). 2001;33:425-8 (Case rep.)

Endovascular stent grafting in the presence of aortic neck filling defects: early clinical experience (Gitlitz et al). 2001;33:340-4

The Hemobahn endoprosthesis: a self-expanding polytetrafluoroethylene-covered endoprosthesis for the treatment of peripheral arterial occlusive disease after balloon angioplasty (Rubin and Sicard). 2001;33:S124-8

Histopathologic analysis of endovascular stent grafts from patients with aortic aneurysms: does healing occur? (McArthur et al). 2001;33:733-8

In-stent restenosis after carotid angioplasty-tenting: incidence and management (Chakhtoura et al). 2001;33:220-6

Influence of hormone replacement therapy on the outcome of iliac angioplasty and stenting (Timaran et al). 2001;33: S85-92

Outcome after unilateral hypogastric artery occlusion during endovascular aneurysm repair (Lee et al). 2001;33:921-6

Poor durability of carotid angioplasty and stenting for treatment of recurrent artery stenosis after carotid endarterectomy: an institutional experience (Leger et al). 2001;33: 1008-14

Preprocedural risk stratification: identifying an appropriate population for carotid stenting (Ouriel et al). 2001;33: 728-32

The problem of healing of endovascular stent grafts in the repair of abdominal aortic aneurysms (Szilagyi). 2001;33: 1283-5

Regarding "Aneurysm sac pressure measurements after endovascular repair of abdominal aortic aneurysms" (Golzarian) (Letter); (Baum et al) (Reply). 2001;33:1317-8

Regarding "Comparing patency rates among external iliac and common iliac stents" (Luján et al) (Letter); (Lee) (Reply). 2001;33:665-6

Regarding "Crushed stents in benign left brachiocephalic vein stenoses" (Molina) (Letter); (Hammer) (Reply). 2001;33: 662-3

Selecting patients for combined femorofemoral bypass grafting and iliac balloon angioplasty and stenting for bilateral iliac disease (AbuRahma et al). 2001;33:S93-9

Successful endovascular repair of juxtarenal and suprarenal aortic aneurysms with branched stent graft (Hosokawa et al). 2001;33:1087-92 (Case rep.)

Successful management of tracheo-innominate artery fistula with endovascular stent graft repair (Deguchi et al). 2001;33:1280-2 (Case rep.)

Technical aspects and current results of carotid stenting (d'Audiffret et al). 2001;33:1001-7

Update on the Talent aortic stent-graft: a preliminary report form United States phase I and II trials (Criado et al). 2001;33:S146-9

Subclavian artery

Right subclavian artery aneurysms of fibrodysplastic origin: two case reports and review of literature (Bonardelli et al). 2001;33:174-7 (Case rep.)

Subclavian steal syndrome

Subclavian steal syndrome from high-output brachiocephalic arteriovenous fistula: a previously undescribed complication of dialysis access (Schenk). 2001;33:883-5 (Case rep.)

Subclavian vein

Long-term results in patients treated with thrombolysis, thoracic inlet decompression, and subclavian vein stenting for Paget-Schroetter syndrome (Kreienberg et al). 2001;33: S100-5

Outcome after thrombolysis and selective thoracic outlet decompression for primary axillary vein thrombosis (Lokanathan et al). 2001;33:783-8

Vascular complications in high-performance athletes (Arko et al). 2001;33:935-42

Suggested reading abstracts

Suggested reading abstracts. 2001;33:444, 667-8, 908-9, 1136-7, 1319-20

Suggested reading abstracts. (2001;33:444). Correction 2001;33:788

Surgical flaps

Combined free tissue transfer and infrainguinal bypass graft: an alternative to major amputation in selected patients (Illig et al). 2001;33:17-23

Surgical wound infection

Wound infections involving infrainguinal autogenous vein grafts: a current evaluation of factors determining successful graft preservation (Treiman et al). 2001;33:948-54

Suture techniques

A comparison of para-anastomotic compliance profiles after vascular anastomosis: nonpenetrating clips versus standard sutures (Baguneid et al). 2001;33:812-20

Iatrogenic vascular injuries from percutaneous vascular suturing devices (Nehler et al). 2001;33:943-7

The management of peripheral vascular complications associated with the use of percutaneous suture-mediated closure devices (Sprouse et al). 2001;33:688-93

Sympathetic nervous system

Nerve-preserving aortoiliac reconstruction surgery: anatomical study and surgical approach (van Schaik et al). 2001;33:983-9

T

Technical notes

Technical notes. 2001;33:195-6, 429-34, 886-94, 1128-30

Thoracic outlet syndrome

Long-term functional outcome of neurogenic thoracic outlet syndrome in surgically and conservatively treated patients (Landry et al). 2001;33:312-9

Outcomes after surgery for thoracic outlet syndrome (Axelrod et al). 2001;33:1220-5

Thoracic outlet syndrome caused by first rib hemangioma (Yeow and Hsieh). 2001;33:1118-21 (Case rep.)

Thrombin

Femoral artery thrombosis after percutaneous thrombin injection of an external iliac artery pseudoaneurysm (Forbes and Millward). 2001;33:1093-6 (Case rep.)

Thromboembolism

Recurrent thromboembolism in patients with vena cava filters (Greenfield and Proctor). 2001;33:510-4

Regarding "Recurrent thromboembolism in patients with vena caval filters" (Ricotta). 2001;33:657

Thrombolytic therapy

Evaluation of thrombolysis in a porcine model of chronic deep

venous thrombosis: an endovascular model (Lin et al). 2001;33:621-7
Long-term results in patients treated with thrombolysis, thoracic inlet decompression, and subclavian vein stenting for Paget-Schroetter syndrome (Kreienberg et al). 2001;33: S100-5
Thrombolysis for native arterial occlusions of the lower extremities: clinical outcome and cost (Korn et al). 2001;33:1148-57

Thromboplastin
Active-site inactivated factor VIIa prevents thrombosis without increased surgical bleeding: topical and intravenous administration in a rat model of deep arterial injury (Söderström et al). 2001;33:1072-9
Local treatment with recombinant tissue factor pathway inhibitor reduces the development of intimal hyperplasia in experimental vein grafts (Huynh et al). 2001;33:400-7

Thrombosis
Regarding "Thrombus within an aortic aneurysm does not reduce pressure on the aneurysm wall" (Mower and Quinones) (Letter); (Schurink and van Bockel) (Reply). 2001;33:660-1

Thrombosis
Active-site inactivated factor VIIa prevents thrombosis without increased surgical bleeding: topical and intravenous administration in a rat model of deep arterial injury (Söderström et al). 2001;33:1072-9
Femoral artery thrombosis after percutaneous thrombin injection of an external iliac artery pseudoaneurysm (Forbes and Millward). 2001;33:1093-6 (Case rep.)

Thrombosis, deep vein; *see* Venous thrombosis

Thrombospondin
The C-terminal domain of thromobspondin-1 induces vascular smooth muscle cell chemotaxis (Nesselroth et al). 2001;33:595-600

Tibial arteries
An anterior tibial artery aneurysm in a patient with neurofibromatosis (Young et al). 2001;33:1114-7 (Case rep.)
Tibial bypass for limb salvage using polytetrafluoroethylene and a distal vein patch (Neville et al). 2001;33:266-72

Tissue culture
Construction and biological characterization of an HB-GAM/FGF-1 chimera for vascular tissue engineering (Xue et al). 2001;33:554-60
Morphologic and mechanical characteristics of engineered bovine arteries (Niklason et al). 2001;33:628-38

Tissue factor; *see* Thromboplastin

Tissue plasminogen activator
Pharmacokinetics of tissue plasminogen activator in an isolated extracorporeal circuit (Geier et al). 2001;33:165-9

Tissue transplantation
Vein adaptation to arterialization in an experimental model (Westerband et al). 2001;33:561-9

Tissue-type plasminogen activator; *see* Alteplase

Toes
The value of toe pulse waves in determination of risks for limb amputation and death in patients with peripheral arterial disease and skin ulcers or gangrene (Carter and Tate). 2001;33:708-14

Tomography, x-ray computed
Computed tomography assessment of abdominal aortic aneurysm morphology after endograft exclusion (White et al). 2001;33:S1-10
Concerns for the durability of the proximal abdominal aortic aneurysm endograft fixation from a 2-year and 3-year longitudinal computed tomography angiography study (Prinssen et al). 2001;33:S64-9
Follow-up evaluation of endoluminally treated abdominal aortic aneurysms with duplex utrasonography: validation with computed tomography (d'Audiffret et al). 2001;33:42-50
Is proximal aortic neck dilatation after endovascular aneurysm exclusion a cause for concern? (Makaroun and Deaton). 2001;33:S39-45
Patterns of brain computed tomography infarction and carotid plaque echogenicity (Tegos et al). 2001;33:334-9
Quantitative determination of age-related geometric changes in the normal abdominal aorta (Fleischmann et al). 2001;33:97-105

Tracheostomy
Successful management of tracheo-innominate artery fistula with endovascular stent graft repair (Deguchi et al). 2001;33:1280-2 (Case rep.)

Treatment outcome. *see* **also Outcome assessment (health care)**
Arteriovenous fistula construction in the thigh with transposed superficial femoral vein: our initial experience (Gradman et al). 2001;33:968-75
Common femoral artery ligation and local debridement: a safe treatment for infected femoral artery pseudoaneurysms (Arora et al). 2001;33:990-3
Contemporary management of aortic branch compromise resulting from acute aortic dissection (Lauterbach et al). 2001;33:1185-92
Functional outcome after open repair of abdominal aortic aneurysm (Williamson et al). 2001;33:913-20
Improved survival after endoluminal repair with second-generation prostheses compared with open repair in the treatment of abdominal aortic aneurysms: a 5-year concurrent comparison using life table method (May et al). 2001;33:S21-6
The influence of surgical specialty training on the outcomes of elective abdominal aortic aneurysm surgery (Tu et al). 2001;33:447-52
Infrainguinal bypass grafting in patients with end-tage renal disease: improving outcomes? (Lantis et al). 2001;33: 1171-8
Long-term functional outcome of neurogenic thoracic outlet syndrome in surgically and conservatively treated patients (Landry et al). 2001;33:312-9
Mid-term results after endovascular repair of the abdominal aortic aneurysm (Bush et al). 2001;33:S70-6
Outcome events in patients with claudication: a 15-year study in 2777 patients (Mulak et al). 2001;33:251-8
Outcomes after surgery for thoracic outlet syndrome (Axelrod et al). 2001;33:1220-5
Prognosis of patients turned down for conventional abdominal aortic aneurysm repair in the endovascular and sonographic era: Szilagyi revisited? (Conway et al). 2001;33: 752-7
Sequelae after limb-paring surgery with major vascular resection for tumor of the lower extremity (Matsushita et al). 2001;33:694-9
Shopping for vascular surgery (Cronenwett). 2001;33:654-6
Wound infections involving infrainguinal autogenous vein grafts: a current evaluation of factors determining successful graft preservation (Treiman et al). 2001;33: 948-54

Tuberous sclerosis
Aortic aneurysms in children and young adults with tuberous sclerosis: report of two cases and review of the literature (Jost et al). 2001;33:639-42 (Case rep.)

Tunica intima
Enhancement of neointima formation with tissue-type plasminogen activator (Hilfiker et al). 2001;33:821-8
G-protein expression and intimal hyperplasia after arterial injury: a role for Ggai proteins (Davies et al). 2001;33:408-18
Local treatment with recombinant tissue factor pathway inhibitor reduces the development of intimal hyperplasia in experimental vein grafts (Huynh et al). 2001;33:400-7
Supplemental oxygen controls cellular proliferation and anastomotic intimal hyperplasia at a vascular graft-to-artery anastomosis in the rabbit (Lee et al). 2001;33:608-13

U

Ultrasonography
Measurement of abdominal aortic aneurysms with three-dimensional ultrasound imaging: preliminary report (Leotta et al). 2001;33:700-7

Ultrasonography, Doppler, duplex
Carotid endarterectomy with normal findings from a completion study: is there need for early duplex scan? (Pross et al). 2001;33:963-7
Duplex scan surveillance during the first year after infrainguinal autologous vein bypass grafting surgery: costs and clinical outcomes compared with other surveillance programs (Visser et al). 2001;33:123-30
Early results of infragenicular revascularization based solely on duplex arteriography (Proia et al). 2001;33:1165-70
Follow-up evaluation of endoluminally treated abdominal aortic aneurysms with duplex utrasonography: validation with computed tomography (d'Audiffret et al). 2001;33:42-50
Follow-up of valves in saphenous vein bypass grafts with duplex ultrasonography (Vesti et al). 2001;33:369-74
Interobserver variability in aortoiliac and femoropopliteal duplex scanning (Ubbink et al). 2001;33:540-5
The natural history of intermediate and critical vein graft stenosis: recommendations for continued surveillance or repair (Mills et al). 2001;33:273-80
Optimizing duplex follow-up in patients with an asymptomatic internal carotid artery stenosis of less than 60% (Lovelace et al). 2001;33:56-61
The patterns and distribution of residual abnormalities between the individual proximal venous segments after an acute deep vein thrombosis (O'Shaughnessy and FitzGerald). 2001;33:379-84
Transfer function index of pulse volume recordings: a new method for vein graft surveillance (Ihlberg et al). 2001;33:546-53

Ultrasonography, Doppler, transcranial
Correlates of embolic events detected by means of transcranial Doppler in patients with carotid atheroma (Tegos et al). 2001;33:131-8
Flow redistribution in the major cerebral arteries after carotid endarterectomy: a study with transcranial Doppler scan (Vriens et al). 2001;33:139-47

Umbilical arteries
Aortic aneurysm resulting from umbilical artery catheterization: case report, literature review, and management algorithm (Mendeloff et al). 2001;33:419-24 (Case rep.)

V

Valsalva's maneuver
Common femoral vein dimensions and hemodynamics including Valsalva response as a function of sex, age, and ethnicity in a population study (Fronek et al). 2001;33:1050-6

Varicose ulcer
Endoscopic versus open subfascial division of incompetent perforating veins in the treatment of venous leg ulceration: long-term followup (Sybrandy et al). 2001;33:1028-32
Factors influencing ulcer healing in patients with combined arterial and venous insufficiency (Treiman et al). 2001;33:1158-64
Senescence and the healing rates of venous ulcers (Stanley and Osler). 2001;33:1206-11
Trends in the incidence of venous stasis syndrome and venous ulcer: a 25-year population-based study (Heit et al). 2001;33:1022-7

Varicose veins
Air plethysmography: the answer in detecting past deep venous thrombosis (Kalodiki et al). 2001;33:715-20
Complications in subfascial endoscopic perforating vein surgery: a report of two cases (Geselschap et al). 2001;33:1108-10 (Case rep.)
Does surgical correction of the superficial femoral vein valve change the course of varicose disease? (Makarova et al). 2001;33:361-8
Endoscopic versus open subfascial division of incompetent perforating veins in the treatment of venous leg ulceration: long-term followup (Sybrandy et al). 2001;33:1028-32
Expression of molecular mediators of apoptosis and their role in the pathogenesis of lower-extremity varicose veins (Ascher et al). 2001;33:1080-6
In situ hemodynamics of perforating veins in chronic venous insufficiency (Delis et al). 2001;33:773-82
Regarding "High endogenous estradiol is associated with increased venous distensibility and clinical evidence of varicose veins in menopausal women (Georgiev) (Letter); (Ciardullo et al) (Reply). 2001;33:1134-5
Successful reconstruction of stripped superficial femoral vein (Aleksic et al). 2001;33:1111-3 (Case rep.)
Surgery on varices in Byzantine times (324-1453 CE) (Lascaratos et al). 2001;33:197-203

Vascular intima; *see* Tunica intima

Vascular patency
A comparison of para-anastomotic compliance profiles after vascular anastomosis: nonpenetrating clips versus standard sutures (Baguneid et al). 2001;33:812-20
Histopathologic analysis of endovascular stent grafts from patients with aortic aneurysms: does healing occur? (McArthur et al). 2001;33:733-8
Regarding "Comparing patency rates among external iliac and common iliac stents" (Luján et al) (Letter); (Lee) (Reply). 2001;33:665-6

Vascular surgery
Basic science curriculum in vascular surgery residency (Sidawy et al). 2001;33:854-60
The 50th anniversary of abdominal aortic reconstruction (Friedman). 2001;33:895-8
Presidential address: proud past—bright future: a strategy for the new millennium (Towne). 2001;33:1-5
The role of the vascular surgeon in endovascular procedures (Ouriel and Kent). 2001;33:902-3
Shopping for vascular surgery (Cronenwett). 2001;33:654-6

Sub-board of vascular surgery: political reality (Towne). 2001;33:899-901

Vascular surgical procedures
Abdominal packing for surgically uncontrollable hemorrhage in ruptured abdominal aortic aneurysm repair (van Herwaarden and van Vroonhoven). 2001;33:195-6
Bypass graft to the midpopliteal artery with a combined anterior and posterior approach (Gradman et al). 2001;33:888-94
Cardiac response and complications during endovascular repair of abdominal aortic aneurysms: a concurrent comparison with open surgery (Cuypers et al). 2001;33:353-60
Distal thoracic aorta as inflow for the treatment of chronic mesenteric ischemia (Farber et al). 2001;33:281-8
Endovascular repair of aortic aneurysms: critical events and adjunctive procedures (Fairman et al). 2001;33:1226-32
External transabdominal manipulation of vessels: a useful adjunct with endovascular abdominal aortic aneurysm repair (Sternbergh et al). 2001;33:886-7
Failure of exclusion of internal iliac artery aneurysms (Nakajima et al). 2001;33:476-80
A less-invasive minilaparotomy technique for repair of aortic aneurysm and occlusive disease (Turnipseed). 2001;33:431-4
Multistate utilization, processes, and outcomes of carotid endarterectomy (Kresowik et al). 2001;33:227-35
Nerve-preserving aortoiliac reconstruction surgery: anatomical study and surgical approach (van Schaik et al). 2001;33:983-9
Obtaining a superficial femoral artery graft in adolescents and children with the deep femoral artery transposition (Bednarkiewicz et al). 2001;33:429-30
Renal cell carcinoma with extension of tumor thrombus into the vena cava: surgical strategy and prognosis (Tsuji et al). 2001;33:789-96
Technical aspects and current results of carotid stenting (d'Audiffret et al). 2001;33:1001-7
Totally laparoscopic abdominal aortic aneurysm repair (Dion et al). 2001;33:181-5 (Case rep.)
Unilateral and bilateral hypogastric artery interruption during aortoiliac aneurysm repair in 154 patients: a relatively innocuous procedure (Mehta et al). 2001;33:S27-32

Veins
Facts and fiction surrounding the discovery of the venous valves (Scultetus et al). 2001;33:435-41
New experiences with absolute ethanol sclerotherapy in the management of a complex form of congenital venous malformation (Lee et al). 2001;33:764-72
Regarding "Fact and fiction surrounding the discovery of the venous valves" (Caggiati and Bertocchi) (Letter); (Scultetus et al) (Reply). 2001;33:1317

Vena cava, inferior
Duodenocaval fistula: a life-threatening condition of various origins (Guillem et al). 2001;33:643-5 (Case rep.)
Endovascular stent-graft repair of primary aortocaval fistula with an abdominal aortoiliac aneurysm (Lau et al). 2001;33:425-8 (Case rep.)
Perinatal inferior vena cava thrombosis and absence of the infrarenal inferior vena cava (Ramanathan et al). 2001;33:1097-9 (Case rep.)
Renal cell carcinoma with extension of tumor thrombus into the vena cava: surgical strategy and prognosis (Tsuji et al). 2001;33:789-96
Surgical reconstruction of iliofemoral veins and the inferior vena cava for nonmalignant occlusive disease (Jost et al). 2001;33:320-8

Vena cava, superior
Regarding "Lessons learned from a 6-year clinical experience with superior vena cava Greenfield filters" (Ferral) (Letter); (Ascher) (Reply). 2001;33:907

Vena cava filters
Endovascular caval interruption in pregnant patients with deep vein thrombosis of the lower extremity (AbuRahma and Mullins). 2001;33:375-8
Recurrent thromboembolism in patients with vena cava filters (Greenfield and Proctor). 2001;33:510-4
Regarding "Lessons learned from a 6-year clinical experience with superior vena cava Greenfield filters" (Ferral) (Letter); (Ascher) (Reply). 2001;33:907
Regarding "Recurrent thromboembolism in patients with vena caval filters" (Ricotta). 2001;33:657

Venous insufficiency
Changes in cellular motility and cytoskeletal actin in fibroblasts from patients with chronic venous insufficiency and in neonatal fibroblasts in the presence of chronic wound fluid (Raffetto et al). 2001;33:1233-41
Does surgical correction of the superficial femoral vein valve change the course of varicose disease? (Makarova et al). 2001;33:361-8
Factors influencing ulcer healing in patients with combined arterial and venous insufficiency (Treiman et al). 2001;33:1158-64
In situ hemodynamics of perforating veins in chronic venous insufficiency (Delis et al). 2001;33:773-82
Trends in the incidence of venous stasis syndrome and venous ulcer: a 25-year population-based study (Heit et al). 2001;33:1022-7

Venous pressure
Regarding "Ambulatory venous pressure visited" (Recek) (Letter); (Neglen and Raju) (Reply). 2001;33:659-60
Regarding "Crushed stents in benign left brachiocephalic vein stenoses" (Molina) (Letter); (Hammer) (Reply). 2001;33:662-3

Venous thrombosis
Air plethysmography: the answer in detecting past deep venous thrombosis (Kalodiki et al). 2001;33:715-20
Endovascular caval interruption in pregnant patients with deep vein thrombosis of the lower extremity (AbuRahma and Mullins). 2001;33:375-8
Evaluation of thrombolysis in a porcine model of chronic deep venous thrombosis: an endovascular model (Lin et al). 2001;33:621-7
Identification of factors predictive of lower extremity vein graft thrombosis (Gibson et al). 2001;33:24-31
Low molecular weight heparin versus oral anticoagulants in the long-term treatment of deep venous thrombosis (López-Beret et al). 2001;33:77-90
Outcome after thrombolysis and selective thoracic outlet decompression for primary axillary vein thrombosis (Lokanathan et al). 2001;33:783-8
The patterns and distribution of residual abnormalities between the individual proximal venous segments after an acute deep vein thrombosis (O'Shaughnessy and FitzGerald). 2001;33:379-84
Perinatal inferior vena cava thrombosis and absence of the infrarenal inferior vena cava (Ramanathan et al). 2001;33:1097-9 (Case rep.)

Recurrent thromboembolism in patients with vena cava filters (Greenfield and Proctor). 2001;33:510-4

Regarding "Recurrent thromboembolism in patients with vena caval filters" (Ricotta). 2001;33:657

Systematic study of occult pulmonary thromboembolism in patients with deep venous thrombosis (López-Beret et al). 2001;33:515-21

Vascular complications in high-performance athletes (Arko et al). 2001;33:935-42

Visceral arteries

Visceral artery aneurysm rupture (Carr et al). 2001;33:806-11

W

Wound healing

Factors influencing ulcer healing in patients with combined arterial and venous insufficiency (Treiman et al). 2001;33:1158-64

The problem of healing of endovascular stent grafts in the repair of abdominal aortic aneurysms (Szilagyi). 2001;33:1283-5

Senescence and the healing rates of venous ulcers (Stanley and Osler). 2001;33:1206-11